Index to Volume 38

*Author index**

A

Abbas MA, Fowl RJ, Stone WM, Panneton JM, Oldenburg WA, Bower TC, Cherry KJ, Gloviczki P. Hepatic artery aneurysm: factors that predict complications. 2003;38:41-5

Abbas MA (*see* Tessier et al). 2003;38:969-74

Abdalla E (*see* Lesèche et al). 2003;38:244-50

Abe T (*see* Morishita et al). 2003;38:629-30 (Letter)

Abou-Zamzam AM (*see* Bianchi et al). 2003;38:67-71

Abraham CZ (*see* Yilmaz et al). 2003;38:753-7

AbuRahma AF, Cook CC, Metz MJ, Wulu JT Jr, Bartolucci A. Natural history of carotid artery stenosis contralateral to endarterectomy: results from two randomized prospective trials. 2003;38:1154-61

Acher CW (*see* Lederle et al). 2003;38:745-52

Adelman MA (*see* Jacobowitz et al). 2003;38:705-9

Adelman MA (*see* Maldonado et al). 2003;38:664-70

Adelman MA (*see* Rockman et al). 2003;38:251-6

Agarwal G (*see* Ellozy et al). 2003;38:676-83

Agarwal G (*see* Faries et al). 2003;38:652-6

Agrawal DK (*see* Dhume and Agrawal). 2003;38:155-61

Ahmadi R (*see* Willfort-Ehringer et al). 2003;38:1039-44

Ailawadi G, Eliason JL, Upchurch GR Jr. Current concepts in the pathogenesis of abdominal aortic aneurysm. 2003;38:584-8

Al-Omran M, Tu JV, Johnston KW, Mamdani MM, Kucey DS. Outcome of revascularization procedures for peripheral arterial occlusive disease in Ontario between 1991 and 1998: a population-based study. 2003;38:279-88

Al-Omran M, Tu JV, Johnston KW, Mamdani MM, Kucey DS. Use of interventional procedures for peripheral arterial occlusive disease in Ontario between 1991 and 1998: a population-based study. 2003;38:289-95

Algra A (*see* Bloemenkamp et al). 2003;38:104-10

Algra A (*see* Tangelder et al). 2003;38:629 (Letter)

Algra A (*see* van den Bosch et al). 2003;38:772-8

Ali AT, Modrall JG, Lopez J, Brawley JG, Welborn MB, Clagett GP, Valentine RJ, Jackson MR. Emerging role of endovascular grafts in complex aortoiliac occlusive disease. 2003;38:486-91

Allemand H (*see* Ricco et al). 2003;38:1273-82

Allenberg JR (*see* Zhang et al). 2003;38:360-7

Alric P (*see* Batt et al). 2003;38:983-9

Alric P (*see* Berthet et al). 2003;38:997-1004

Alric P (*see* Hinchliffe et al). 2003;38:88-92, 498-503

Altmeyer P (*see* Stücker et al). 2003;38:522-7

Alvarez Garcia B, Ruiz C, Chacon P, Alvarez Sabin J, Matas M. High-sensitivity C-reactive protein in high-grade carotid stenosis; risk marker for unstable carotid plaque. 2003;38:1018-24

Alvarez Sabin J (*see* Alvarez Garcia et al). 2003;38:1018-24

Anagnostopoulos PV (*see* Pipinos et al). 2003;38:827-32

Anderson MW (*see* Nehler et al). 2003;38:7-14

Andrews JC (*see* Kalra et al). 2003;38:215-23

Andrews JC (*see* Tessier et al). 2003;38:969-74

Aneurysm Detection and Management Veterans Affairs Cooperative Study (*see* Lederle et al). 2003;38:745-52

Anton L (*see* Shenoy et al). 2003;38:229-35

Antonello M (*see* Greco et al). 2003;38:1232-40

Arcelus JI, Caprini JA, Monreal M, Suárez C, González-Fajardo J. The management and outcome of acute venous thromboembolism: a prospective registry including 4011 patients. 2003;38:916-22

Archie JP Jr (*see* Longest et al). 2003;38:1353-62

Arko FR. Regarding "Intrasac flow velocities predict sealing of type II endoleaks after endovascular abdominal aortic aneurysm repair." 2003;38:628-9 (Letter reply)

Armon MP (*see* Hinchliffe et al). 2003;38:88-92

Ascher E. Presidential address: The modern vascular specialist—surgeon, clinician, and interventionist. 2003;38:633-8

Ascher E. Regarding "Cerebral hyperperfusion syndrome after carotid endarterectomy: predictive factors and hemodynamic changes." 2003;38:868 (Letter reply)

Ascher E (*see* Kallakuri et al). 2003;38:833-5 (Case rep.), 1113-20

Ashrafi A (*see* Treiman et al). 2003;38:29-35

Augustinos P (*see* Sarac et al). 2003;38:1404-6 (Case rep.)

Avermaete A (*see* Stücker et al). 2003;38:522-7

Ayerdi J (*see* Danetz et al). 2003;38:928-34

Aziz IN, Lee JT, Kopchok GE, Donayre CE, White RA, de Vergilio C. Cardiac risk stratification in patients undergoing endoluminal graft repair of abdominal aortic aneurysm: a single-institution experience with 365 patients. 2003;38:56-60

Aziz IN (*see* Lee et al). 2003;38:1254-63

Azuma N (*see* Kawai et al). 2003;38:305-12

B

Baca-Regen L (*see* Liu et al). 2003;38:1376-83

Bachoo P (*see* Cassar et al). 2003;38:99-103

Back MR, Rogers GA, Wilson JS, Johnson BL, Shames ML, Bandyk DF. Magnetic resonance angiography minimizes need for arteriography after inadequate carotid duplex ultrasound scanning. 2003;38:422-31

Back MR (*see* Bowser et al). 2003;38:432-8

Baeder B (*see* Marty et al). 2003;38:1368-75

Bajakian D (*see* Maldonado et al). 2003;38:664-70

Baker WH (*see* Labropoulos et al). 2003;38:793-8

Balasubramanian V (*see* Lee et al). 2003;38:785-92

Baldwin ZK (*see* Lee et al). 2003;38:785-92

Ballard DJ (*see* Lederle et al). 2003;38:745-52

Ballard JL. Regarding "Subfascial endoscopic perforator vein surgery combined with saphenous vein ablation: results and critical analysis." 2003;38:1139 (Letter reply)

Ballard JL (*see* Bianchi et al). 2003;38:67-71

Ballotta E, Da Giau G. Selective shunting with eversion carotid endarterectomy. 2003;38:1045-50

Ballotta E, Renon L, Toffano M, Da Giau G. Prospective randomized study on bilateral above-knee femoropopliteal revascularization: polytetrafluoroethylene graft versus reversed saphenous vein. 2003;38:1051-5

Bandyk DF (*see* Back et al). 2003;38:422-31

Bandyk DF (*see* Bowser et al). 2003;38:432-8

Barnes N (*see* Serracino-Inglott et al). 2003;38:620

Barrone A (*see* Milei et al). 2003;38:1241-7

Bartels LW (*see* Klein et al). 2003;38:1060-6

Bartolucci A (*see* Aburahma et al). 2003;38:1154-61

Batt M, Magne JL, Alric P, Muzj A, Ruotolo C, Ljungstrom KG, Garcia-Casas R, Simms M. In situ revascularization with silver-coated polyester grafts to treat aortic infection: early and mid-term results. 2003;38:983-9

Bavaria JE (*see* Lombardi et al). 2003;38:1185-90

Bax L (*see* Klein et al). 2003;38:1060-6

*July, pp. 1-206; August, pp. 207-412; September, pp. 413-632; October, pp. 633-870; November, pp. 871-1146; December, pp. 1147-1490.

Baxter BT (*see* Liu et al). 2003;38:1376-83
Bayston T, Ramessur S, Reise J, Jones KG, Powell JT. Prostaglandin E_2 receptors in abdominal aortic aneurysm and human aortic smooth muscle cells. 2003;38:354-9
Beer S (*see* Böhner et al). 2003;38:1430-3 (Case rep.)
Belcaro G (*see* Kakkos et al). 2003;38:224-8
Belfield AK (*see* Saltzberg et al). 2003;38:1056-9
Bell P, Mantor C, Jacocks MA. Congenital abdominal aortic aneurysm: a case report. 2003;38:190-3 (Case rep.)
Bell PRF (*see* Clover et al). 2003;38:1309-12
Bell PRF (*see* Hayes et al). 2003,38:1226-31
Bell PRF (*see* Lauder et al). 2003;38:1025-30
Bell PRF (*see* Naylor et al). 2003;38:593-5 (Case rep.). Correction 2003;38:1146
Benbunan M (*see* Senet et al). 2003;38:1342-8
Berceli SA (*see* Lee et al). 2003;38:459-65
Berczi V (*see* Tan et al). 2003;38:236-43
Berdejo GL (*see* Shaw et al). 2003;38:504-10
The Beriplast P Investigators (*see* Taylor et al). 2003;38:766-71
Bernand KG (*see* Drinkwater et al). 2003;38:1106-12
Bernheim JW (*see* Faries et al). 2003;38:652-6
Berthet JP, Marty-Ané CH, Veerapen R, Picard E, Mary H, Alric P. Dissection of the abdominal aorta in blunt trauma: endovascular or conventional surgical management?. 2003;38:997-1004
Besnard M (*see* Lesèche et al). 2003;38:244-50
Beyer MG (*see* Tripp et al). 2003;38:389-91 (Case rep.)
Bhandari G (*see* Greenberg et al). 2003;38:990-6
Bianchi C, Ballard JL, Abou-Zamzam AM, Teruya TH. Subfascial endoscopic perforator vein surgery combined with saphenous vein ablation: results and critical analysis. 2003;38:67-71
Bianco CC (*see* Bush et al). 2003;38:392-5 (Case rep.)
Bicknell CD (*see* Jackson et al). 2003;38:621-5 (Tech. note)
Birchall N (*see* Walker et al). 2003;38:1331-5
Bixler TJ (*see* Bush et al). 2003;38:392-5 (Case rep.)
Bjarnason H (*see* Kalra et al). 2003;38:215-23
Blankensteijn JD (*see* Milner et al). 2003;38:397-400 (Tech. note)
Blankensteijn JD (*see* Teutelink et al). 2003;38:843-6 (Case rep.)
Bloch DA (*see* Zarins et al). 2003;38:1264-72
Bloemenkamp DGM, Mali WPTM, Tanis BC, van den Bosch MAAJ, Kemmeren JM, Algra A, van der Graaf Y. Functional health and well-being of relatively young women with peripheral arterial disease is decreased but stable after diagnosis. 2003;38:104-10
Bloemenkamp DGM (*see* van den Bosch et al). 2003;38:772-8
Blondeau N (*see* Lang-Lazdunski et al). 2003;38:564-75
Boari B (*see* Manfredini et al). 2003;38:411-12 (Letter)
Bohannon WT (*see* Henao et al). 2003;38:1411-15 (Case rep.)
Böhner H, Luther B, Braunstein S, Beer S, Sandmann W. Primary malignant tumors of the aorta: clinical presentation, treatment, and course of different entities. 2003;38:1430-3 (Case rep.)
Bolia A (*see* Naylor et al). 2003;38:593-5 (Case rep.). Correction 2003;38:1146
Bon FX (*see* Senet et al). 2003;38:1342-8
Bonvini S (*see* Greco et al). 2003;38:1232-40
Booth RE (*see* Calligaro et al). 2003;38:1170-7
Bovill EG (*see* Ricci et al). 2003;38:909-15
Bower TC (*see* Abbas et al). 2003;38:41-5
Bower TC (*see* Kalra et al). 2003;38:215-23
Bower TC (*see* Oderich et al). 2003;38:684-91
Bower TC (*see* Tessier et al). 2003;38:969-74
Bowser AN, Bandyk DF, Evans A, Novotney M, Leo F, Back MR, Johnson BL, Shames ML. Outcome of carotid stent-assisted angioplasty versus open surgical repair of recurrent carotid stenosis. 2003;38:432-8
Box H (*see* Hayes et al). 2003;38:1226-31
Bradbury AW (*see* Sam et al). 2003;38:904-8
Braunstein S (*see* Böhner et al). 2003;38:1430-3 (Case rep.)
Brawley JG (*see* Ali et al). 2003;38:486-91
Brevetti G, Silvestro A, Giacomo SD, Bucur R, Donato AMD, Schiano V, Scopacasa F. Endothelial dysfunction in peripheral arterial disease is related to increase in plasma markers of inflammation and severity of peripheral circulatory impairment but not to classic risk factors and atherosclerotic burden. 2003;38:374-9
Brevetti LS, Chang DS, Tang GL, Sarkar R, Messina LM. Overexpression of endothelial nitric oxide synthase increases skeletal muscle blood flow and oxygenation in severe rat hind limb ischemia. 2003;38:820-6
Brindle NPJ (*see* Clover et al). 2003;38:1309-12
Brittenden J (*see* Cassar et al). 2003;38:99-103
Brophy CM (*see* Tessier and Brophy). 2003;38:186-9 (Case rep.)
Brown OW. Medicolegal implications of board certification. 2003;38:407-8 (Editorial)
Brown PM, Sobolev B, Zelt DT. Selective management of abdominal aortic aneurysms smaller then 5.0 cm in a prospective sizing program with gender-specific analysis. 2003;38:762-5
Bruijninckx B (*see* Simons et al). 2003;38:758-61
Bucur R (*see* Brevetti et al). 2003;38:374-9
Bullock C (*see* Sheikh and Bullock). 2003;38:779-84
Burke A (*see* Woodside et al). 2003;38:162-9
Burns PJ (*see* Sam et al). 2003;38:904-8
Bush RL, Bianco CC, Bixler TJ, Lin PH, Lumsden AB. Spontaneous arterial thrombosis in a patient with human immunodeficiency virus infection: successful treatment with pharmacomechanical thrombectomy. 2003;38:392-5 (Case rep.)
Bush RL (*see* Lin et al). 2003;38:183-5 (Case rep.), 380-2 (Case rep.), 396, 446-50, 840-2 (Case rep.), 1396-403
Bush RL (*see* Terramani et al). 2003;38:473-8. Correction 2003;38:1146
Bussel A (*see* Senet et al). 2003;38:1342-8
Butler B (*see* Ouriel et al). 2003;38:93-8

C

Cadot H (*see* Faries et al). 2003;38:652-6
Calcagno D (*see* Campbell and Calcagno). 2003;38:596-9 (Case rep.)
Calder F (*see* Chemla et al). 2003;38:1446 (Letter)
Callas PW (*see* Ricci et al). 2003;38:909-15
Calligaro KD, Dougherty MJ, Ryan S, Booth RE. Acute arterial complications associated with total hip and knee arthroplasty. 2003;38:1170-7
Calligaro KD, Veith FJ, Yuan JG, Gargiulo NJ, Dougherty MJ. Intra-abdominal aortic graft infection: complete or partial graft preservation in patients at very high risk. 2003;38:1199-205
Calligaro KD (*see* Chang et al). 2003;38:335-9
Calligaro KD (*see* Kolakowski et al). 2003;38:719-23
Calvo F (*see* Senet et al). 2003;38:1342-8
Camiade C, Maher A, Ricco JB, Roumy J, Febrer G, Marchand C, Neau JP. Carotid bypass with polytetrafluoroethylene grafts: a study of 110 consecutive patients. 2003;38:1031-8
Campbell DR (*see* Saltzberg et al). 2003;38:1056-9
Campbell JJ, Calcagno D. Aortic pseudoaneurysm from aortic penetration with a bird's nest vena cava filter. 2003;38:596-9 (Case rep.)
Canton LG (*see* Kalra et al). 2003;38:215-23

Caprini JA (*see* Arcelus et al). 2003;38:916-22
Caro CG (*see* Jackson et al). 2003;38:621-5 (Tech. note)
Carpenter JP (*see* Lombardi et al). 2003;38:1185-90
Carroccio A (*see* Ellozy et al). 2003;38:676-83
Carroccio A (*see* Goldstein et al). 2003;38:1422-5 (Case rep.)
Carsten CG (*see* Mackrell et al). 2003;38:1305-8
Carter JW (*see* Huber et al). 2003;38:1005-11
Carter RL (*see* Huber et al). 2003;38:1005-11
Cassada D (*see* Xenos et al). 2003;38:451-4
Cassar K, Bachoo P, Ford I, Greaves M, Brittenden J. Platelet activation is increased in peripheral arterial disease. 2003;38:99-103
Castier Y (*see* Lesèche et al). 2003;38:244-50
Cayne NS, Rhee SJ, Veith FJ, Lipsitz EC, Ohki T, Gargiulo NJ III, Mehta M, Suggs WD, Wain RA, Rosenblit A, Timaran C. Does transrenal fixation of aortic endografts impair renal function?. 2003;38:639-44
Cayne NS (*see* Faries et al). 2003;38:652-6
Cerceau O (*see* Lesèche et al). 2003;38:244-50
Cerveira JJ (*see* Choi et al). 2003;38:1206-12
Cerveira JJ (*see* Lal et al). 2003;38:1162-9
Cha A (*see* Ellozy et al). 2003;38:676-83
Cha SS (*see* Oderich et al). 2003;38:684-91
Chacon P (*see* Alvarez Garcia et al). 2003;38:1018-24
Chae K (*see* Ellozy et al). 2003;38:676-83
Chaikof EL (*see* Rayan et al). 2003;38:714-18
Chaikof EL (*see* Terramani et al). 2003;38:473-8. Correction 2003;38:1146
Chaisson GA (*see* Tripp et al). 2003;38:389-91 (Case rep.)
Chakhtoura EY (*see* Lal et al). 2003;38:1162-9
Chalmers RTA (*see* Tambyraja et al). 2003;38:852-4 (Case rep.)
Chang A (*see* Starnes et al). 2003;38:263-71
Chang BB, Roddy SP, Darling RC III, Maharaj D, Paty PSK, Kreienberg PB, Ozsvath KJ, Mehta M, Shah DM. Upper extremity bypass grafting for limb salvage in end-stage renal failure. 2003;38:1313-15
Chang DS (*see* Brevetti et al). 2003;38:820-6
Chang JB, Stein TA. Regarding "Postoperative infection associated with polyester patch angioplasty after carotid endarterectomy." 2003;38:1445 (Letter)
Chang JK, Calligaro KD, Lombardi JP, Dougherty MJ. Factors that predict prolonged length of stay after aortic surgery. 2003;38:335-9
Chang RS (*see* Chemla et al). 2003;38:1446 (Letter)
Chataigner O (*see* Lesèche et al). 2003;38:244-50
Chemla E, Chang RS, Calder F. Regarding response to "Vein transposition in the forearm for autogenous hemodialysis access" and "Basilic vein transposition: an underused autologous alternative to prosthetic dialysis angioaccess." 2003;38:1446 (Letter)
Chen C (*see* Lin et al). 2003;38:1396-403
Chen C (*see* Paladugu et al). 2003;38:549-56
Chen R (*see* Sam et al). 2003;38:313-18
Cherry KJ Jr (*see* Kalra et al). 2003;38:215-23
Cherry KJ Jr (*see* Oderich et al). 2003;38:684-91
Cherry KJ (*see* Abbas et al). 2003;38:41-5
Cheshire NJW (*see* Jackson et al). 2003;38:621-5 (Tech. note)
Chiou AC. Regarding "Graft patency is not the only clinical predictor of success after exclusion and bypass of popliteal artery aneurysms." 2003;38:1141-2 (Letter reply)
Cho JS (*see* Conrad et al). 2003;38:129-37
Choi HM, Lal BK, Cerveira JJ, Padberg FT Jr, Silva MB Jr, Hobson RW II, Pappas PJ. Durability and cumulative functional patency of transposed and nontransposed arteriovenous fistulas. 2003;38:1206-12
Christie RA (*see* van Rij et al). 2003;38:935-43
Chuter TAM, Schneider DB, Reilly LM, Lobo EP, Messina LM. Modular branched stent graft for endovascular repair of aortic arch aneurysm and dissection. 2003;38:859-63 (Tech. note)
Chuter TAM (*see* Schneider et al). 2003;38:855
Chuter TAM (*see* Yilmaz et al). 2003;38:753-7
Cikirikcioglu M (*see* Sunar et al). 2003;38:864-5 (Tech. note)
Cindrick-Pounds L (*see* Murakami et al). 2003;38:923-7
Clagett GP (*see* Ali et al). 2003;38:486-91
Clair D (*see* Greenberg et al). 2003;38:990-6
Clair DG (*see* Ouriel et al). 2003;38:93-8
Clarke MJ (*see* Tambyraja et al). 2003;38:852-4 (Case rep.)
Cleveland TJ (*see* Tan et al). 2003;38:236-43
Clover AJ, McCarthy MJ, Hodgkinson K, Bell PRF, Brindle NPJ. Noninvasive augmentation of microvessel number in patients with peripheral vascular disease. 2003;38:1309-12
Coats RD (*see* Shuster et al). 2003;38:1316-22
Cohen JL (*see* Farber et al). 2003;38:15-21
Coll JR (*see* Nehler et al). 2003;38:7-14
Collins J (*see* Sam et al). 2003;38:313-18
Colonnello JS, Hance KA, Shames ML, Wyble CW, Ziporin SJ, Leidenfrost JE, Ennis TL, Upchurch GR Jr, Thompson RW. Transient exposure to elastase induces mouse aortic wall smooth muscle cell production of MCP-1 and RANTES during development of experimental aortic aneurysm. 2003;38:138-46
Combes M (*see* Kassabian et al). 2003;38:617-19 (Case rep.)
Comerota AJ, Throm RC, Kelly P, Jaff M. Tissue (muscle) oxygen saturation (StO_2): a new measure of symptomatic lower-extremity arterial disease. 2003;38:724-9
Comerota AJ (*see* Wilhite et al). 2003;38:710-13
Conklin BS (*see* Lin et al). 2003;38:1396-403
Conklin BS (*see* Paladugu et al). 2003;38:549-56
Conners MS III (*see* Sternbergh et al). 2003;38:589-92 (Case rep.), 1136
Conrad MF, Shepard AD, Pandurangi K, Parikshak M, Nypaver TJ, Reddy DJ, Cho JS. Outcome of carotid endarterectomy in African Americans: Is race a factor?. 2003;38:129-37
Cook CC (*see* AbuRahma et al). 2003;38:1154-61
Coppin T (*see* Kassabian et al). 2003;38:617-19 (Case rep.)
Corrow K (*see* Healey et al). 2003;38:1099-105
Corsini A (*see* Ricco et al). 2003;38:1273-82
Corson JD (*see* Sharafuddin et al). 2003;38:692-8
Cossman DV (*see* Farber et al). 2003;38:15-21
Costanza MJ (*see* Heidenreich et al). 2003;38:1407-10 (Case rep.)
Cowan JA Jr, Dimick JB, Wainess RM, Henke PK, Stanley JC, Upchurch GR Jr. Ruptured thoracoabdominal aortic aneurysm treatment in the United States: 1988 to 1998. 2003;38:319-22
Cowan JA Jr (*see* Dimick et al). 2003;38:739-44
Coyne KS, Margolis MK, Gilchrist KA, Grandy SP, Hiatt WR, Ratchford A, Revicki DA, Weintraub WS, Regensteiner JG. Evaluating effects of method of administration on Walking Impairment Questionnaire. 2003;38:296-304
Crabtree T (*see* Zarins et al). 2003;38:1264-72
Creton D (*see* Lurie et al). 2003;38:207-14
Cronenwett JL (*see* Wyers et al). 2003;38:730-8
Cull DL (*see* Mackrell et al). 2003;38:1305-8
Curi MA (*see* Lee et al). 2003;38:785-92
Curry TK (*see* Schneider et al). 2003;38:855

D

da Gama AD, Sarmento CS, do Carmo GX, Machado FS. Use of external iliac artery in renal revascularization surgery: long-term angiographic assessment. 2003;38:123-8
Da Giau G (*see* Ballotta and Da Giau). 2003;38:1045-50
Da Giau G (*see* Ballotta et al). 2003;38:1051-5
da Silva RM, Lingaas PS, Geiran O, Tronstad L, Olsen I. Multiple bacteria in aortic aneurysms. 2003;38:1384-9
Dai W (*see* Yu et al). 2003;38:557-63
Daller JA (*see* Woodside et al). 2003;38:162-9
Dalsing MC (*see* Morrison and Dalsing). 2003;38:886-90
Danetz JS, McLafferty RB, Ayerdi J, Gruneiro LA, Ramsey DE, Hodgson KJ. Selective venography versus nonselective venography before vena cava filter placement: evidence for more, not less. 2003;38:928-34
Danielsson G, Eklof B, Grandinetti A, Lurie F, Kistner RL. Deep axial reflux, an important contributor to skin changes or ulcer in chronic venous disease. 2003;38:1336-41
Dardik H. Regarding "Cryopreserved saphenous vein allografts in infrainguinal revascularization: analysis of 240 grafts." 2003;38:1446 (Letter)
Darling RC III (*see* Chang et al). 2003;38:1313-15
Daskalopoulos M (*see* Liapis et al). 2003;38:1220-5
Davidson IR (*see* Hinchliffe et al). 2003;38:88-92
Day NE (*see* Wilmink et al). 2003;38:72-7
de Borst GJ (*see* Smeets et al). 2003;38:1297-304
de Graaf R, Veith FJ, Gargiulo NJ III, Lipsitz EC, Ohki T, Kurvers HAJM. Endovascular abdominal aortic aneurysm repair to prevent rupture in a patient requiring lithotripsy. 2003;38:1426-9 (Case rep.)
de Graaff JC, Ubbink DT, Legemate DA, Tijssen JGP, Jacobs MJHM. Evaluation of toe pressure and transcutaneous oxygen measurements in management of chronic critical leg ischemia: a diagnostic randomized clinical trial. 2003;38:528-34
de Graaff JC, Ubbink DT, van der Spruit JA, Lagarde SM, Jacobs MJHM. Influence of peripheral arterial disease on capillary pressure in the foot. 2003;38:1067-74
de Rijcke PAR, Hop WCJ, Wittens CHA. Subfascial endoscopic perforating vein surgery as treatment for lateral perforating vein incompetence and venous ulceration. 2003;38:799-803
de Rijcke PAR, Schenk T, van Gent WB, Kleinrensink GJ, Wittens CHA. Surgical anatomy for subfascial endoscopic perforating vein surgery of laterally located perforating veins. 2003;38:1349-52
de Vergilio C (*see* Aziz et al). 2003;38:56-60
de Vries JP (*see* Smeets et al). 2003;38:1297-304
de Wailly GW (*see* Thaveau et al). 2003;38:603-8 (Case rep.)
Deaton DH (*see* Moore et al). 2003;38:46-55
Decker M (*see* Moore et al). 2003;38:46-55
Décousus H (*see* Quenet et al). 2003;38:944-9
Deeb GM (*see* Lee et al). 2003;38:671-5
Delos M (*see* Scavèe et al). 2003;38:180-2 (Case rep.)
Deltombe T (*see* Scavèe et al). 2003;38:180-2 (Case rep.)
DeMasi RJ (*see* Sprouse et al). 2003;38:466-72
Deriu GP (*see* Greco et al). 2003;38:1232-40
Desfaits AC (*see* Ribourtout et al). 2003;38:576-83
Dhume AS, Agrawal DK. Inability of vascular smooth muscle cells to proceed beyond S phase of cell cycle, and increased apoptosis in symptomatic carotid artery disease. 2003;38:155-61
Dickson C (*see* Shenoy et al). 2003;38:229-35
Diethrich EB (*see* Westerband et al). 2003;38:699-704
Dietz PA (*see* Manazer et al). 2003;38:600-2 (Case rep.)
Dillavou ED, Muluk SC, Rhee RY, Tzeng E, Woody JD, Gupta N, Makaroun MS. Does hostile neck anatomy preclude successful endovascular aortic aneurysm repair?. 2003;38:657-63
Dimick JB, Cowan JA Jr, Stanley JC, Henke PK, Pronovost PJ, Upchurch GR Jr. Surgeon specialty and provider volumes are related to outcome of intact abdominal aortic aneurysm repair in the United States. 2003;38:739-44
Dimick JB (*see* Cowan et al). 2003;38:319-22
Dimick JB (*see* Lee et al). 2003;38:671-5
Dimitroulis DA (*see* Liapis et al). 2003;38:1220-5
Ding R (*see* Drinkwater et al). 2003;38:1106-12
Dion YM, Thaveau F, Fearn SJ. Current modifications to totally laparoscopic "apron technique." 2003;38:403-6 (Tech. note)
Dion YM (*see* Thaveau et al). 2003;38:603-8 (Case rep.)
do Carmo GX (*see* da Gama et al). 2003;38:123-8
Dodson TF (*see* Terramani et al). 2003;38:473-8. Correction 2003;38:1146
Domenig C (*see* Rockman et al). 2003;38:251-6
Donato AMD (*see* Brevetti et al). 2003;38:374-9
Donayre CE (*see* Aziz et al). 2003;38:56-60
Donayre CE (*see* Lee et al). 2003;38:1254-63
Doorly DJ (*see* Jackson et al). 2003;38:621-5 (Tech. note)
Dosquet C (*see* Senet et al). 2003;38:1342-8
Dougherty MJ (*see* Calligaro et al). 2003;38:1170-7, 1199-205
Dougherty MJ (*see* Chang et al). 2003;38:335-9
Dougherty MJ (*see* Kolakowski et al). 2003;38:719-23
Drezner D (*see* Vasquez et al). 2003;38:836-9 (Case rep.)
Drinkwater SL, Bernand KG, Ding R, Smith A. Increased but ineffectual angiogenic drive in nonhealing venous leg ulcers. 2003;38:1106-12
du Trait DF, van Schalkwyk GD, Wadee SA, Warren BL. Neurologic outcome after penetrating extracranial arterial trauma. 2003;38:257-62
Dubertret L (*see* Senet et al). 2003;38:1342-8
Dumont M (*see* Thaveau et al). 2003;38:603-8 (Case rep.)
Duran E (*see* Sunar et al). 2003;38:864-5 (Tech. note)

E

Eagle KA (*see* Lee et al). 2003;38:671-5
Eagleton M (*see* Haulon et al). 2003;38:1121-4 (Case rep.)
Edwards JM (*see* Landry et al). 2003;38:22-8
Ehringer H (*see* Willfort-Ehringer et al). 2003;38:1039-44
Eifert S (*see* Scultetus et al). 2003;38:896-903
Eikelboom BC (*see* Tangelder et al). 2003;38:629 (Letter)
Eklof B (*see* Danielsson et al). 2003;38:1336-41
Eklof B (*see* Lurie et al). 2003;38:207-14, 955-61
Eklof B (*see* Puggioni et al). 2003;38:517-21
Eliason JL (*see* Ailawadi et al). 2003;38:584-8
Ellozy SH, Carroccio A, Minor M, Jacobs T, Chae K, Cha A, Agarwal G, Goldstein B, Morrissey N, Spielvogel D, Lookstein RA, Teodorescu V, Hollier LH, Marin ML. Challenges of endovascular tube graft repair of thoracic aortic aneurysm: midterm follow-up and lessons learned. 2003;38:676-83
Ellozy SH (*see* Goldstein et al). 2003;38:1422-5 (Case rep.)
Emmerich J (*see* Ricci et al). 2003;38:909-15
Endean ED. Regarding "Pseudoaneurysm of the lateral plantar artery after foot laceration." 2003;38:1142-3 (Letter reply)
Ennis TL (*see* Colonnello et al). 2003;38:138-46
Epinat M (*see* Quenet et al). 2003;38:944-9
Eriksson P (*see* Kazi et al). 2003;38:1283-92
Erzurum VZ. Inferior vena cava endograft to control surgically inaccessible hemorrhage. 2003;38:1437-9 (Case rep.)
Escribano JM. Regarding "Intrasac flow velocities predict sealing

of type II endoleaks after endovascular abdominal aortic aneurysm repair." 2003;38:628-9 (Letter)
Escribano JM. Regarding "Optimal therapy for advanced chronic venous insufficiency." 2003;38:411 (Letter)
Esemuede N (*see* Lee et al). 2003;38:147-54
Eskandari MK (*see* Sam et al). 2003;38:1132-5 (Case rep.)
Eton D (*see* Yu et al). 2003;38:557-63
Evans A (*see* Bowser et al). 2003;38:432-8

F

Fabiani JN (*see* Kassabian et al). 2003;38:617-19 (Case rep.)
Faggin E (*see* Puato et al). 2003;38:1390-5
Fail PS (*see* Tripp et al). 2003;38:389-91 (Case rep.)
Fang R (*see* Kashyap et al). 2003;38:1416-21 (Case rep.)
Farber A, Major K, Wagner WH, Cohen JL, Cossman DV, Lauterbach SR, Levin PM. Cryopreserved saphenous vein allografts in infrainguinal revascularization: analysis of 240 grafts. 2003; 38:15-21
Farber MA (*see* Mendes et al). 2003;38:891-5
Faries PL, Agarwal G, Lookstein R, Bernheim JW, Cayne NS, Cadot H, Goldman J, Kent KC, Hollier LH, Marin ML. Use of cine magnetic resonance angiography in quantifying aneurysm pulsatility associated with endoleak. 2003;38:652-6
Farris DM (*see* Myers et al). 2003;38:1075-89
Fearn SJ (*see* Dion et al). 2003;38:403-6 (Tech. note)
Febrer G (*see* Camiade et al). 2003;38:1031-8
Fender P (*see* Ricco et al). 2003;38:1273-82
Ferreira M (*see* Milei et al). 2003;38:1241-7
Filis KA (*see* Pipinos et al). 2003;38:827-32
Fillinger MF (*see* Wyers et al). 2003;38:730-8
Fitridge R (*see* Pearson et al). 2003;38:1248-53
Fitzpatrick CM (*see* Kashyap et al). 2003;38:1416-21 (Case rep.)
Flinn WR (*see* Heidenreich et al). 2003;38:1407-10 (Case rep.)
Flynn TC (*see* Lee et al). 2003;38:459-65
Fogarty TJ (*see* Zarins et al). 2003;38:1264-72
Ford I (*see* Cassar et al). 2003;38:99-103
Forgione P (*see* Healey et al). 2003;38:1099-105
Foster JE (*see* Vasquez et al). 2003;38:836-9 (Case rep.)
Fowkes FGR (*see* Smith et al). 2003;38:1323-30
Fowl RJ (*see* Abbas et al). 2003;38:41-5
Fowl RJ (*see* Tessier et al). 2003;38:969-74
Francis F (*see* Lesèche et al). 2003;38:244-50
Franklin JS (*see* Wellons et al). 2003;38:455-8. Correction 2003; 38:1146
Freeman K (*see* Shaw et al). 2003;38:504-10
Freeman M (*see* Xenos et al). 2003;38:451-4
Freeman MB (*see* Timaran et al). 2003;38:272-8, 479-85
Friedman SG (*see* McPhee et al). 2003;38:194-6 (Case rep.)
Fu W (*see* Paladugu et al). 2003;38:549-56
Fukada J (*see* Morishita et al). 2003;38:629-30 (Letter)
Fukumoto Y (*see* Takagi et al). 2003;38:613-16 (Case rep.)
Fukuoka M, Sugimoto T, Okita Y. Prospective evaluation of chronic venous insufficiency based on foot venous pressure measurements and air plethysmography findings. 2003;38: 804-11

G

Gade P (*see* Kallakuri et al). 2003;38:1113-20
Gagne PJ (*see* Jacobowitz et al). 2003;38:705-9
Gahtan V (*see* Lee et al). 2003;38:147-54
Gaines PA (*see* Tan et al). 2003;38:236-43
Gallagher J (*see* Vasquez et al). 2003;38:836-9 (Case rep.)
Gallerani M (*see* Manfredini et al). 2003;38:411-12 (Letter)
Gallino A (*see* Marty et al). 2003;38:1368-75
Galt SW, Krais LW, Sarfati MR. Has the changing nature of vascular surgery adversely affected scholarly activity?. 2003;38: 1-6
García-Casas R (*see* Batt et al). 2003;38:983-9
García-Rinaldi R. Regarding "Venous reflux repair with cryopreserved vein valves." 2003;38:1139-40 (Letter)
Gargiulo NJ (*see* Calligaro et al). 2003;38:1199-205
Gargiulo NJ (*see* Lipsitz et al). 2003;38:1191-8
Gargiulo NJ (*see* Timaran et al). 2003;38:479-85
Gargiulo NJ III (*see* Cayne et al). 2003;38:639-44
Gargiulo NJ III (*see* de Graaf et al). 2003;38:1426-9 (Case rep.)
Gargiulo NJ III (*see* Shaw et al). 2003;38:504-10
Gaughan JP (*see* Willhite et al). 2003;38:710-13
Gayle RG (*see* Sprouse et al). 2003;38:466-72
Geiran O (*see* da Silva et al). 2003;38:1384-9
Geohagan M (*see* Lal et al). 2003;38:1162-9
Geroulakos G (*see* Kakkos et al). 2003;38:224-8
Giacomo SD (*see* Brevetti et al). 2003;38:374-9
Giglia JS. Technique to decrease lower extremity and pelvic ischemia during thoracoabdominal aortic aneurysm repair. 2003; 38:401-2 (Tech. note)
Gilchrist KA (*see* Coyne et al). 2003;38:296-304
Gillespie DL (*see* O'Donnell et al). 2003;38:856-8 (Tech. note)
Gillespie DL (*see* Scultetus et al). 2003;38:896-903
Gillespie DL (*see* Starnes et al). 2003;38:263-71
Giordana S (*see* Jackson et al). 2003;38:621-5 (Tech. note)
Gloviczki P. Presidential address: Venous surgery—from stepchild to equal partner. 2003;38:871-8
Gloviczki P (*see* Abbas et al). 2003;38:41-5
Gloviczki P (*see* Kalra et al). 2003;38:215-23
Gloviczki P (*see* Oderich et al). 2003;38:684-91
Goëau-Brissonnière O (*see* Ricco et al). 2003;38:1273-82
Goff JM (*see* O'Donnell et al). 2003;38:856-8 (Tech. note)
Goff JM (*see* Starnes et al). 2003;38:263-71
Gold M (*see* Manazer et al). 2003;38:600-2 (Case rep.)
Goldman J (*see* Faries et al). 2003;38:652-6
Goldman M (*see* Xenos et al). 2003;38:451-4
Goldman MH (*see* Timaran et al). 2003;38:272-8, 479-85
Goldstein B, Carroccio A, Ellozy SH, Spielvogel D, Morrissey N, Teodorescu V, Hollier LH, Marin ML. Combined open and endovascular repair of a syphilitic aortic aneurysm. 2003;38: 1422-5 (Case rep.)
Goldstein B (*see* Ellozy et al). 2003;38:676-83
Goldstein J (*see* Lal et al). 2003;38:1162-9
González-Fajardo J (*see* Arcelus et al). 2003;38:916-22
Goodall A (*see* Hayes et al). 2003;38:1226-31
Gordon RL (*see* Yilmaz et al). 2003;38:753-7
Goviczki P (*see* Tessier et al). 2003;38:969-74
Graham AM (*see* Vogel et al). 2003;38:1178-84
Grana DR (*see* Milei et al). 2003;38:1241-7
Grandinetti A (*see* Danielsson et al). 2003;38:1336-41
Grandy SP (*see* Coyne et al). 2003;38:296-304
Gray BH (*see* Mackrell et al). 2003;38:1305-8
Greaves M (*see* Cassar et al). 2003;38:99-103
Greco F, Antonello M, Lepidi S, Bonvini S, Deriu GP. Prospective, randomized study of external jugular vein patch versus polytetrafluoroethylene patch during carotid endarterectomy: perioperative and long-term results. 2003;38:1232-40
Green R (*see* Greenberg et al). 2003;38:990-6
Green RM, Waldman D. Five-year results of a merger between vascular surgeons and interventional radiologists in a university medical center. 2003;38:1213-19

Greenberg RK, Clair D, Srivastava S, Bhandari G, Turc A, Hampton J, Popa M, Green R, Ouriel K. Should patients with challenging anatomy be offered endovascular aneurysm repair?. 2003;38:990-6
Greenberg RK (*see* Haulon et al). 2003;38:1121-4 (Case rep.)
Greenberg RK (*see* Ouriel et al). 2003;38:93-8, 323-8
Gruber D (*see* Willfort-Ehringer et al). 2003;38:1039-44
Gruneiro LA (*see* Danetz et al). 2003;38:928-34
Gschwandtner ME (*see* Willfort-Ehringer et al). 2003;38:1039-44
Gül D (*see* Proebstle et al). 2003;38:511-16
Gupta N (*see* Dillavou et al). 2003;38:657-63
Guptan RC. Regarding "Is there an increased risk for DVT with the VNUS closure procedure?". 2003;38:1140 (Letter)

H

Hagino RT (*see* Kashyap et al). 2003;38:1416-21 (Case rep.)
Halici Ü (*see* Sunar et al). 2003;38:864-5 (Tech. note)
Halvorsen TB (*see* Haug et al). 2003;38:492-7
Hamdan AD (*see* Saltzberg et al). 2003;38:1056-9
Hampton J (*see* Greenberg et al). 2003;38:990-6
Hance KA (*see* Colonnello et al). 2003;38:138-46
Harmsen WS (*see* Kalra et al). 2003;38:215-23
Harris EL (*see* Jones et al). 2003;38:1363-7
Haser PB (*see* Lal et al). 2003;38:1162-9
Haug ES, Skomsvoll JF, Jacobsen G, Halvorsen TB, Sæther OD, Myhre HO. Inflammatory aortic aneurysm is associated with increased incidence of autoimmune disease. 2003;38:492-7
Haukoos JS (*see* Lee et al). 2003;38:1254-63
Haulon S, Greenberg RK, Khwaja J, Turc A, Srivastava SD, Eagleton M, Lyden SP, Ouriel K. Aortic dissection in the setting of an infrarenal endoprosthesis: a fatal combination. 2003;38:1121-4 (Case rep.)
Haumer A (*see* Willfort-Ehringer et al). 2003;38:1039-44
Haverich A (*see* Teebken et al). 2003;38:1141-2 (Letter)
Hawley AE (*see* Myers et al). 2003;38:1075-89
Hayes PD, Box H, Tull S, Bell PRF, Goodall A, Naylor AR. Patients' thromboembolic potential after carotid endarterectomy is related to the platelets' sensitivity to adenosine diphosphate. 2003;38:1226-31
Healey C, Forgione P, Lounsbury KM, Corrow K, Osler T, Ricci MA, Stanley A. A new in vitro model of venous hypertension: the effect of pressure on dermal fibroblasts. 2003;38:1099-105
Hedin U (*see* Kazi et al). 2003;38:1283-92
Heidenreich MJ, Neschis DG, Costanza MJ, Flinn WR. Endovascular repair of a penetrating thoracic aortic ulcer by way of the carotid artery. 2003;38:1407-10 (Case rep.)
Heinz G (*see* Willfort-Ehringer et al). 2003;38:1039-44
Henao EA, Bohannon WT, Silva MB Jr. Treatment of portal venous thrombosis with selective superior mesenteric artery infusion of recombinant tissue plasminogen activator. 2003;38:1411-15 (Case rep.)
Henke PK, Sukheepod P, Proctor MC, Upchurch GR Jr, Stanley JC. Clinical relevance of peripheral vascular occlusive disease in patients with rheumatoid arthritis and systemic lupus erythematosus. 2003;38:111-15
Henke PK (*see* Cowan et al). 2003;38:319-22
Henke PK (*see* Dimick et al). 2003;38:739-44
Henke PK (*see* Lee et al). 2003;38:671-5
Henke PK (*see* Varma et al). 2003;38:1090-8
Heurteaux C (*see* Lang-Lazdunski et al). 2003;38:564-75
Hiatt WR (*see* Coyne et al). 2003;38:296-304
Hiatt WR (*see* Nehler et al). 2003;38:7-14
Hida K (*see* Kobayashi et al). 2003;38:170-4 (Case rep.)
Hill A (*see* Holden and Hill). 2003;38:962-8
Hill GB (*see* van Rij et al). 2003;38:935-43
Hinchliffe RJ, Alric P, Rose D, Owen V, Davidson IR, Armon MP, Hopkinson BR. Comparison of morphologic features of intact and ruptured aneurysms of infrarenal abdominal aorta. 2003;38:88-92
Hinchliffe RJ, Alric P, Wenham PW, Hopkinson BR. Durability of femorofemoral bypass grafting after aortouniiliac endovascular aneurysm repair. 2003;38:498-503
Hingorani A (*see* Kallakuri et al). 2003;38:833-5 (Case rep.), 1113-20
Hino Y (*see* Matsuda et al). 2003;38:1293-6
Hino Y (*see* Tsuji et al). 2003;38:383-8 (Case rep.)
Hirai S (*see* Tanaka et al). 2003;38:1125-9 (Case rep.)
Hirano T (*see* Kato et al). 2003;38:1130-1 (Case rep.)
Hirose H (*see* Murase et al). 2003;38:368-73
Hirose H (*see* Takagi et al). 2003;38:613-16 (Case rep.), 1440
Ho GH (*see* Smeets et al). 2003;38:1297-304
Hobbs SD (*see* Sam et al). 2003;38:904-8
Hobson RW II. Regarding "Carotid artery stenting: analysis of data for 105 patients at high risk." 2003;38:1140-1 (Letter reply)
Hobson RW II (*see* Choi et al). 2003;38:1206-12
Hobson RW II (*see* Lal et al). 2003;38:1162-9
Hodgkinson K (*see* Clover et al). 2003;38:1309-12
Hodgson KJ (*see* Danetz et al). 2003;38:928-34
Holden A, Hill A. Renal angioplasty and stenting with distal protection of the main renal artery in ischemic nephropathy: early experience. 2003;38:962-8
Hollier LH (*see* Ellozy et al). 2003;38:676-83
Hollier LH (*see* Faries et al). 2003;38:652-6
Hollier LH (*see* Goldstein et al). 2003;38:1422-5 (Case rep.)
Hollis HW Jr, Rehring TF. Femoral endarteritis associated with percutaneous suture closure: new technology, challenging complications. 2003;38:83-7
Hons BS (*see* van Rij et al). 2003;38:935-43
Hop WCJ (*see* de Rijcke, et al). 2003;38:799-803
Hopkinson BR (*see* Hinchliffe et al). 2003;38:88-92, 498-503
Horiuci T (*see* Tanaka et al). 2003;38:1125-9 (Case rep.)
Hou A (*see* Kallakuri et al). 2003;38:833-5 (Case rep.)
Howlader MH, Smith PDC. Symptoms of chronic venous disease and association with systemic inflammatory markers. 2003;38:950-4
Hu M (*see* Woodside et al). 2003;38:162-9
Hubbard CS (*see* Wilmink et al). 2003;38:72-7
Huber TS, Carter JW, Carter RL, Seeger JM. Patency of autogenous and polytetrafluoroethylene upper extremity arteriovenous hemodialysis accesses: a systematic review. 2003;38:1005-11
Huber TS (*see* Lee et al). 2003;38:459-65
Hughes J (*see* Patel et al). 2003;38:439-45
Hunter G (*see* Taylor et al). 2003;38:766-71
Hunter GC (*see* Murakami et al). 2003;38:923-7
Hunter GC (*see* Woodside et al). 2003;38:162-9

I

Iafrati MD (*see* Scultetus et al). 2003;38:896-903
Ihaya A (*see* Tanaka et al). 2003;38:1125-9 (Case rep.)
Inaba M (*see* Kawai et al). 2003;38:305-12
Inoue N (*see* Morimoto et al). 2003;38:1434-6 (Case rep.)
Ishida M (*see* Kato et al). 2003;38:1130-1 (Case rep.)
Ishimaru K (*see* Mitsuoka et al). 2003;38:340-5
Israeli R (*see* McPhee et al). 2003;38:194-6 (Case rep.)

Ito M (*see* Matsushita et al). 2003;38:175-9 (Case rep.)
Iwata H (*see* Murase et al). 2003;38:368-73

J

Jackson MJ, Bicknell CD, Zervas V, Cheshire NJW, Sherwin SJ, Giordana S, Peiró J, Papaharilaou Y, Doorly DJ, Caro CG. Three-dimensional reconstruction of autologous vein bypass graft distal anastomoses imaged with magnetic resonance: clinical and research applications. 2003;38:621-5 (Tech. note)
Jackson MR (*see* Ali et al). 2003;38:486-91
Jacob T (*see* Kallakuri et al). 2003;38:833-5 (Case rep.), 1113-20
Jacobowitz GR, Rockman CB, Gagne PJ, Adelman MA, Lamparello PJ, Landis R, Riles TS. A model for predicting occult carotid artery stenosis: screening is justified in a selected population. 2003;38:705-9
Jacobowitz GR (*see* Maldonado et al). 2003;38:664-70
Jacobowitz GR (*see* Rockman et al). 2003;38:251-6
Jacobs MJHM (*see* de Graaff et al). 2003;38:528-34, 1067-74
Jacobs T (*see* Ellozy et al). 2003;38:676-83
Jacobsen G (*see* Haug et al). 2003;38:492-7
Jacocks MA (*see* Bell et al). 2003;38:190-3 (Case rep.)
Jaff M (*see* Comerota et al). 2003;38:724-9
Jamil Z (*see* Lal et al). 2003;38:1162-9
Jarretou G (*see* Lang-Lazdunski et al). 2003;38:564-75
Jiang P (*see* van Rij et al). 2003;38:935-43
Johnson BL (*see* Back et al). 2003;38:422-31
Johnson BL (*see* Bowser et al). 2003;38:432-8
Johnson CA (*see* O'Donnell et al). 2003;38:856-8 (Tech. note)
Johnson CK (*see* Lin et al). 2003;38:1396-403
Johnson GR (*see* Lederle et al). 2003;38:745-52
Johnston KW (*see* Al-Omran et al). 2003;38:279-88, 289-95
Johnston KW (*see* Sidhu et al). 2003;38:1012-17
Jones DN (*see* Nehler et al). 2003;38:7-14
Jones GT, Phillips VL, Harris EL, Rossaak JI, van Rij AM. Functional matrix metalloproteinase-9 polymorphism (C-1562T) associated with abdominal aortic aneurysm. 2003;38:1363-7
Jones JW, McCullough LB, Richman BW. Ethics of institutional marketing: role of physicians. 2003;38:409-10
Jones JW, McCullough LB, Richman BW. Ethics of operative scheduling: fiduciary patient responsibilities and more. 2003;38:204-5
Jones JW, McCullough LB, Richman BW. Limits of confidentiality: disclosure of HIV seropositivity. 2003;38:1443-4
Jones JW, McCullough LB, Richman BW. Management of disagreements between attending and consulting physicians. 2003;38:1137-8
Jones JW, McCullough LB, Richman BW. The surgeon's obligations to the noncompliant patient. 2003;38:626-7
Jones JW, McCullough LB, Richman BW.What to tell patients harmed by other physicians. 2003;38:866-7
Jones KG (*see* Bayston et al). 2003;38:354-9
Joseph AM (*see* Lederle et al). 2003;38:329-34
Julia P (*see* Kassabian et al). 2003;38:617-19 (Case rep.)

K

Kabnick LS (*see* Lurie et al). 2003;38:207-14
Kabnick LS (*see* Merchant et al). 2003;38:628 (Letter)
Kakisis JD (*see* Liapis et al). 2003;38:1220-5
Kakkos SK, Rivera MA, Matsagas MI, Lazarides MK, Robless P, Belcaro G, Geroulakos G. Validation of the new venous severity scoring system in varicose vein surgery. 2003;38:224-8
Kalbaugh CA (*see* Mackrell et al). 2003;38:1305-8
Kallakuri S, Ascher E, Hingorani A, Markewich N, Schutzer R, Hou A, Yorkovich W, Jacob T. Endovascular management of axillofemoral bypass graft stump syndrome. 2003;38:833-5 (Case rep.)
Kallakuri S, Ascher E, Pagala M, Gade P, Hingorani A, Scheinman M, Mehraein K, Jacob T. Protective effect of glycine in mesenteric ischemia and reperfusion injury in a rat model. 2003;38:1113-20
Kalra M, Gloviczki P, Andrews JC, Cherry KJ Jr, Bower TC, Panneton JM, Bjarnason H, Noel AA, Schleck C, Harmsen WS, Canton LG, Pairolero PC. Open surgical and endovascular treatment of superior vena cava syndrome caused by nonmalignant disease. 2003;38:215-23
Kan CD (*see* Luo et al). 2003;38:975-82
Kang JW (*see* Schneider et al). 2003;38:855
Kang SS (*see* Labropoulos et al). 2003;38:793-8
Kao TC (*see* Scultetus et al). 2003;38:896-903
Kargl A (*see* Proebstle et al). 2003;38:511-16
Kashyap VS, Fang R, Fitzpatrick CM, Hagino RT. Caval and ureteral obstruction secondary to an inflammatory abdominal aortic aneurysm. 2003;38:1416-21 (Case rep.)
Kasirajan K, Matteson B, Marek JM, Langsfeld M. Technique and results of transfemoral superselective coil embolization of type II lumbar endoleak. 2003;38:61-6
Kasprzak B (*see* Torsello et al). 2003;38:78-82
Kassabian E, Coppin T, Combes M, Julia P, Fabiani JN. Radial nerve compression by a large cephalic vein aneurysm: case report. 2003;38:617-19 (Case rep.)
Kato N, Shimono T, Hirano T, Ishida M, Takeda K. Stent-graft detachment from aortic wall after stent-graft repair of acute aortic dissection. 2003;38:1130-1 (Case rep.)
Kato Y (*see* Takagi et al). 2003;38:613-16 (Case rep.)
Katsamouris A (*see* Pipinos et al). 2003;38:827-32
Katzen BT (*see* Lin et al). 2003;38:840-2 (Case rep.)
Katzen BT (*see* Moore et al). 2003;38:46-55
Katzman JB (*see* Lin et al). 2003;38:840-2 (Case rep.)
Kawaharada N (*see* Morishita et al). 2003;38:629-30 (Letter)
Kawai S, Sasajima T, Satoh K, Inaba M, Azuma N, Yamazaki K, Oikawa K. Biologic degeneration of vein grafts after thrombotic occlusion: thrombectomy within 3 days results in better indices of viability. 2003;38:305-12
Kawamura Y (*see* Murase et al). 2003;38:368-73
Kazi M, Thyberg J, Religa P, Roy J, Eriksson P, Hedin U, Swedenborg J. Influence of intraluminal thrombus on structural and cellular composition of abdominal aortic aneurysm wall. 2003;38:1283-92
Keagy BA (*see* Mendes et al). 2003;38:891-5
Keane TE (*see* Lin et al). 2003;38:446-50
Kelly A (*see* Lauder et al). 2003;38:1025-30
Kelly P (*see* Comerota et al). 2003;38:724-9
Kemmeren JM (*see* Bloemenkamp et al). 2003;38:104-10
Kemmeren JM (*see* van den Bosch et al). 2003;38:772-8
Kent KC (*see* Faries et al). 2003;38:652-6
Kessler D (*see* Lurie et al). 2003;38:955-61
Ketron GD (*see* Scultetus et al). 2003;38:896-903
Khwaja J (*see* Haulon et al). 2003;38:1121-4 (Case rep.)
Kibbe M (*see* Sam et al). 2003;38:1132-5 (Case rep.)
Killewich LA (*see* Murakami et al). 2003;38:923-7
Killewich LA (*see* Woodside et al). 2003;38:162-9
Kim P (*see* Shenoy et al). 2003;38:229-35
Kim PKM (*see* Zuckerbraun et al). 2003;38:812-19
Kimura T (*see* Tanaka et al). 2003;38:1125-9 (Case rep.)
Kirkman P (*see* Yu et al). 2003;38:557-63
Kirsch WM (*see* Shenoy et al). 2003;38:229-35

Kistner RL (*see* Danielsson et al). 2003;38:1336-41
Kistner RL (*see* Lurie et al). 2003;38:207-14, 955-61
Kistner RL (*see* Merchant et al). 2003;38:628 (Letter)
Kistner RL (*see* Puggioni et al). 2003;38:517-21
Kitagawa A (*see* Tsuji et al). 2003;38:383-8 (Case rep.)
Klein WM, Bartels LW, Bax L, van der Graaf Y, Mali WPTM. Magnetic resonance imaging measurement of blood volume flow in peripheral arteries in healthy subjects. 2003;38:1060-6
Kleinrensink GJ (*see* de Rijcke et al). 2003;38:1349-52
Kleinstreuer C (*see* Longest et al). 2003;38:1353-62
Klenk E (*see* Torsello et al). 2003;38:78-82
Klenke WA (*see* Nehler et al). 2003;38:7-14
Kline R (*see* Taylor et al). 2003;38:766-71
Knipp BS (*see* Varma et al). 2003;38:1090-8
Knippenberg B (*see* Simons et al). 2003;38:758-61
Knop J (*see* Proebstle et al). 2003;38:511-16
Ko M (*see* Sidhu et al). 2003;38:1012-17
Ko WC (*see* Luo et al). 2003;38:975-82
Kobata T (*see* Kobayashi et al). 2003;38:170-4 (Case rep.)
Kobayashi M, Kurose K, Kobata T, Hida K, Sakamoto S, Matsubara J. Ischemic intestinal involvement in a patient with Buerger disease: case report and literature review. 2003;38:170-4 (Case rep.)
Kobayashi M (*see* Matsushita et al). 2003;38:175-9 (Case rep.)
Kolakowski S Jr, Dougherty MJ, Calligaro KD. Salvaging prosthetic dialysis fistulas with stents: forearm versus upper arm grafts. 2003;38:719-23
Komori K (*see* Matsushita et al). 2003;38:175-9 (Case rep.)
Konkin T (*see* Shenoy et al). 2003;38:229-35
Kopchok GE (*see* Aziz et al). 2003;38:56-60
Kopchok GE (*see* Lee et al). 2003;38:1254-63
Koslow A (*see* Taylor et al). 2003;38:766-71
Kostakis AG (*see* Liapis et al). 2003;38:1220-5
Kozàkovà M (*see* Puato et al). 2003;38:1390-5
Krais LW (*see* Galt et al). 2003;38:1-6
Kreienberg PB (*see* Chang et al). 2003;38:1313-15
Kresowik TF (*see* Sharafuddin et al). 2003;38:692-8
Krupski WC (*see* Nehler et al). 2003;38:7-14
Kucey DS (*see* Al-Omran et al). 2003;38:279-88, 289-95
Kuki S (*see* Takano et al). 2003;38:847-51 (Case rep.)
Kumar A (*see* Myers et al). 2003;38:1075-89
Kunkel SL (*see* Varma et al). 2003;38:1090-8
Kurose K (*see* Kobayashi et al). 2003;38:170-4 (Case rep.)
Kurvers HAJM (*see* de Graaf et al). 2003;38:1426-9 (Case rep.)
Kuzuya A (*see* Matsushita et al). 2003;38:175-9 (Case rep.)

L

Labropoulos N, Tiongson J, Pryor L, Tassiopoulos AK, Kang SS, Mansour A, Baker WH. Definition of venous reflux in lower-extremity veins. 2003;38:793-8
Lagarde SM (*see* de Graaff et al). 2003;38:1067-74
Lal BK, Hobson RW II, Goldstein J, Geohagan M, Chakhtoura EY, Pappas PJ, Jamil Z, Haser PB, Varma S, Padberg FT, Cerveira JJ. In-stent recurrent stenosis after carotid artery stenting: life table analysis and clinical relevance. 2003;38:1162-9
Lal BK (*see* Choi et al). 2003;38:1206-12
Lamparello PJ (*see* Jacobowitz et al). 2003;38:705-9
Lamparello PJ (*see* Maldonado et al). 2003;38:664-70
Lamparello PJ (*see* Rockman et al). 2003;38:251-6
Landis R (*see* Jacobowitz et al). 2003;38:705-9
Landry GJ, Moneta GL, Taylor LM Jr, Edwards JM, Yeager RA. Comparison of procedural outcomes after lower extremity reversed vein grafting and secondary surgical revision. 2003;38:22-8
Lang-Lazdunski L, Blondeau N, Jarretou G, Lazdunski M, Heurteaux C. Linolenic acid prevents neuronal cell death and paraplegia after transient spinal cord ischemia in rats. 2003;38:564-75
Lang W (*see* Willfort-Ehringer et al). 2003;38:1039-44
Langan EM III (*see* Mackrell et al). 2003;38:1305-8
Langsfeld M (*see* Kasirajan et al). 2003;38:61-6
Laporte S (*see* Quenet et al). 2003;38:944-9
Laroche B (*see* Thaveau et al). 2003;38:603-8 (Case rep.)
Lauder C, Kelly A, Thompson MM, London NJM, Bell PRF, Naylor AR. Early and late outcome after carotid artery bypass grafting with saphenous vein. 2003;38:1025-30
Lauterbach SR (*see* Farber et al). 2003;38:15-21
Lawson J (*see* Tangelder et al). 2003;38:629 (Letter)
Lawson JH (*see* O'Shea et al). 2003;38:541-8
Lazarides MK (*see* Kakkos et al). 2003;38:224-8
Lazdunski M (*see* Lang-Lazdunski et al). 2003;38:564-75
Lederle FA, Johnson GR, Wilson SE, Acher CW, Ballard DJ, Littooy FN, Messina LM, for the Aneurysm Detection and Management Veterans Affairs Cooperative Study. Quality of life, impotence, and activity level in a randomized trial of immediate repair versus surveillance of small abdominal aortic aneurysm. 2003;38:745-52
Lederle FA, Nelson DB, Joseph AM. Smokers' relative risk for aortic aneurysm compared with other smoking-related diseases: a systematic review. 2003;38:329-34
Lee AJ (*see* Smith et al). 2003;38:1323-30
Lee JJ, Dimick JB, Williams DM, Henke PK, Deeb GM, Eagle KA, Stanley JC, Upchurch GR Jr. Existence of abdominal aortic aneurysms in patients with thoracic aortic dissections. 2003;38:671-5
Lee JT, Aziz IN, Lee JT, Haukoos JS, Donayre CE, Walot I, Kopchok GE, Lippmann M, White RA. Volume regression of abdominal aortic aneurysms and its relation to successful endoluminal exclusion. 2003;38:1254-63
Lee JT (*see* Aziz et al). 2003;38:56-60
Lee JT (*see* Lee et al). 2003;38:1254-63
Lee RA (*see* Oderich et al). 2003;38:684-91
Lee SW, Curi MA, Baldwin ZK, Balasubramanian V, Loth F, Schwartz LB. Theoretical hydraulic consequences of vein graft taper. 2003;38:785-92
Lee T, Esemuede N, Sumpio BE, Gahtan V. Thrombospondin-1 induces matrix metalloproteinase-2 activation in vascular smooth muscle cells. 2003;38:147-54
Lee WA. Acute aortic occlusion from a cardiac embolus. 2003;38:197
Lee WA, Berceli SA, Huber TS, Ozaki CK, Flynn TC, Seeger JM. Morbidity with retroperitoneal procedures during endovascular abdominal aortic aneurysm repair. 2003;38:459-65
Legemate DA (*see* de Graaff et al). 2003;38:528-34
Legemate DA (*see* Ubbink et al). 2003;38:535-40
Lehr HA (*see* Proebstle et al). 2003;38:511-16
Leidenfrost JE (*see* Colonnello et al). 2003;38:138-46
Leizorovicz A (*see* Quenet et al). 2003;38:944-9
Leo F (*see* Bowser et al). 2003;38:432-8
Lepidi S (*see* Greco et al). 2003;38:1232-40
LeSar CJ (*see* Sprouse et al). 2003;38:466-72
Lesèche G, Castier Y, Chataigner O, Francis F, Besnard M, Thabut G, Abdalla E, Cerceau O. Carotid artery revascularization through a radiated field. 2003;38:244-50
Levin PM (*see* Farber et al). 2003;38:15-21

Lewis FR Jr, Rhodes RS. Regarding "Medicolegal implications of board certification." 2003;38:407-8 (Editorial)
Li W (*see* Tanaka et al). 2003;38:1125-9 (Case rep.)
Liapis CD, Kakisis JD, Dimitroulis DA, Daskalopoulos M, Nikolaou A, Kostakis AG. Carotid ultrasound findings as a predictor of long-term survival after abdominal aortic aneurysm repair: a 14-year prospective study. 2003;38:1220-5
Lie HKI (*see* Ubbink et al). 2003;38:535-40
Lin PH, Bush RL, Katzman JB, Zemel G, Puente OA, Katzen BT, Lumsden AB. Delayed aortic aneurysm enlargement due to endotension after endovascular abdominal aortic aneurysm repair. 2003;38:840-2 (Case rep.)
Lin PH, Bush RL, Lumsden AB. Proximal aortic stent-graft displacement with type I endoleak due to Heimlich maneuver. 2003;38:380-2 (Case rep.)
Lin PH, Bush RL, Lumsden AB. Successful stent-graft exclusion of a bovine patch-related carotid artery pseudoaneurysm. 2003; 38:396
Lin PH, Johnson CK, Pullium JK, Bush RL, Conklin BS, Chen C, Lumsden AB. l-Arginine improves endothelial vasoreactivity and reduces thrombogenicity after thrombolysis in experimental deep venous thrombosis. 2003;38:1396-403
Lin PH, Madsen K, Bush RL, Lumsden AB. Iliorenal artery bypass grafting to facilitate endovascular abdominal aortic aneurysm repair. 2003;38:183-5 (Case rep.)
Lin PH, Terramani TT, Bush RL, Keane TE, Moore RG, Lumsden AB. Concomitant intraoperative renal artery embolization and resection of complex renal carcinoma. 2003;38:446-50
Lin PH (*see* Bush et al). 2003;38:392-5 (Case rep.)
Lin PH (*see* Paladugu et al). 2003;38:549-56
Lin PH (*see* Terramani et al). 2003;38:473-8. Correction 2003; 38:1146
Lin PY (*see* Luo et al). 2003;38:975-82
Lingaas PS (*see* da Silva et al). 2003;38:1384-9
Lippmann M (*see* Lee et al). 2003;38:1254-63
Lipsitz EC, Ohki T, Veith FJ, Suggs WD, Wain RA, Rhee SJ, Gargiulo NJ, McKay J. Delayed open conversion following endovascular aortoiliac aneurysm repair: partial (or complete) endograft preservation as a useful adjunct. 2003;38:1191-8
Lipsitz EC (*see* Cayne et al). 2003;38:639-44
Lipsitz EC (*see* de Graaf et al). 2003;38:1426-9 (Case rep.)
Lipsitz EC (*see* Shaw et al). 2003;38:504-10
Littooy FN (*see* Lederle et al). 2003;38:745-52
Liu J, Xiong W, Baca-Regen L, Nagase H, Baxter BT. Mechanism of inhibition of matrix metalloproteinase-2 expression by doxycycline in human aortic smooth muscle cells. 2003;38:1376-83
Ljungstrom KG (*see* Batt et al). 2003;38:983-9
Lloyd A, Naylor AR. Cognitive performance in patients after carotid endarterectomy. 2003;38:1248-53 (Invited commentary)
Lobo EP (*see* Chuter et al). 2003;38:859-63 (Tech. note)
LoGerfo FW (*see* Saltzberg et al). 2003;38:1056-9
Lombardi JP (*see* Chang et al). 2003;38:335-9
Lombardi JV, Carpenter JP, Pochettino A, Sonnad SS, Bavaria JE. Thoracoabdominal aortic aneurysm repair after prior aortic surgery. 2003;38:1185-90
London NJM (*see* Lauder et al). 2003;38:1025-30
Longest PW, Kleinstreuer C, Archie JP Jr. Particle hemodynamics analysis of Miller cuff arterial anastomosis. 2003;38:1353-62
Lookstein R (*see* Faries et al). 2003;38:652-6
Lookstein RA (*see* Ellozy et al). 2003;38:676-83
Lopez J (*see* Ali et al). 2003;38:486-91
Loran DB (*see* Murakami et al). 2003;38:923-7
Lorenzo C (*see* Vasquez et al). 2003;38:836-9 (Case rep.)
Loth F (*see* Lee et al). 2003;38:785-92
Lounsbury KM (*see* Healey et al). 2003;38:1099-105
Lucertini G. Regarding "Carotid artery stenting: analysis of data for 105 patients at high risk." 2003;38:1140-1 (Letter)
Lumsden AB (*see* Bush et al). 2003;38:392-5 (Case rep.)
Lumsden AB (*see* Lin et al). 2003;38:183-5 (Case rep.), 380-2 (Case rep.), 396, 446-50, 840-2 (Case rep.), 1396-403
Lumsden AB (*see* Paladugu et al). 2003;38:549-56
Lumsden AB (*see* Terramani et al). 2003;38:473-8. Correction 2003;38:1146
Luo CY, Ko WC, Kan CD, Lin PY, Yang YJ. In situ reconstruction of septic aortic pseudoaneurysm due to *Salmonella* or *Streptococcus* microbial aortitis: long-term follow-up. 2003;38:975-82
Lurie F, Creton D, Eklof B, Kabnick LS, Kistner RL, Pichot O, Schuller-Petrovic S, Sessa C. Prospective randomized study of endovenous radiofrequency obliteration (Closure procedure) versus ligation and stripping in a selected patient population (EVOLVeS study). 2003;38:207-14
Lurie F, Kistner RL, Eklof B, Kessler D. Mechanism of venous valve closure and role of the valve in circulation: a new concept. 2003;38:955-61
Lurie F (*see* Danielsson et al). 2003;38:1336-41
Lurie F (*see* Puggioni et al). 2003;38:517-21
Luther B (*see* Böhner et al). 2003;38:1430-3 (Case rep.)
Lyden S (*see* Sarac et al). 2003;38:1404-6 (Case rep.)
Lyden SP (*see* Haulon et al). 2003;38:1121-4 (Case rep.)
Lyden SP (*see* Ouriel et al). 2003;38:93-8

M

Macedo TA (*see* Oderich et al). 2003;38:684-91
Machado FS (*see* da Gama et al). 2003;38:123-8
Mackrell PJ, Kalbaugh CA, Langan EM III, Taylor SM, Sullivan TM, Gray BH, Carsten CG, Snyder BA, Cull DL, Youkey JR. Can the Perclose suture-mediated closure system be used safely in patients undergoing diagnostic and therapeutic angiography to treat chronic lower extremity ischemia?. 2003;38:1305-8
MacMahon S (*see* Walker et al). 2003;38:1331-5
Madan M (*see* Serracino-Inglott et al). 2003;38:620
Maddern G (*see* Pearson et al). 2003;38:1248-53
Madsen K (*see* Lin et al). 2003;38:183-5 (Case rep.)
Magne JL (*see* Batt et al). 2003;38:983-9
Maharaj D (*see* Chang et al). 2003;38:1313-15
Maher A (*see* Camiade et al). 2003;38:1031-8
Mahidhara RS (*see* Zuckerbraun et al). 2003;38:812-19
Major K (*see* Farber et al). 2003;38:15-21
Makaroun MS (*see* Dillavou et al). 2003;38:657-63
Makaroun MS (*see* Moore et al). 2003;38:46-55
Makaroun MS (*see* Raman et al). 2003;38:645-51
Maldonado TS, Rosen RJ, Rockman CB, Adelman MA, Bajakian D, Jacobowitz GR, Riles TS, Lamparello PJ. Initial successful management of type I endoleak after endovascular aortic aneurysm repair with n-butyl cyanoacrylate adhesive. 2003;38:664-70
Mali WPTM (*see* Bloemenkamp et al). 2003;38:104-10
Mali WPTM (*see* Klein et al). 2003;38:1060-6
Mali WPTM (*see* van den Bosch et al). 2003;38:772-8
Mamdani MM (*see* Al-Omran et al). 2003;38:279-88, 289-95
Manabe H (*see* Takagi et al). 2003;38:1440
Manazer JR, Monzon JR, Dietz PA, Moglia R, Gold M. Treatment of pancreatic pseudoaneurysm with percutaneous transabdominal thrombin injection. 2003;38:600-2 (Case rep.)
Manfredini R, Boari B, Gallerani M, Portaluppi F, Mehta RH. Regarding "The safety, efficacy, and pharmacoeconomics of

low-dose alteplase compared with urokinase for catheter-directed thrombolysis of arterial and venous occlusions." 2003; 38:411-12 (Letter)
Mansour A (*see* Labropoulos et al). 2003;38:793-8
Mantor C (*see* Bell et al). 2003;38:190-3 (Case rep.)
Marchand C (*see* Camiade et al). 2003;38:1031-8
Marcinzyck MJ (*see* Sprouse et al). 2003;38:466-72
Marek JM (*see* Kasirajan et al). 2003;38:61-6
Margolis MK (*see* Coyne et al). 2003;38:296-304
Marin ML (*see* Ellozy et al). 2003;38:676-83
Marin ML (*see* Faries et al). 2003;38:652-6
Marin ML (*see* Goldstein et al). 2003;38:1422-5 (Case rep.)
Markewich N (*see* Kallakuri et al). 2003;38:833-5 (Case rep.)
Marshall T (*see* Sam et al). 2003;38:904-8
Marston WA (*see* Mendes et al). 2003;38:891-5
Marty-Ané CH (*see* Berthet et al). 2003;38:997-1004
Marty B, Baeder B, Gallino A, Mucciolo A, von Segesser LK. Does large oversizing of self-expandable endoprostheses compensate for aortic growth?. 2003;38:1368-75
Marty M (*see* Ricco et al). 2003;38:1273-82
Maruta K (*see* Yamada et al). 2003;38:346-53
Mary H (*see* Berthet et al). 2003;38:997-1004
Masai T (*see* Takano et al). 2003;38:847-51 (Case rep.)
Matas M (*see* Alvarez Garcia et al). 2003;38:1018-24
Matsagas MI (*see* Kakkos et al). 2003;38:224-8
Matsubara J (*see* Kobayashi et al). 2003;38:170-4 (Case rep.)
Matsuda H, Tanaka Y, Hino Y, Matsukawa R, Ozaki N, Okada K, Tsukube T, Tsuji Y, Okita Y. Transbrachial arterial insertion of aortic occlusion balloon catheter in patients with shock from ruptured abdominal aortic aneurysm. 2003;38:1293-6
Matsuda H (*see* Tsuji et al). 2003;38:383-8 (Case rep.)
Matsukawa R (*see* Matsuda et al). 2003;38:1293-6
Matsumoto AH (*see* Zarins et al). 2003;38:1264-72
Matsumura J (*see* Sam et al). 2003;38:1132-5 (Case rep.)
Matsumura JS (*see* Moore et al). 2003;38:46-55
Matsuo Y (*see* Yamada et al). 2003;38:346-53
Matsushita M, Kuzuya A, Kobayashi M, Nishikimi N, Ito M, Oba Y, Yano T, Komori K. Buerger's disease in a 19-year-old woman. 2003;38:175-9 (Case rep.)
Matsuura JH (*see* Wellons et al). 2003;38:455-8. Correction 2003; 38:1146
Matteson B (*see* Kasirajan et al). 2003;38:61-6
Matturri L (*see* Milei et al). 2003;38:1241-7
McCarthy MJ (*see* Clover et al). 2003;38:1309-12
McCloskey CA (*see* Zuckerbraun et al). 2003;38:812-19
McCullough LB (*see* Jones et al). 2003;38:204-5, 409-10, 626-7, 866-7, 1137-8, 1441-2
McDill TL (*see* Murakami et al). 2003;38:923-7
McKay J (*see* Lipsitz et al). 2003;38:1191-8
McKay J (*see* Shaw et al). 2003;38:504-10
McKevitt FM (*see* Tan et al). 2003;38:236-43
McLafferty RB (*see* Danetz et al). 2003;38:928-34
McNamara RM (*see* Treiman et al). 2003;38:29-35
McPhee JR, Scher LA, Israeli R, Ombrellino M, Friedman SG, Safa TK. Use of a local fasciocutaneous flap for treatment of exposed vascular grafts to the dorsalis pedis artery. 2003;38:194-6 (Case rep.)
Mehraein K (*see* Kallakuri et al). 2003;38:1113-20
Mehta M (*see* Cayne et al). 2003;38:639-44
Mehta M (*see* Chang et al). 2003;38:1313-15
Mehta M (*see* Shaw et al). 2003;38:504-10
Mehta RH (*see* Manfredini et al). 2003;38:411-12 (Letter)
Meier GH III (*see* Sprouse et al). 2003;38:466-72
Milei J, Parodi JC, Ferreira M, Barrone A, Grana DR, Matturri L. Atherosclerotic plaque rupture and intraplaque hemorrhage do not correlate with symptoms in carotid artery stenosis. 2003; 38:1241-7
Memmel U (*see* Stücker et al). 2003;38:522-7
Mendes RR, Marston WA, Farber MA, Keagy BA. Treatment of superficial and perforator venous incompetence without deep venous insufficiency: is routine perforator ligation necessary?. 2003;38:891-5
Merchant RF Jr., Kistner RL, Kabnick LS. Regarding "Is there an increased risk for DVT with the VNUS closure procedure?". 2003;38:628 (Letter)
Messina LM (*see* Brevetti et al). 2003;38:820-6
Messina LM (*see* Chuter et al). 2003;38:859-63 (Tech. note)
Messina LM (*see* Lederle et al). 2003;38:745-52
Messina LM (*see* Schneider et al). 2003;38:855
Messina LM (*see* Yilmaz et al). 2003;38:753-7
Metz MJ (*see* AbuRahma et al). 2003;38:1154-61
Miki K (*see* Mitsuoka et al). 2003;38:340-5
Mileski WJ (*see* Murakami et al). 2003;38:923-7
Miller A (*see* Shenoy et al). 2003;38:229-35
Mills JL Sr (*see* Patel et al). 2003;38:439-45
Milner R, Verhagen HJM, Blankensteijn JD. Salvage of a difficult situation: method for conversion of failed endograft. 2003;38: 397-400 (Tech. note)
Milner R (*see* Teutelink et al). 2003;38:843-6 (Case rep.)
Minor M (*see* Ellozy et al). 2003;38:676-83
Mismetti P (*see* Quenet et al). 2003;38:944-9
Missig-Carroll N (*see* Raman et al). 2003;38:645-51
Mitsuoka H, Unno N, Takei Y, Saito T, Ishimaru K, Miki K, Nakamura S. Videodensitometric blood flow analysis of abdominal aortic aneurysm and intravascular coagulation. 2003; 38:340-5
Miyagawa S (*see* Takano et al). 2003;38:847-51 (Case rep.)
Modrall JG (*see* Ali et al). 2003;38:486-91
Moglia R (*see* Manazer et al). 2003;38:600-2 (Case rep.)
Moll FL (*see* Smeets et al). 2003;38:1297-304
Moneta GL (*see* Landry et al). 2003;38:22-8
Money SR (*see* Sternbergh et al). 2003;38:589-92 (Case rep.), 1136
Monreal M (*see* Arcelus et al). 2003;38:916-22
Monzon JR (*see* Manazer et al). 2003;38:600-2 (Case rep.)
Moore RG (*see* Lin et al). 2003;38:446-50
Moore WS, Matsumura JS, Makaroun MS, Katzen BT, Deaton DH, Decker M, Walker G. Five-year interim comparison of the Guidant bifurcated endograft with open repair of abdominal aortic aneurysm. 2003;38:46-55
Morasch MD (*see* Sam et al). 2003;38:313-18
Mori Y (*see* Murase et al). 2003;38:368-73
Mori Y (*see* Takagi et al). 2003;38:613-16 (Case rep.), 1440
Morimoto N, Okita Y, Tsuji Y, Inoue N, Yokoyama M. Inferior mesenteric artery aneurysm in Behçet syndrome. 2003;38: 1434-6 (Case rep.)
Morini F. Regarding "Pseudoaneurysm of the lateral plantar artery after foot laceration." 2003;38:1142-3 (Letter)
Morioka K (*see* Tanaka et al). 2003;38:1125-9 (Case rep.)
Morishita K, Kawaharada N, Fukada J, Abe T. Regarding "Rib-cross thoracotomy for placement of the thoracoabdominal or total descending aorta." 2003;38:629-30 (Letter)
Morrison C, Dalsing MC. Signs and symptoms of saphenous nerve injury after greater saphenous vein stripping: prevalence, severity, and relevance for modern practice. 2003;38:886-90
Morrissey N (*see* Ellozy et al). 2003;38:676-83

Morrissey N (*see* Goldstein et al). 2003;38:1422-5 (Case rep.)
Mosimann F. Regarding "External iliac artery endofibrosis: a new possible predisposing factor." 2003;38:1446 (Letter)
Moskowitz S (*see* Nehler et al). 2003;38:7-14
Mucciolo A (*see* Marty et al). 2003;38:1368-75
Mueller-Schilling M (*see* Zhang et al). 2003;38:360-7
Mueller-Velten G (*see* Taylor et al). 2003;38:766-71
Muluk SC (*see* Dillavou et al). 2003;38:657-63
Muluk SC (*see* Raman et al). 2003;38:645-51
Murakami M, McDill TL, Cindrick-Pounds L, Loran DB, Woodside KJ, Mileski WJ, Hunter GC, Killewich LA. Deep venous thrombosis prophylaxis in trauma: improved compliance with a novel miniaturized pneumatic compression device. 2003;38:923-7
Murakami M (*see* Woodside et al). 2003;38:162-9
Murase K, Hirose H, Mori Y, Takagi H, Iwata H, Sago T, Kawamura Y. Graft-preserving treatment for vascular graft infected with *Staphylococcus aureus* with antibiotic-releasing porous aptite ceramic in the rabbit. 2003;38:368-73
Mureebe L (*see* Shuster et al). 2003;38:1316-22
Murphy M (*see* O'Shea et al). 2003;38:541-8
Muzj A (*see* Batt et al). 2003;38:983-9
Myers DD, Hawley AE, Farris DM, Wrobleski SK, Thanaporn P, Schaub RG, Wagner DD, Kumar A, Wakefield TW. P-selectin and leukocyte microparticles are associated with venous thrombogenesis. 2003;38:1075-89
Myhre HO (*see* Haug et al). 2003;38:492-7

N

Nackman GB (*see* Vogel et al). 2003;38:1178-84
Nagase H (*see* Liu et al). 2003;38:1376-83
Najibi S (*see* Terramani et al). 2003;38:473-8. Correction 2003;38:1146
Nakamura S (*see* Mitsuoka et al). 2003;38:340-5
Nakamura T (*see* Takano et al). 2003;38:847-51 (Case rep.)
Naslund T (*see* Taylor et al). 2003;38:766-71
Naud S (*see* Ricci et al). 2003;38:909-15
Nawijn A (*see* Simons et al). 2003;38:758-61
Naylor AR, Bell PRF, Bolia A. Endovascular treatment of carotid stump syndrome. 2003;38:593-5 (Case rep.). Correction 2003;38:1146
Naylor AR (*see* Hayes et al). 2003;38:1226-31
Naylor AR (*see* Lauder et al). 2003;38:1025-30
Naylor AR (*see* Lloyd and Naylor). 2003;38:1248-53 (Invited commentary)
Neau JP (*see* Camiade et al). 2003;38:1031-8
Neglén P, Raju S. Regarding "Venous reflux repair with cryopreserved vein valves." 2003;38:1139-40 (Letter reply)
Neglén P, Thrasher TL, Raju S. Venous outflow obstruction: an underestimated contributor to chronic venous disease. 2003;38:879-85
Nehler MR, Coll JR, Hiatt WR, Regensteiner JG, Schnickel GT, Klenke WA, Strecker PK, Anderson MW, Jones DN, Whitehill TA, Moskowitz S, Krupski WC. Functional outcome in a contemporary series of major lower extremity amputations. 2003;38:7-14
Nelson DB (*see* Lederle et al). 2003;38:329-34
Neschis DG (*see* Heidenreich et al). 2003;38:1407-10 (Case rep.)
Nikolaou A (*see* Liapis et al). 2003;38:1220-5
Nishikimi N (*see* Matsushita et al). 2003;38:175-9 (Case rep.)
Noel AA (*see* Kalra et al). 2003;38:215-23
Noel AA (*see* Oderich et al). 2003;38:684-91
Norton R (*see* Walker et al). 2003;38:1331-5
Novotney M (*see* Bowser et al). 2003;38:432-8
Nypaver TJ (*see* Conrad et al). 2003;38:129-37

O

Oba Y (*see* Matsushita et al). 2003;38:175-9 (Case rep.)
Oderich GS, Panneton JM, Macedo TA, Noel AA, Bower TC, Lee RA, Cha SS, Gloviczki P, Cherry KJ Jr. Intraoperative duplex ultrasound of visceral revascularizations: optimizing technical success and outcome. 2003;38:684-91
O'Donnell SD, Gillespie DL, Starnes BW, Parker MV, Johnson CA, Rasmussen TE, Goff JM, Rich NM. Endovascular assisted in situ bypass grafting: a simplified technique for saphenous vein side branch occlusion. 2003;38:856-8 (Tech. note)
O'Donnell SD (*see* Starnes et al). 2003;38:263-71
O'Hara PJ (*see* Ouriel et al). 2003;38:93-8
Ohki T (*see* Cayne et al). 2003;38:639-44
Ohki T (*see* de Graaf et al). 2003;38:1426-9 (Case rep.)
Ohki T (*see* Lipsitz et al). 2003;38:1191-8
Ohki T (*see* Shaw et al). 2003;38:504-10
Ohki T (*see* Timaran et al). 2003;38:479-85
Oikawa K (*see* Kawai et al). 2003;38:305-12
Ojeda MA (*see* Sternbergh et al). 2003;38:589-92 (Case rep.)
Okada K (*see* Matsuda et al). 2003;38:1293-6
Okita Y (*see* Fukuoka et al). 2003;38:804-11
Okita Y (*see* Matsuda et al). 2003;38:1293-6
Okita Y (*see* Morimoto et al). 2003;38:1434-6 (Case rep.)
Okita Y (*see* Tsuji et al). 2003;38:383-8 (Case rep.)
Okubo Y (*see* Tanaka et al). 2003;38:1125-9 (Case rep.)
Oldenburg WA (*see* Abbas et al). 2003;38:41-5
Olsen I (*see* da Silva et al). 2003;38:1384-9
Olson CH (*see* Sharafuddin et al). 2003;38:692-8
Ombrellino M (*see* McPhee et al). 2003;38:194-6 (Case rep.)
Ortel TL (*see* O'Shea et al). 2003;38:541-8
Osada N (*see* Torsello et al). 2003;38:78-82
O'Shea SI, Lawson JH, Reddan D, Murphy M, Ortel TL. Hypercoagulable state and antithrombotic strategies in recurrent vascular access site thrombosis. 2003;38:541-8
Osler T (*see* Healey et al). 2003;38:1099-105
Ouriel K, Greenberg RK, Clair DG, O'Hara PJ, Srivastava SD, Lyden SP, Sarac TP, Sampram E, Butler B. Endovascular aneurysm repair: gender-specific results. 2003;38:93-8
Ouriel K. In-stent recurrent stenosis after carotid artery stenting: life table analysis and clinical relevance. 2003;38:1162-9 (Commentary)
Ouriel K, Tanquilut E, Greenberg RK, Walker E. Aortoiliac morphologic correlations in aneurysms undergoing endovascular repair. 2003;38:323-8
Ouriel K (*see* Greenberg et al). 2003;38:990-6
Ouriel K (*see* Haulon et al). 2003;38:1121-4 (Case rep.)
Ouriel K (*see* Sarac et al). 2003;38:1404-6 (Case rep.)
Owen V (*see* Hinchliffe et al). 2003;38:88-92
Ozaki CK (*see* Lee et al). 2003;38:459-65
Ozaki N (*see* Matsuda et al). 2003;38:1293-6
Ozsvath KJ (*see* Chang et al). 2003;38:1313-15

P

Pacanowski J (*see* Xenos et al). 2003;38:451-4
Padberg FT Jr (*see* Choi et al). 2003;38:1206-12
Padberg FT (*see* Lal et al). 2003;38:1162-9
Pagala M (*see* Kallakuri et al). 2003;38:1113-20
Pairolero PC (*see* Kalra et al). 2003;38:215-23
Paladugu R, Fu W, Conklin BS, Lin PH, Lumsden AB, Yao Q,

Chen C. HIV Tat protein causes endothelial dysfunction in porcine coronary arteries. 2003;38:549-56
Palombo C (*see* Puato et al). 2003;38:1390-5
Pan XM (*see* Townsend et al). 2003;38:36-40
Pandurangi K (*see* Conrad et al). 2003;38:129-37
Panneton JM (*see* Abbas et al). 2003;38:41-5
Panneton JM (*see* Kalra et al). 2003;38:215-23
Panneton JM (*see* Oderich et al). 2003;38:684-91
Papaharilaou Y (*see* Jackson et al). 2003;38:621-5 (Tech. note)
Pappas PJ (*see* Choi et al). 2003;38:1206-12
Pappas PJ (*see* Lal et al). 2003;38:1162-9
Parent FN (*see* Sprouse et al). 2003;38:466-72
Parikshak M (*see* Conrad et al). 2003;38:129-37
Parker MV (*see* O'Donnell et al). 2003;38:856-8 (Tech. note)
Parker MV (*see* Starnes et al). 2003;38:263-71
Parodi JC (*see* Milei et al). 2003;38:1241-7
Patel ST, Hughes J, Mills JL Sr. Failure of arteriovenous fistula maturation: an unintended consequence of exceeding Dialysis Outcome Quality Initiative guidelines for hemodialysis access. 2003;38:439-45
Paterni M (*see* Puato et al). 2003;38:1390-5
Patterson RB, Smail D. Radial artery as conduit for distal renal artery reconstruction. 2003;38:609-12 (Case rep.)
Paty PSK (*see* Chang et al). 2003;38:1313-15
Pauletto P (*see* Puato et al). 2003;38:1390-5
Pearson S, Maddern G, Fitridge R. Cognitive performance in patients after carotid endarterectomy. 2003;38:1248-53
Peiró J (*see* Jackson et al). 2003;38:621-5 (Tech. note)
Pereles FS (*see* Sam et al). 2003;38:313-18
Petersen F (*see* Shenoy et al). 2003;38:229-35
Phillips VL (*see* Jones et al). 2003;38:1363-7
Picard E (*see* Berthet et al). 2003;38:997-1004
Pichlmaier MA (*see* Teebken et al). 2003;38:1141-2 (Letter)
Pichot O (*see* Lurie et al). 2003;38:207-14
Pikoulis E (*see* Scultetus et al). 2003;38:896-903
Pipinos II, Sharov VG, Shepard AD, Anagnostopoulos PV, Katsamouris A, Todor A, Filis KA, Sabbah HN. Abnormal mitochondrial respiration in skeletal muscle in patients with peripheral arterial disease. 2003;38:827-32
Pochettino A (*see* Lombardi et al). 2003;38:1185-90
Pomposelli FB Jr (*see* Saltzberg et al). 2003;38:1056-9
Pomposelli FB (*see* Rockman et al). 2003;38:251-6
Popa M (*see* Greenberg et al). 2003;38:990-6
Portaluppi F (*see* Manfredini et al). 2003;38:411-12 (Letter)
Poultsides GA (*see* Vasquez et al). 2003;38:836-9 (Case rep.)
Pounds LL (*see* Woodside et al). 2003;38:162-9
Powell JT (*see* Bayston et al). 2003;38:354-9
Powell RJ (*see* Wyers et al). 2003;38:730-8
Prault TL (*see* Timaran et al). 2003;38:272-8
Price JF (*see* Smith et al). 2003;38:1323-30
Proctor MC (*see* Henke et al). 2003;38:111-15
Proebstle TM, Gül D, Lehr HA, Kargl A, Knop J. Infrequent early recanalization of greater saphenous vein after endovenous laser treatment. 2003;38:511-16
Pronovost PJ (*see* Dimick et al). 2003;38:739-44
Pryor L (*see* Labropoulos et al). 2003;38:793-8
Puato M, Faggin E, Rattazzi M, Paterni M, Kozàkovà M, Palombo C, Pauletto P, for the Study Group on Arterial Wall Structure. In vivo noninvasive identification of cell composition of intimal lesions: a combined approach with ultrasonography and immunocytochemistry. 2003;38:1390-5
Puente OA (*see* Lin et al). 2003;38:840-2 (Case rep.)
Puggioni A, Lurie F, Kistner RL, Eklof B. How often is deep venous reflux eliminated after saphenous vein ablation?. 2003;38:517-21
Pullium JK (*see* Lin et al). 2003;38:1396-403

Q

Quenet S, Laporte S, Décousus H, Leizorovicz A, Epinat M, Mismetti P, for the STENOX Group. Factors predictive of venous thrombotic complications in patients with isolated superficial vein thrombosis. 2003;38:944-9
Quick CRG (*see* Wilmink et al). 2003;38:72-7

R

Raju S (*see* Neglén and Raju). 2003;38:1139-40 (Letter reply)
Raju S (*see* Neglén et al). 2003;38:879-85
Ramaiah VG (*see* Westerband et al). 2003;38:699-704
Raman KG, Missig-Carroll N, Richardson T, Muluk SC, Makaroun MS. Color-flow duplex ultrasound scan versus computed tomographic scan in the surveillance of endovascular aneurysm repair. 2003;38:645-51
Ramessur S (*see* Bayston et al). 2003;38:354-9
Ramsey DE (*see* Danetz et al). 2003;38:928-34
Rao AK (*see* Wilhite et al). 2003;38:710-13
Rapp JH (*see* Townsend et al). 2003;38:36-40
Rasmussen TE (*see* O'Donnell et al). 2003;38:856-8 (Tech. note)
Ratchford A (*see* Coyne et al). 2003;38:296-304
Rattazzi M (*see* Puato et al). 2003;38:1390-5
Rayan SS, Terramani TT, Weiss VJ, Chaikof EL. The LifeSite Hemodialysis Access System in patients with limited access. 2003;38:714-18
Rayan SS (*see* Terramani et al). 2003;38:473-8. Correction 2003;38:1146
Raymond J (*see* Ribourtout et al). 2003;38:576-83
Reddan D (*see* O'Shea et al). 2003;38:541-8
Reddy DJ (*see* Conrad et al). 2003;38:129-37
Regensteiner JG (*see* Coyne et al). 2003;38:296-304
Regensteiner JG (*see* Nehler et al). 2003;38:7-14
Rehring TF (*see* Hollis and Rehring). 2003;38:83-7
Reilly LM (*see* Chuter et al). 2003;38:859-63 (Tech. note)
Reilly LM (*see* Schneider et al). 2003;38:855
Reilly LM (*see* Yilmaz et al). 2003;38:753-7
Reise J (*see* Bayston et al). 2003;38:354-9
Religa P (*see* Kazi et al). 2003;38:1283-92
Renon L (*see* Ballotta et al). 2003;38:1051-5
Revicki DA (*see* Coyne et al). 2003;38:296-304
Reyes M (*see* Shenoy et al). 2003;38:229-35
Rhee RY (*see* Dillavou et al). 2003;38:657-63
Rhee SJ (*see* Cayne et al). 2003;38:639-44
Rhee SJ (*see* Lipsitz et al). 2003;38:1191-8
Rhodes RS (*see* Lewis and Rhodes). 2003;38:407-8 (Editorial)
Ribourtout E, Desfaits AC, Salazkin I, Raymond J. Ex vivo gene therapy with adenovirus-mediated transforming growth factor B_1 expression for endovascular treatment of aneurysm: results in a canine bilateral aneurysm model. 2003;38:576-83
Ricci MA, Emmerich J, Callas PW, Rosendaal FR, Stanley AC, Naud S, Vossen C, Bovill EG. Evaluating chronic venous disease with a new venous severity scoring system. 2003;38:909-15
Ricci MA (*see* Healey et al). 2003;38:1099-105
Ricco JB, Goëau-Brissonnière O, Rodde-Dunet MH, Marty M, Fender P, Allemand H, Corsini A.. Use of abdominal aortic endovascular prostheses in France from 1999 to 2002. 2003;38:1273-82
Ricco JB (*see* Camiade et al). 2003;38:1031-8

Rich NM (*see* O'Donnell et al). 2003;38:856-8 (Tech. note)
Richardson T (*see* Raman et al). 2003;38:645-51
Richman BW (*see* Jones et al). 2003;38:204-5, 409-10, 626-7, 866-7, 1137-8, 1441-2
Riles T (*see* Rockman and Riles). 2003;38:1445 (Letter reply)
Riles TS (*see* Jacobowitz et al). 2003;38:705-9
Riles TS (*see* Maldonado et al). 2003;38:664-70
Riles TS (*see* Rockman et al). 2003;38:251-6
Rivera MA (*see* Kakkos et al). 2003;38:224-8
Robless P (*see* Kakkos et al). 2003;38:224-8
Rockman C, Riles T. Regarding "Postoperative infection associated with polyester patch angioplasty after carotid endarterectomy." 2003;38:1445 (Letter reply)
Rockman CB, Su WT, Domenig C, Lamparello PJ, Adelman MA, Jacobowitz GR, Pomposelli FB, Riles TS. Postoperative infection associated with polyester patch angioplasty after carotid endarterectomy. 2003;38:251-6
Rockman CB (*see* Jacobowitz et al). 2003;38:705-9
Rockman CB (*see* Maldonado et al). 2003;38:664-70
Rodde-Dunet MH (*see* Ricco et al). 2003;38:1273-82
Roddy SP (*see* Chang et al). 2003;38:1313-15
Rodgers A (*see* Walker et al). 2003;38:1331-5
Rodriguez JA (*see* Westerband et al). 2003;38:699-704
Rogers GA (*see* Back et al). 2003;38:422-31
Rosa P (*see* Starnes et al). 2003;38:263-71
Rose D (*see* Hinchliffe et al). 2003;38:88-92
Rosen RJ (*see* Maldonado et al). 2003;38:664-70
Rosenblit A (*see* Cayne et al). 2003;38:639-44
Rosendaal FR (*see* Ricci et al). 2003;38:909-15
Rosendaal FR (*see* van den Bosch et al). 2003;38:772-8
Rosenthal D (*see* Wellons et al). 2003;38:455-8. Correction 2003; 38:1146
Rossaak JI (*see* Jones et al). 2003;38:1363-7
Rotstein L (*see* Sidhu et al). 2003;38:1012-17
Roumy J (*see* Camiade et al). 2003;38:1031-8
Rowe VL (*see* Yu et al). 2003;38:557-63
Roy J (*see* Kazi et al). 2003;38:1283-92
Ruiz C (*see* Alvarez Garcia et al). 2003;38:1018-24
Rulli F. Regarding "Subfascial endoscopic perforator vein surgery combined with saphenous vein ablation: results and critical analysis." 2003;38:1139 (Letter)
Ruotolo C (*see* Batt et al). 2003;38:983-9
Ryan S (*see* Calligaro et al). 2003;38:1170-7
Ryschich E (*see* Zhang et al). 2003;38:360-7
Rzucidlo EM (*see* Wyers et al). 2003;38:730-8

S

Sabbah HN (*see* Pipinos et al). 2003;38:827-32
Safa TK (*see* McPhee et al). 2003;38:194-6 (Case rep.)
Sago T (*see* Murase et al). 2003;38:368-73
Saito T (*see* Mitsuoka et al). 2003;38:340-5
Sakamoto S (*see* Kobayashi et al). 2003;38:170-4 (Case rep.)
Salam A (*see* Terramani et al). 2003;38:473-8. Correction 2003; 38:1146
Salazkin I (*see* Ribourtout et al). 2003;38:576-83
Saloner D (*see* Townsend et al). 2003;38:36-40
Saltzberg SS, Pomposelli FB Jr, Belfield AK, Sheahan MG, Campbell DR, Skillman JJ, LoGerfo FW, Hamdan AD. Outcome of lower-extremity revascularization in patients younger than 40 years in a predominately diabetic population. 2003;38:1056-9
Sam A II, Kibbe M, Matsumura J, Eskandari MK. Blunt traumatic aortic transection: endoluminal repair with commercially available aortic cuffs. 2003;38:1132-5 (Case rep.)
Sam AD II, Morasch MD, Collins J, Song G, Chen R, Pereles FS. Safety of gadolinium contrast angiography in patients with chronic renal insufficiency. 2003;38:313-18
Sam RC, Burns PJ, Hobbs SD, Marshall T, Wilmink ABM, Silverman SH, Bradbury AW. The prevalence of hyperhomocysteinemia, ethylene tetrahydrofolate reductase C677T mutation, and vitamin B12 and folate deficiency in patients with chronic venous insufficiency. 2003;38:904-8
Sampram E (*see* Ouriel et al). 2003;38:93-8
Sandmann W (*see* Böhner et al). 2003;38:1430-3 (Case rep.)
Sarac TP, Augustinos P, Lyden S, Ouriel K. Use of fascia-peritoneum patch as a pledget for an infected aortic stump. 2003;38: 1404-6 (Case rep.)
Sarac TP (*see* Ouriel et al). 2003;38:93-8
Sarfati MR (*see* Galt et al). 2003;38:1-6
Sarkar R (*see* Brevetti et al). 2003;38:820-6
Sarmento CS (*see* da Gama et al). 2003;38:123-8
Sasajima T (*see* Kawai et al). 2003;38:305-12
Sasaki M (*see* Tanaka et al). 2003;38:1125-9 (Case rep.)
Sæther OD (*see* Haug et al). 2003;38:492-7
Satiani B. Business-related knowledge base of vascular surgeons. 2003;38:868 (Letter)
Satoh K (*see* Kawai et al). 2003;38:305-12
Scavée V, Schoevaerdts JC. Regarding "External iliac artery endofibrosis: a new possible predisposing factor." 2003;38:1446 (Letter reply)
Scavèe V, Stainier L, Deltombe T, Theys S, Delos M, Trigaux JP, Schoevaerdts JC. External iliac artery endofibrosis: a new possible predisposing factor. 2003;38:180-2 (Case rep.)
Schaub RG (*see* Myers et al). 2003;38:1075-89
Scheinman M (*see* Kallakuri et al). 2003;38:1113-20
Schenk T (*see* de Rijcke et al). 2003;38:1349-52
Scher LA (*see* McPhee et al). 2003;38:194-6 (Case rep.)
Schermerhorn ML (*see* Wyers et al). 2003;38:730-8
Schiano V (*see* Brevetti et al). 2003;38:374-9
Schild AF (*see* Shenoy et al). 2003;38:229-35
Schleck C (*see* Kalra et al). 2003;38:215-23
Schmidt J (*see* Zhang et al). 2003;38:360-7
Schmieder FA (*see* Wilhite et al). 2003;38:710-13
Schneider DB, Curry TK, Reilly LM, Kang JW, Messina LM, Chuter TAM. Branched endovascular repair of aortic arch aneurysm with modular stent-graft system. 2003;38:855
Schneider DB (*see* Chuter et al). 2003;38:859-63 (Tech. note)
Schneider DB (*see* Yilmaz et al). 2003;38:753-7
Schnickel GT (*see* Nehler et al). 2003;38:7-14
Schoevaerdts JC (*see* Scavée and Schoevaerdts). 2003;38:1446 (Letter reply)
Schoevaerdts JC (*see* Scavèe et al). 2003;38:180-2 (Case rep.)
Schuller-Petrovic S (*see* Lurie et al). 2003;38:207-14
Schumacher H (*see* Zhang et al). 2003;38:360-7
Schutzer R (*see* Kallakuri et al). 2003;38:833-5 (Case rep.)
Schwartz LB (*see* Lee et al). 2003;38:785-92
Scopacasa F (*see* Brevetti et al). 2003;38:374-9
Scultetus AH, Villavicencio JL, Kao TC, Gillespie DL, Ketron GD, Iafrati MD, Pikoulis E, Eifert S. Microthrombectomy reduces postsclerotherapy pigmentation: multicenter randomized trial. 2003;38:896-903
Seeger JM. Leadership in difficult times. 2003;38:413-21
Seeger JM (*see* Huber et al). 2003;38:1005-11
Seeger JM (*see* Lee et al). 2003;38:459-65
Semel L. Regarding "Cerebral hyperperfusion syndrome after carotid endarterectomy: predictive factors and hemodynamic changes." 2003;38:868 (Letter)

Senet P, Bon FX, Benbunan M, Bussel A, Traineau R, Calvo F, Dubertret L, Dosquet C. Randomized trial and local biological effect of autologous platelets used as adjuvant therapy for chronic venous leg ulcers. 2003;38:1342-8

Serracino-Inglott F, Barnes N, Madan M. Renal artery aneurysm presenting with microscopic hematuria. 2003;38:620

Sessa C (*see* Lurie et al). 2003;38:207-14

Shah DM (*see* Chang et al). 2003;38:1313-15

Shames ML (*see* Back et al). 2003;38:422-31

Shames ML (*see* Bowser et al). 2003;38:432-8

Shames ML (*see* Colonnello et al). 2003;38:138-46

Sharafuddin MJ, Olson CH, Sun S, Kresowik TF, Corson JD. Endovascular treatment of celiac and mesenteric arteries stenoses: applications and results. 2003;38:692-8

Sharov VG (*see* Pipinos et al). 2003;38:827-32

Shaw PM, Veith FJ, Lipsitz EC, Ohki T, Suggs WD, Mehta M, Freeman K, McKay J, Berdejo GL, Wain RA, Gargiulo NJ III. Open aneurysm repair at an endovascular center: value of a modified retroperitoneal approach in patients at high risk with difficult aneurysms. 2003;38:504-10

Sheahan MG (*see* Saltzberg et al). 2003;38:1056-9

Sheikh K, Bullock C. Variation and changes in state-specific endarterectomy and 30–day mortality rates, United States, 1991-2000. 2003;38:779-84

Shenoy S, Miller A, Petersen F, Kirsch WM, Konkin T, Kim P, Dickson C, Schild AF, Stewart L, Reyes M, Anton L, Woodward RS. A multicenter study of permanent hemodialysis access patency: beneficial effect of clipped vascular anastomotic technique. 2003;38:229-35

Shepard AD (*see* Conrad et al). 2003;38:129-37

Shepard AD (*see* Pipinos et al). 2003;38:827-32

Sherwin SJ (*see* Jackson et al). 2003;38:621-5 (Tech. note)

Shimokawa K (*see* Takagi et al). 2003;38:613-16 (Case rep.)

Shimono T (*see* Kato et al). 2003;38:1130-1 (Case rep.)

Shindelman LE (*see* Vogel et al). 2003;38:1178-84

Shiojiri Y (*see* Yamada et al). 2003;38:346-53

Shuler FW (*see* Wellons et al). 2003;38:455-8. Correction 2003;38:1146

Shuster TA, Silliman WR, Coats RD, Mureebe L, Silver D. Heparin-induced thrombocytopenia: twenty-nine years later. 2003;38:1316-22

Sidawy AN. Presidential address: Generations apart—bridging the generational divide in vascular surgery. 2003;38:1147-53

Sidhu RS, Ko M, Rotstein L, Johnston KW. Vascular surgery training in general surgery residency programs: the Canadian experience. 2003;38:1012-17

Silliman WR (*see* Shuster et al). 2003;38:1316-22

Silva MB Jr (*see* Choi et al). 2003;38:1206-12

Silva MB Jr (*see* Henao et al). 2003;38:1411-15 (Case rep.)

Silver D (*see* Shuster et al). 2003;38:1316-22

Silverman SH (*see* Sam et al). 2003;38:904-8

Silvestro A (*see* Brevetti et al). 2003;38:374-9

Simms M (*see* Batt et al). 2003;38:983-9

Simons P, van Overhagen H, Nawijn A, Bruijninckx B, Knippenberg B. Endovascular aneurysm repair with a bifurcated endovascular graft at a primary referral center: influence of experience, age, gender, and aneurysm size on suitability. 2003;38:758-61

Skillman JJ (*see* Saltzberg et al). 2003;38:1056-9

Skomsvoll JF (*see* Haug et al). 2003;38:492-7

Smail D (*see* Patterson and Smail). 2003;38:609-12 (Case rep.)

Smeets L, de Borst GJ, de Vries JP, van den Berg JC, Ho GH, Moll FL. Remote iliac artery endarterectomy: seven-year results of a less invasive technique for iliac artery occlusive disease. 2003;38:1297-304

Smith A (*see* Drinkwater et al). 2003;38:1106-12

Smith FB, Lee AJ, Price JF, van Wijk MCW, Fowkes FGR. Changes in ankle brachial index in symptomatic and asymptomatic subjects in the general population. 2003;38:1323-30

Smith PDC (*see* Howlader and Smith). 2003;38:950-4

Smith RB III (*see* Terramani et al). 2003;38:473-8. Correction 2003;38:1146

Snyder BA (*see* Mackrell et al). 2003;38:1305-8

Sobolev B (*see* Brown et al). 2003;38:762-5

Solomon C (*see* van Rij et al). 2003;38:935-43

Song G (*see* Sam et al). 2003;38:313-18

Sonnad SS (*see* Lombardi et al). 2003;38:1185-90

Sood J (*see* Sprouse et al). 2003;38:466-72

Spielvogel D (*see* Ellozy et al). 2003;38:676-83

Spielvogel D (*see* Goldstein et al). 2003;38:1422-5 (Case rep.)

Sprouse LR II, Meier GH III, LeSar CJ, DeMasi RJ, Sood J, Parent FN, Marcinzyck MJ, Gayle RG. Comparison of abdominal aortic aneurysm diameter measurements obtained with ultrasound and computed tomography: is there a difference?. 2003;38:466-72

Srivastava S (*see* Greenberg et al). 2003;38:990-6

Srivastava SD (*see* Haulon et al). 2003;38:1121-4 (Case rep.)

Srivastava SD (*see* Ouriel et al). 2003;38:93-8

Stainier L (*see* Scavèe et al). 2003;38:180-2 (Case rep.)

Stanley A (*see* Healey et al). 2003;38:1099-105

Stanley AC (*see* Ricci et al). 2003;38:909-15

Stanley JC (*see* Cowan et al). 2003;38:319-22

Stanley JC (*see* Dimick et al). 2003;38:739-44

Stanley JC (*see* Henke et al). 2003;38:111-15

Stanley JC (*see* Lee et al). 2003;38:671-5

Starnes BW, O'Donnell SD, Gillespie DL, Goff JM, Rosa P, Parker MV, Chang A. Percutaneous arterial closure in peripheral vascular disease: a prospective randomized evaluation of the Perclose device. 2003;38:263-71

Starnes BW (*see* O'Donnell et al). 2003;38:856-8 (Tech. note)

Stein TA (*see* Chang and Stein). 2003;38:1445 (Letter)

Steinbrügge J (*see* Stücker et al). 2003;38:522-7

STENOX Group (*see* Quenet et al). 2003;38:944-9

Sternbergh WC III, Conners MS III, Money SR. Explanation of an infected aortic endograft with suprarenal barb fixation. 2003;38:1136

Sternbergh WC III, Conners MS III, Ojeda MA, Money SR. Acute bilateral iliac artery occlusion secondary to blunt trauma: successful endovascular treatment. 2003;38:589-92 (Case rep.)

Stevens S (*see* Xenos et al). 2003;38:451-4

Stevens SL (*see* Timaran et al). 2003;38:272-8, 479-85

Stewart L (*see* Shenoy et al). 2003;38:229-35

Stone WM (*see* Abbas et al). 2003;38:41-5

Stone WM (*see* Tessier et al). 2003;38:969-74

Strecker PK (*see* Nehler et al). 2003;38:7-14

Stücker M, Steinbrügge J, Memmel U, Avermaete A, Altmeyer P. Disturbed vasomotion in chronic venous insufficiency. 2003;38:522-7

Study Group on Arterial Wall Structure (*see* Puato et al). 2003;38:1390-5

Su WT (*see* Rockman et al). 2003;38:251-6

Suárez C (*see* Arcelus et al). 2003;38:916-22

Suggs WD (*see* Cayne et al). 2003;38:639-44

Suggs WD (*see* Lipsitz et al). 2003;38:1191-8

Suggs WD (*see* Shaw et al). 2003;38:504-10

Sugimoto K (*see* Tsuji et al). 2003;38:383-8 (Case rep.)

Sugimoto T (*see* Fukuoka et al). 2003;38:804-11
Sukheepod P (*see* Henke et al). 2003;38:111-15
Sukheepod P (*see* Varma et al). 2003;38:1090-8
Sullivan TM (*see* Mackrell et al). 2003;38:1305-8
Sumpio BE (*see* Lee et al). 2003;38:147-54
Sun S (*see* Sharafuddin et al). 2003;38:692-8
Sunar H, Cikirikcioglu M, Halici Ü, Duran E. Autogenous arterial radial-basilic forearm looped transposition. 2003;38:864-5 (Tech. note)
Swedenborg J (*see* Kazi et al). 2003;38:1283-92

T

Takaba T (*see* Yamada et al). 2003;38:346-53
Takagi H, Mori Y, Manabe H, Hirose H. Multiple arterial aneurysms. 2003;38:1440 (Case rep.)
Takagi H, Mori Y, UmedaY, Fukumoto Y, Kato Y, Shimokawa K, Hirose H. Abdominal aortic aneurysm with arteritis in ankylosing spondylitis. 2003;38:613-16 (Case rep.)
Takagi H (*see* Murase et al). 2003;38:368-73
Takano H, Taniguchi K, Kuki S, Nakamura T, Miyagawa S, Masai T. Mycotic aneurysm of the infrarenal abdominal aorta infected by *Clostridium septicum* : a case report of surgical management and review of the literature. 2003;38:847-51 (Case rep.)
Takeda K (*see* Kato et al). 2003;38:1130-1 (Case rep.)
Takei Y (*see* Mitsuoka et al). 2003;38:340-5
Takeuchi S (*see* Yamada et al). 2003;38:346-53
Tambyraja AL, Wyatt MG, Clarke MJ, Chalmers RTA. Autologous deep vein reconstruction of infected thoracoabdominal aortic patch graft. 2003;38:852-4 (Case rep.)
Tan KT, Cleveland TJ, Berczi V, McKevitt FM, Venables GS, Gaines PA. Timing and frequency of complications after carotid artery stenting: what is the optimal period of observation?. 2003;38:236-43
Tanabe S (*see* Tanaka et al). 2003;38:1125-9 (Case rep.)
Tanaka K, Ihaya A, Horiuci T, Morioka K, Kimura T, Uesaka T, Sasaki M, Uchinami M, Tsuda T, Yamada N, Li W, Hirai S, Tanabe S, Okubo Y, Tanaka S. Giant mediastinal bronchial artery aneurysm mimicking benign esophageal tumor: a case report and review of 26 cases from literature. 2003;38:1125-9 (Case rep.)
Tanaka S (*see* Tanaka et al). 2003;38:1125-9 (Case rep.)
Tanaka Y (*see* Matsuda et al). 2003;38:1293-6
Tanaka Y (*see* Tsuji et al). 2003;38:383-8 (Case rep.)
Tang GL (*see* Brevetti et al). 2003;38:820-6
Tangelder MJD, Algra A, Lawson J, van Urk H, Eikelboom BC. Regarding "Veterans Affairs (VA) Cooperative Study #362." 2003;38:629 (Letter)
Taniguchi K (*see* Takano et al). 2003;38:847-51 (Case rep.)
Taniguchi T (*see* Tsuji et al). 2003;38:383-8 (Case rep.)
Tanis BC (*see* Bloemenkamp et al). 2003;38:104-10
Tanis BC (*see* van den Bosch et al). 2003;38:772-8
Tanquilut E (*see* Ouriel et al). 2003;38:323-8
Tassiopoulos AK (*see* Labropoulos et al). 2003;38:793-8
Tawes RL. Regarding "Optimal therapy for advanced chronic venous insufficiency." 2003;38:411 (Letter reply)
Taylor BS (*see* Zuckerbraun et al). 2003;38:812-19
Taylor LM Jr, Mueller-Velten G, Koslow A, Hunter G, Naslund T, Kline R, and The Beriplast P Investigators. Prospective randomized multicenter trial of fibrin sealant versus thrombin-soaked gelatin sponge for suture- or needle-hole bleeding from polytetrafluoroethylene femoral artery grafts. 2003;38:766-71
Taylor LM Jr (*see* Landry et al). 2003;38:22-8
Taylor SM (*see* Mackrell et al). 2003;38:1305-8
Teebken OE, Pichlmaier MA, Haverich A. Regarding "Graft patency is not the only clinical predictor of success after exclusion and bypass of popliteal artery aneurysms." 2003;38:1141-2 (Letter)
Teodorescu V (*see* Ellozy et al). 2003;38:676-83
Teodorescu V (*see* Goldstein et al). 2003;38:1422-5 (Case rep.)
Terramani TT, Chaikof EL, Rayan SS, Lin PH, Najibi S, Bush RL, Lumsden AB, Salam A, Smith RB III, Dodson TF. Secondary conversion due to failed endovascular abdominal aortic aneurysm repair. 2003;38:473-8. Correction 2003;38:1146
Terramani TT (*see* Lin et al). 2003;38:446-50
Terramani TT (*see* Rayan et al). 2003;38:714-18
Teruya TH (*see* Bianchi et al). 2003;38:67-71
Tessarek J (*see* Torsello et al). 2003;38:78-82
Tessier DJ, Brophy CM. Causes, diagnosis, and management of duodenal obstruction after aortic surgery. 2003;38:186-9 (Case rep.)
Tessier DJ, Stone WM, Fowl RJ, Abbas MA, Andrews JC, Bower TC, Goviczki P. Clinical features and management of splenic artery pseudoaneurysm: case series and cumulative review of literature. 2003;38:969-74
Teutelink A, van der Laan MJ, Milner R, Blankensteijn JD. Fabric tears as a new cause of type III endoleak with Ancure endograft. 2003;38:843-6 (Case rep.)
Thabut G (*see* Lesèche et al). 2003;38:244-50
Thanaporn P (*see* Myers et al). 2003;38:1075-89
Thaveau F, Dion YM, de Wailly GW, Dumont M, Laroche B. Early transient hydronephrosis after laparoscopic aortobifemoral bypass grafting. 2003;38:603-8 (Case rep.)
Thaveau F (*see* Dion et al). 2003;38:403-6 (Tech. note)
Theys S (*see* Scavée et al). 2003;38:180-2 (Case rep.)
Thompson MM (*see* Lauder et al). 2003;38:1025-30
Thompson RW (*see* Colonnello et al). 2003;38:138-46
Thrasher TL (*see* Neglén et al). 2003;38:879-85
Throm CR (*see* Wilhite et al). 2003;38:710-13
Throm RC (*see* Comerota et al). 2003;38:724-9
Thyberg J (*see* Kazi et al). 2003;38:1283-92
Tijssen JGP (*see* de Graaff et al). 2003;38:528-34
Timaran C (*see* Cayne et al). 2003;38:639-44
Timaran CH, Ohki T, Gargiulo NJ, Veith FJ, Stevens SL, Freeman MB, Goldman MH. Iliac artery stenting in patients with poor distal runoff: influence of concomitant infrainguinal arterial reconstruction. 2003;38:479-85
Timaran CH, Prault TL, Stevens SL, Freeman MB, Goldman MH. Iliac artery stenting versus surgical reconstruction for TASC (TransAtlantic Inter-Society Consensus) type B and type C iliac lesions. 2003;38:272-8
Tiongson J (*see* Labropoulos et al). 2003;38:793-8
Todor A (*see* Pipinos et al). 2003;38:827-32
Toffano M (*see* Ballotta et al). 2003;38:1051-5
Torsello GB, Kasprzak B, Klenk E, Tessarek J, Osada N, Torsello GF. Endovascular suture versus cutdown for endovascular aneurysm repair: a prospective randomized pilot study. 2003;38:78-82
Torsello GF (*see* Torsello et al). 2003;38:78-82
Townsend TC, Saloner D, Pan XM, Rapp JH. Contrast material–enhanced MRA overestimates severity of carotid stenosis, compared with 3D time-of-flight MRA. 2003;38:36-40
Traineau R (*see* Senet et al). 2003;38:1342-8
Treiman GS, Whiting JH, Treiman RL, McNamara RM, Ashrafi A. Treatment of limb-threatening ischemia with percutaneous intentional extraluminal recanalization: a preliminary evaluation. 2003;38:29-35

Treiman RL (*see* Treiman et al). 2003;38:29-35
Trigaux JP (*see* Scavèe et al). 2003;38:180-2 (Case rep.)
Tripp HF Jr, Fail PS, Beyer MG, Chaisson GA. New approach to preoperative vascular exclusion for carotid body tumor. 2003; 38:389-91 (Case rep.)
Tronstad L (*see* da Silva et al). 2003;38:1384-9
Tsuda T (*see* Tanaka et al). 2003;38:1125-9 (Case rep.)
Tsuji Y, Tanaka Y, Kitagawa A, Hino Y, Taniguchi T, Sugimoto K, Matsuda H, Okita Y. Endovascular stent-graft repair for penetrating atherosclerotic ulcer in the infrarenal abdominal aorta. 2003;38:383-8 (Case rep.)
Tsuji Y (*see* Matsuda et al). 2003;38:1293-6
Tsuji Y (*see* Morimoto et al). 2003;38:1434-6 (Case rep.)
Tsukube T (*see* Matsuda et al). 2003;38:1293-6
Tu JV (*see* Al-Omran et al). 2003;38:279-88, 289-95
Tull S (*see* Hayes et al). 2003;38:1226-31
Turc A (*see* Greenberg et al). 2003;38:990-6
Turc A (*see* Haulon et al). 2003;38:1121-4 (Case rep.)
Tzeng E (*see* Dillavou et al). 2003;38:657-63
Tzeng E (*see* Zuckerbraun et al). 2003;38:812-19

U

Ubbink DT, Verhaar EE, Lie HKI, Legemate DA. Effect of B-blockers on peripheral skin microcirculation in hypertension and peripheral vascular disease. 2003;38:535-40
Ubbink DT (*see* de Graaff et al). 2003;38:528-34, 1067-74
Uchinami M (*see* Tanaka et al). 2003;38:1125-9 (Case rep.)
Uesaka T (*see* Tanaka et al). 2003;38:1125-9 (Case rep.)
UmedaY (*see* Takagi et al). 2003;38:613-16 (Case rep.)
Unno N (*see* Mitsuoka et al). 2003;38:340-5
Upchurch GR Jr (*see* Ailawadi et al). 2003;38:584-8
Upchurch GR Jr (*see* Colonnello et al). 2003;38:138-46
Upchurch GR Jr (*see* Cowan et al). 2003;38:319-22
Upchurch GR Jr (*see* Dimick et al). 2003;38:739-44
Upchurch GR Jr (*see* Henke et al). 2003;38:111-15
Upchurch GR Jr (*see* Lee et al). 2003;38:671-5
Upchurch GR (*see* Varma et al). 2003;38:1090-8

V

Valentine RJ (*see* Ali et al). 2003;38:486-91
van Baalen JM (*see* van Rooden et al). 2003;38:116-22
van Bockel JH (*see* van Rooden et al). 2003;38:116-22
van den Berg JC (*see* Smeets et al). 2003;38:1297-304
van den Bosch MAAJ, Bloemenkamp DGM, Mali WPTM, Kemmeren JM, Tanis BC, Algra A, Rosendaal FR, van der Graaf Y. Hyperhomocysteinemia and risk for peripheral arterial occlusive disease in young women. 2003;38:772-8
van den Bosch MAAJ (*see* Bloemenkamp et al). 2003;38:104-10
van der Graaf Y (*see* Bloemenkamp et al). 2003;38:104-10
van der Graaf Y (*see* Klein et al). 2003;38:1060-6
van der Graaf Y (*see* van den Bosch et al). 2003;38:772-8
van der Laan MJ (*see* Teutelink et al). 2003;38:843-6 (Case rep.)
van der Spruit JA (*see* de Graaff et al). 2003;38:1067-74
van Gent WB (*see* de Rijcke et al). 2003;38:1349-52
van Overhagen H (*see* Simons et al). 2003;38:758-61
van Rij AM, Jiang P, Solomon C, Christie RA, Hill GB, Hons BS. Recurrence after varicose vein surgery: a prospective long-term clinical study with duplex ultrasound scanning and air plethysmography. 2003;38:935-43
van Rij AM (*see* Jones et al). 2003;38:1363-7
van Rooden CJ, van Baalen JM, van Bockel JH. Spontaneous dissection of renal artery: long-term results of extracorporeal reconstruction and autotransplantation. 2003;38:116-22
van Schalkwyk GD (*see* du Troit et al). 2003;38:257-62
van Urk H (*see* Tangelder et al). 2003;38:629 (Letter)
van Wijk MCW (*see* Smith et al). 2003;38:1323-30
Varga AJ (*see* Varma et al). 2003;38:1090-8
Varma MR, Varga AJ, Knipp BS, Sukheepod P, Upchurch GR, Kunkel SL, Wakefield TW, Henke PK. Neutropenia impairs venous thrombosis resolution in the rat. 2003;38:1090-8
Varma S (*see* Lal et al). 2003;38:1162-9
Vasquez J, Poultsides GA, Lorenzo C, Foster JE, Drezner D, Gallagher J. Endovascular stent-graft placement for nonaneurysmal infrarenal aortic rupture: a case report and review of the literature. 2003;38:836-9 (Case rep.)
Veerapen R (*see* Berthet et al). 2003;38:997-1004
Veith FJ. Use of abdominal aortic endovascular prostheses in France from 1999 to 2002. 2003;38:1273-82 (Invited commentary)
Veith FJ (*see* Calligaro et al). 2003;38:1199-205
Veith FJ (*see* Cayne et al). 2003;38:639-44
Veith FJ (*see* de Graaf et al). 2003;38:1426-9 (Case rep.)
Veith FJ (*see* Lipsitz et al). 2003;38:1191-8
Veith FJ (*see* Shaw et al). 2003;38:504-10
Veith FJ (*see* Timaran et al). 2003;38:479-85
Venables GS (*see* Tan et al). 2003;38:236-43
Verhaar EE (*see* Ubbink et al). 2003;38:535-40
Verhagen HJM (*see* Milner et al). 2003;38:397-400 (Tech. note)
Villavicencio JL (*see* Scultetus et al). 2003;38:896-903
Vogel TR, Shindelman LE, Nackman GB, Graham AM. Efficacious use of nitinol stents in the femoral and popliteal arteries. 2003;38:1178-84
von Segesser LK (*see* Marty et al). 2003;38:1368-75
Vossen C (*see* Ricci et al). 2003;38:909-15

W

Wadee SA (*see* du Troit et al). 2003;38:257-62
Wagner DD (*see* Myers et al). 2003;38:1075-89
Wagner WH (*see* Farber et al). 2003;38:15-21
Wahlberg E. Angiogenesis and arteriogenesis in limb ischemia. 2003;38:198-203
Wain RA (*see* Cayne et al). 2003;38:639-44
Wain RA (*see* Lipsitz et al). 2003;38:1191-8
Wain RA (*see* Shaw et al). 2003;38:504-10
Wainess RM (*see* Cowan et al). 2003;38:319-22
Wakefield TW (*see* Myers et al). 2003;38:1075-89
Wakefield TW (*see* Varma et al). 2003;38:1090-8
Waldman D (*see* Green and Waldman). 2003;38:1213-19
Walker E (*see* Ouriel et al). 2003;38:323-8
Walker G (*see* Moore et al). 2003;38:46-55
Walker N, Rodgers A, Birchall N, Norton R, MacMahon S. Leg ulceration as a long-term complication of deep vein thrombosis. 2003;38:1331-5
Walot I (*see* Lee et al). 2003;38:1254-63
Walsh DB (*see* Wyers et al). 2003;38:730-8
Warren BL (*see* du Troit et al). 2003;38:257-62
Weaver FA (*see* Yu et al). 2003;38:557-63
Weintraub WS (*see* Coyne et al). 2003;38:296-304
Weiss VJ (*see* Rayan et al). 2003;38:714-18
Welborn MB (*see* Ali et al). 2003;38:486-91
Wellons ED, Matsuura JH, Shuler FW, Franklin JS, Rosenthal D. Bedside intravascular ultrasound-guided vena cava filter placement. 2003;38:455-8. Correction 2003;38:1146
Wenham PW (*see* Hinchliffe et al). 2003;38:498-503
Westerband A, Rodriguez JA, Ramaiah VG, Diethrich EB. Endo-

vascular therapy in prevention and management of coronary–subclavian steal. 2003;38:699-704
White RA (*see* Aziz et al). 2003;38:56-60
White RA (*see* Lee et al). 2003;38:1254-63
White RA (*see* Zarins et al). 2003;38:1264-72
Whitehill TA (*see* Nehler et al). 2003;38:7-14
Whiting JH (*see* Treiman et al). 2003;38:29-35
Wilhite DB, Comerota AJ, Schmieder FA, Throm CR, Gaughan JP, Rao AK. Managing PAD with multiple platelet inhibitors: the effect of combination therapy on bleeding time. 2003;38:710-13
Willfort-Ehringer A, Ahmadi R, Gruber D, Gschwandtner ME, Haumer A, Heinz G, Lang W, Ehringer H. Effect of carotid artery stenting on the external carotid artery. 2003;38:1039-44
Williams DM (*see* Lee et al). 2003;38:671-5
Wilmink ABM, Quick CRG, Hubbard CS, Day NE. Effectiveness and cost of screening for abdominal aortic aneurysm: results of a population screening program. 2003;38:72-7
Wilmink ABM (*see* Sam et al). 2003;38:904-8
Wilson JS (*see* Back et al). 2003;38:422-31
Wilson SE (*see* Lederle et al). 2003;38:745-52
Wittens CHA (*see* de Rijcke et al). 2003;38:799-803, 1349-52
Woodside KJ, Hu M, Burke A, Murakami M, Pounds LL, Killewich LA, Daller JA, Hunter GC. Morphologic characteristics of varicose veins: possible role of metalloproteinases. 2003;38:162-9
Woodside KJ (*see* Murakami et al). 2003;38:923-7
Woodward RS (*see* Shenoy et al). 2003;38:229-35
Woody JD (*see* Dillavou et al). 2003;38:657-63
Wrobleski SK (*see* Myers et al). 2003;38:1075-89
Wulu JT Jr (*see* AbuRahma et al). 2003;38:1154-61
Wyatt MG (*see* Tambyraja et al). 2003;38:852-4 (Case rep.)
Wyble CW (*see* Colonnello et al). 2003;38:138-46
Wyers MC, Fillinger MF, Schermerhorn ML, Powell RJ, Rzucidlo EM, Walsh DB, Zwolak RM, Cronenwett JL. Endovascular repair of abdominal aortic aneurysm without preoperative arteriography. 2003;38:730-8

X

Xenos ES, Freeman M, Stevens S, Cassada D, Pacanowski J, Goldman M. Covered stents for injuries of subclavian and axillary arteries. 2003;38:451-4
Xiong W (*see* Liu et al). 2003;38:1376-83

Y

Yamada M, Maruta K, Shiojiri Y, Takeuchi S, Matsuo Y, Takaba T. Atrophy of the abdominal wall muscles after extraperitoneal approach to the aorta. 2003;38:346-53
Yamada N (*see* Tanaka et al). 2003;38:1125-9 (Case rep.)
Yamazaki K (*see* Kawai et al). 2003;38:305-12
Yang YJ (*see* Luo et al). 2003;38:975-82
Yang Z (*see* Yu et al). 2003;38:557-63
Yano T (*see* Matsushita et al). 2003;38:175-9 (Case rep.)
Yao Q (*see* Paladugu et al). 2003;38:549-56
Yeager RA (*see* Landry et al). 2003;38:22-8
Yilmaz LPK, Abraham CZ, Reilly LM, Gordon RL, Schneider DB, Messina LM, Chuter TAM. Is cross-femoral bypass grafting a disadvantage of aortomonoiliac endovascular aortic aneurysm repair?. 2003;38:753-7
Yokoyama M (*see* Morimoto et al). 2003;38:1434-6 (Case rep.)
Yorkovich W (*see* Kallakuri et al). 2003;38:833-5 (Case rep.)
Youkey JR (*see* Mackrell et al). 2003;38:1305-8
Yu H, Dai W, Yang Z, Kirkman P, Weaver FA, Eton D, Rowe VL. Smooth muscle cells improve endothelial cell retention on polytetrafluoroethylene grafts in vivo. 2003;38:557-63
Yuan JG (*see* Calligaro et al). 2003;38:1199-205

Z

Zarins CK, Bloch DA, Crabtree T, Matsumoto AH, White RA, Fogarty TJ. Stent graft migration after endovascular aneurysm repair: importance of proximal fixation. 2003;38:1264-72
Zelt DT (*see* Brown et al). 2003;38:762-5
Zemel G (*see* Lin et al). 2003;38:840-2 (Case rep.)
Zervas V (*see* Jackson et al). 2003;38:621-5 (Tech. note)
Zhang J, Schmidt J, Ryschich E, Mueller-Schilling M, Schumacher H, Allenberg JR. Inducible nitric oxide synthase is present in human abdominal aortic aneurysm and promotes oxidative vascular injury. 2003;38:360-7
Ziporin SJ (*see* Colonnello et al). 2003;38:138-46
Zuckerbraun BS, McCloskey CA, Mahidhara RS, Kim PKM, Taylor BS, Tzeng E. Overexpression of mutated IκBα inhibits vascular smooth muscle cell proliferation and intimal hyperplasia formation. 2003;38:812-19
Zwolak RM (*see* Wyers et al). 2003;38:730-8

*Subject index**

A

Abdominal injuries
Acute bilateral iliac artery occlusion secondary to blunt trauma: successful endovascular treatment (Sternbergh et al). 2003; 38:589-92 (Case rep.)
Dissection of the abdominal aorta in blunt trauma: endovascular or conventional surgical management? (Berthet et al). 2003;38:997-1004

Abdominal muscles
Atrophy of the abdominal wall muscles after extraperitoneal approach to the aorta (Yamada et al). 2003;38:346-53

Abnormalities
Congenital abdominal aortic aneurysm: a case report (Bell et al). 2003;38:190-3 (Case rep.)

Adenosine diphosphate
Patients' thromboembolic potential after carotid endarterectomy is related to the platelets' sensitivity to adenosine diphosphate (Hayes et al). 2003;38:1226-31

Adjuvants, immunologic
Randomized trial and local biological effect of autologous platelets used as adjuvant therapy for chronic venous leg ulcers (Senet et al). 2003;38:1342-8

Adrenergic beta-antagonists
Effect of B-blockers on peripheral skin microcirculation in hypertension and peripheral vascular disease (Ubbink et al). 2003;38:535-40

African Americans; *see* Blacks

Age factors
Outcome of lower-extremity revascularization in patients younger than 40 years in a predominately diabetic population (Saltzberg et al). 2003;38:1056-9

Airway obstruction
Proximal aortic stent-graft displacement with type I endoleak due to Heimlich maneuver (Lin et al). 2003;38:380-2 (Case rep.)

Alloys
Efficacious use of nitinol stents in the femoral and popliteal arteries (Vogel et al). 2003;38:1178-84

Alteplase; *see* Tissue plasminogen activator

American Venous Forum
Presidential address: Venous surgery—from stepchild to equal partner (Gloviczki). 2003;38:871-8

Amputation
Functional outcome in a contemporary series of major lower extremity amputations (Nehler et al). 2003;38:7-14
Use of interventional procedures for peripheral arterial occlusive disease in Ontario between 1991 and 1998: a population-based study (Al-Omran et al). 2003;38:289-95

Anastomosis, surgical
Carotid bypass with polytetrafluoroethylene grafts: a study of 110 consecutive patients (Camiade et al). 2003;38:1031-8
Early and late outcome after carotid artery bypass grafting with saphenous vein (Lauder et al). 2003;38:1025-30
A multicenter study of permanent hemodialysis access patency: beneficial effect of clipped vascular anastomotic technique (Shenoy et al). 2003;38:229-35
Particle hemodynamics analysis of Miller cuff arterial anastomosis (Longest et al). 2003;38:1353-62
Prospective randomized multicenter trial of fibrin sealant versus thrombin-soaked gelatin sponge for suture- or needle-hole bleeding from polytetrafluoroethylene femoral artery grafts (Taylor et al). 2003;38:766-71
Three-dimensional reconstruction of autologous vein bypass graft distal anastomoses imaged with magnetic resonance: clinical and research applications (Jackson et al). 2003;38: 621-5 (Tech. note)

Anatomy
Aortoiliac morphologic correlations in aneurysms undergoing endovascular repair (Ouriel et al). 2003;38:323-8
Comparison of morphologic features of intact and ruptured aneurysms of infrarenal abdominal aorta (Hinchliffe et al). 2003;38:88-92
Surgical anatomy for subfascial endoscopic perforating vein surgery of laterally located perforating veins (de Rijcke et al). 2003;38:1349-52

Aneurysm
Giant mediastinal bronchial artery aneurysm mimicking benign esophageal tumor: a case report and review of 26 cases from literature (Tanaka et al). 2003;38:1125-9 (Case rep.)
Hepatic artery aneurysm: factors that predict complications (Abbas et al). 2003;38:41-5
Inferior mesenteric artery aneurysm in Behçet syndrome (Morimoto et al). 2003;38:1434-6 (Case rep.)
Multiple arterial aneurysms (Takagi et al). 2003;38:1440
Regarding "Graft patency is not the only clinical predictor of success after exclusion and bypass of popliteal artery aneurysms" (Teebken et al) (Letter); (Chiou) (Reply). 2003;38: 1141-2
Renal artery aneurysm presenting with microscopic hematuria (Serracino-Inglott et al). 2003;38:620

Aneurysm, dissecting
Spontaneous dissection of renal artery: long-term results of extracorporeal reconstruction and autotransplantation (van Rooden et al). 2003;38:116-22

Aneurysm, false
Aortic pseudoaneurysm from aortic penetration with a bird's nest vena cava filter (Campbell and Calcagno). 2003;38: 596-9 (Case rep.)
Branched endovascular repair of aortic arch aneurysm with modular stent-graft system (Schneider et al). 2003;38:855
Clinical features and management of splenic artery pseudoaneurysm: case series and cumulative review of literature (Tessier et al). 2003;38:969-74
Endovascular stent-graft repair for penetrating atherosclerotic ulcer in the infrarenal abdominal aorta (Tsuji et al). 2003; 38:383-8 (Case rep.)
In situ reconstruction of septic aortic pseudoaneurysm due to *Salmonella* or *Streptococcus* microbial aortitis: long-term follow-up (Luo et al). 2003;38:975-82
Regarding "Pseudoaneurysm of the lateral plantar artery after foot laceration" (Morini) (Letter); (Endean) (Reply). 2003;38:1142-3
Successful stent-graft exclusion of a bovine patch-related carotid artery pseudoaneurysm (Lin et al). 2003;38:396
Treatment of pancreatic pseudoaneurysm with percutaneous transabdominal thrombin injection (Manazer et al). 2003; 38:600-2 (Case rep.)

Aneurysm, infected
Explanation of an infected aortic endograft with suprarenal barb fixation (Sternbergh et al). 2003;38:1136
In situ reconstruction of septic aortic pseudoaneurysm due to

*July, pp. 1-206; August, pp. 207-412; September, pp. 413-632; October, pp. 633-870; November, pp. 871-1146; December, pp. 1147-1490.

Salmonella or *Streptococcus* microbial aortitis: long-term follow-up (Luo et al). 2003;38:975-82
In situ revascularization with silver-coated polyester grafts to treat aortic infection: early and midterm results (Batt et al). 2003;38:983-9
Inflammatory aortic aneurysm is associated with increased incidence of autoimmune disease (Haug et al). 2003;38:492-7
Multiple bacteria in aortic aneurysms (da Silva et al). 2003;38:1384-9
Mycotic aneurysm of the infrarenal abdominal aorta infected by *Clostridium septicum*: a case report of surgical management and review of the literature (Takano et al). 2003;38:847-51 (Case rep.)

Aneurysm, ruptured
Comparison of morphologic features of intact and ruptured aneurysms of infrarenal abdominal aorta (Hinchliffe et al). 2003;38:88-92
Ruptured thoracoabdominal aortic aneurysm treatment in the United States: 1988 to 1998 (Cowan et al). 2003;38:319-22

Angiogenesis; *see* Neovascularization

Angiography
Can the Perclose suture-mediated closure system be used safely in patients undergoing diagnostic and therapeutic angiography to treat chronic lower extremity ischemia? (Mackrell et al). 2003;38:1305-8
Use of external iliac artery in renal revascularization surgery: long-term angiographic assessment (da Gama et al). 2003;38:123-8

Angiography, digital subtraction
Safety of gadolinium contrast angiography in patients with chronic renal insufficiency (Sam et al). 2003;38:313-18

Angioplasty
Five-year interim comparison of the Guidant bifurcated endograft with open repair of abdominal aortic aneurysm (Moore et al). 2003;38:46-55
Open aneurysm repair at an endovascular center: value of a modified retroperitoneal approach in patients at high risk with difficult aneurysms (Shaw et al). 2003;38:504-10
Postoperative infection associated with polyester patch angioplasty after carotid endarterectomy (Rockman et al). 2003;38:251-6
Renal angioplasty and stenting with distal protection of the main renal artery in ischemic nephropathy: early experience (Holden and Hill). 2003;38:962-8
Use of interventional procedures for peripheral arterial occlusive disease in Ontario between 1991 and 1998: a population-based study (Al-Omran et al). 2003;38:289-95

Angioplasty, balloon
Cardiac risk stratification in patients undergoing endoluminal graft repair of abdominal aortic aneurysm: a single-institution experience with 365 patients (Aziz et al). 2003;38:56-60
Delayed open conversion following endovascular aortoiliac aneurysm repair: partial (or complete) endograft preservation as a useful adjunct (Lipsitz et al). 2003;38:1191-8
Emerging role of endovascular grafts in complex aortoiliac occlusive disease (Ali et al). 2003;38:486-91
Endovascular therapy in prevention and management of coronary–subclavian steal (Westerband et al). 2003;38:699-704
Endovascular treatment of celiac and mesenteric arteries stenoses: applications and results (Sharafuddin et al). 2003;38:692-8
Inferior vena cava endograft to control surgically inaccessible hemorrhage (Erzurum). 2003;38:1437-9 (Case rep.)
Open surgical and endovascular treatment of superior vena cava syndrome caused by nonmalignant disease (Kalra et al). 2003;38:215-23
Outcome of carotid stent-assisted angioplasty versus open surgical repair of recurrent carotid stenosis (Bowser et al). 2003;38:432-8
Transbrachial arterial insertion of aortic occlusion balloon catheter in patients with shock from ruptured abdominal aortic aneurysm (Matsuda et al). 2003;38:1293-6
Treatment of limb-threatening ischemia with percutaneous intentional extraluminal recanalization: a preliminary evaluation (Treiman et al). 2003;38:29-35
Volume regression of abdominal aortic aneurysms and its relation to successful endoluminal exclusion (Lee et al). 2003;38:1254-63

Ankle
Changes in ankle brachial index in symptomatic and asymptomatic subjects in the general population (Smith et al). 2003;38:1332-0

Antarctic regions
Leadership in difficult times (Seeger). 2003;38:413-21

Aorta
Use of fascia-peritoneum patch as a pledget for an infected aortic stump (Sarac et al). 2003;38:1404-6 (Case rep.)

Aorta, abdominal
Aortic pseudoaneurysm from aortic penetration with a bird's nest vena cava filter (Campbell and Calcagno). 2003;38:596-9 (Case rep.)
Autologous deep vein reconstruction of infected thoracoabdominal aortic patch graft (Tambyraja et al). 2003;38:852-4 (Case rep.)
Endovascular stent-graft repair for penetrating atherosclerotic ulcer in the infrarenal abdominal aorta (Tsuji et al). 2003;38:383-8 (Case rep.)
Intra-abdominal aortic graft infection: complete or partial graft preservation in patients at very high risk (Calligaro et al). 2003;38:1199-205

Aorta, thoracic
Blunt traumatic aortic transection: endoluminal repair with commercially available aortic cuffs (Sam et al). 2003;38:1132-5 (Case rep.)
Endovascular repair of a penetrating thoracic aortic ulcer by way of the carotid artery (Heidenreich et al). 2003;38:1407-10 (Case rep.)
Existence of abdominal aortic aneurysms in patients with thoracic aortic dissections (Lee et al). 2003;38:671-5

Aortic aneurysm
Causes, diagnosis, and management of duodenal obstruction after aortic surgery (Tessier and Brophy). 2003;38:186-9 (Case rep.)
Endovascular suture versus cutdown for endovascular aneurysm repair: a prospective randomized pilot study (Torsello et al). 2003;38:78-82
Factors that predict prolonged length of stay after aortic surgery (Chang et al). 2003;38:335-9
Multiple bacteria in aortic aneurysms (da Silva et al). 2003;38:1384-9
Smokers' relative risk for aortic aneurysm compared with other

smoking-related diseases: a systematic review (Lederle et al). 2003;38:329-34

Aortic aneurysm, abdominal

Abdominal aortic aneurysm with arteritis in ankylosing spondylitis (Takagi et al). 2003;38:613-16 (Case rep.)

Aortic dissection in the setting of an infrarenal endoprosthesis: a fatal combination (Haulon et al). 2003;38:1121-4 (Case rep.)

Aortoiliac morphologic correlations in aneurysms undergoing endovascular repair (Ouriel et al). 2003;38:323-8

Atrophy of the abdominal wall muscles after extraperitoneal approach to the aorta (Yamada et al). 2003;38:346-53

Cardiac risk stratification in patients undergoing endoluminal graft repair of abdominal aortic aneurysm: a single-institution experience with 365 patients (Aziz et al). 2003;38:56-60

Carotid ultrasound findings as a predictor of long-term survival after abdominal aortic aneurysm repair: a 14-year prospective study (Liapis et al). 2003;38:1220-5

Caval and ureteral obstruction secondary to an inflammatory abdominal aortic aneurysm (Kashyap et al). 2003;38:1416-21 (Case rep.)

Color-flow duplex ultrasound scan versus computed tomographic scan in the surveillance of endovascular aneurysm repair (Raman et al). 2003;38:645-51

Comparison of abdominal aortic aneurysm diameter measurements obtained with ultrasound and computed tomography: is there a difference? (Sprouse et al). 2003;38:466-72

Comparison of morphologic features of intact and ruptured aneurysms of infrarenal abdominal aorta (Hinchliffe et al). 2003;38:88-92

Congenital abdominal aortic aneurysm: a case report (Bell et al). 2003;38:190-3 (Case rep.)

Current concepts in the pathogenesis of abdominal aortic aneurysm (Ailawadi et al). 2003;38:584-8

Delayed aortic aneurysm enlargement due to endotension after endovascular abdominal aortic aneurysm repair (Lin et al). 2003;38:840-2 (Case rep.)

Delayed open conversion following endovascular aortoiliac aneurysm repair: partial (or complete) endograft preservation as a useful adjunct (Lipsitz et al). 2003;38:1191-8

Does hostile neck anatomy preclude successful endovascular aortic aneurysm repair? (Dillavou et al). 2003;38:657-63

Does transrenal fixation of aortic endografts impair renal function? (Cayne et al). 2003;38:639-44

Durability of femorofemoral bypass grafting after aortouniliac endovascular aneurysm repair (Hinchliffe et al). 2003;38:498-503

Effectiveness and cost of screening for abdominal aortic aneurysm: results of a population screening program (Wilmink et al). 2003;38:72-7

Endovascular abdominal aortic aneurysm repair to prevent rupture in a patient requiring lithotripsy (de Graaf et al). 2003;38:1426-9 (Case rep.)

Endovascular aneurysm repair: gender-specific results (Ouriel et al). 2003;38:93-8

Endovascular aneurysm repair with a bifurcated endovascular graft at a primary referral center: influence of experience, age, gender, and aneurysm size on suitability (Simons et al). 2003;38:758-61

Endovascular repair of abdominal aortic aneurysm without preoperative arteriography (Wyers et al). 2003;38:730-8

Existence of abdominal aortic aneurysms in patients with thoracic aortic dissections (Lee et al). 2003;38:671-5

Five-year interim comparison of the Guidant bifurcated endograft with open repair of abdominal aortic aneurysm (Moore et al). 2003;38:46-55

Functional matrix metalloproteinase-9 polymorphism (C-1562T) associated with abdominal aortic aneurysm (Jones et al). 2003;38:1363-7

Iliorenal artery bypass grafting to facilitate endovascular abdominal aortic aneurysm repair (Lin et al). 2003;38:183-5 (Case rep.)

Inducible nitric oxide synthase is present in human abdominal aortic aneurysm and promotes oxidative vascular injury (Zhang et al). 2003;38:360-7

Inflammatory aortic aneurysm is associated with increased incidence of autoimmune disease (Haug et al). 2003;38:492-7

Influence of intraluminal thrombus on structural and cellular composition of abdominal aortic aneurysm wall (Kazi et al). 2003;38:1283-92

Initial successful management of type I endoleak after endovascular aortic aneurysm repair with n-butyl cyanoacrylate adhesive (Maldonado et al). 2003;38:664-70

Is cross-femoral bypass grafting a disadvantage of aortomoniliac endovascular aortic aneurysm repair? (Yilmaz et al). 2003;38:753-7

Morbidity with retroperitoneal procedures during endovascular abdominal aortic aneurysm repair (Lee et al). 2003;38:459-65

Mycotic aneurysm of the infrarenal abdominal aorta infected by *Clostridium septicum*: a case report of surgical management and review of the literature (Takano et al). 2003;38:847-51 (Case rep.)

Open aneurysm repair at an endovascular center: value of a modified retroperitoneal approach in patients at high risk with difficult aneurysms (Shaw et al). 2003;38:504-10

Prostaglandin E_2 receptors in abdominal aortic aneurysm and human aortic smooth muscle (Bayston et al) cells. 2003;38:354-9

Quality of life, impotence, and activity level in a randomized trial of immediate repair versus surveillance of small abdominal aortic aneurysm (Lederle et al). 2003;38:745-52

Regarding "Intrasac flow velocities predict sealing of type II endoleaks after endovascular abdominal aortic aneurysm repair" (Escribano) (Letter); (Arko) (Reply). 2003;38:628-9

Salvage of a difficult situation: method for conversion of failed endograft (Milner et al). 2003;38:397-400 (Tech. note)

Secondary conversion due to failed endovascular abdominal aortic aneurysm repair (Terramani et al). 2003;38:473-8. Correction 2003;38:1146

Selective management of abdominal aortic aneurysms smaller then 5.0 cm in a prospective sizing program with gender-specific analysis (Brown et al). 2003;38:762-5

Should patients with challenging anatomy be offered endovascular aneurysm repair? (Greenberg et al). 2003;38:990-6

Stent graft migration after endovascular aneurysm repair: importance of proximal fixation (Zarins et al); (May) (Commentary). 2003;38:1264-72

Surgeon specialty and provider volumes are related to outcome of intact abdominal aortic aneurysm repair in the United States (Dimick et al). 2003;38:739-44

Technique and results of transfemoral superselective coil em-

bolization of type II lumbar endoleak (Kasirajan et al). 2003;38:61-6
Thoracoabdominal aortic aneurysm repair after prior aortic surgery (Lombardi et al). 2003;38:1185-90
Transbrachial arterial insertion of aortic occlusion balloon catheter in patients with shock from ruptured abdominal aortic aneurysm (Matsuda et al). 2003;38:1293-6
Transient exposure to elastase induces mouse aortic wall smooth muscle cell production of MCP-1 and RANTES during development of experimental aortic aneurysm (Colonnello et al). 2003;38:138-46
Use of abdominal aortic endovascular prostheses in France from 1999 to 2002 (Ricco et al); (Veith) (Commentary). 2003;38:1273-82
Use of cine magnetic resonance angiography in quantifying aneurysm pulsatility associated with endoleak (Faries et al). 2003;38:652-6
Videodensitometric blood flow analysis of abdominal aortic aneurysm and intravascular coagulation (Mitsuoka et al). 2003;38:340-5
Volume regression of abdominal aortic aneurysms and its relation to successful endoluminal exclusion (Lee et al). 2003;38:1254-63

Aortic aneurysm, thoracic
Branched endovascular repair of aortic arch aneurysm with modular stent-graft system (Schneider et al). 2003;38:855
Challenges of endovascular tube graft repair of thoracic aortic aneurysm: midterm follow-up and lessons learned (Ellozy et al). 2003;38:676-83
Combined open and endovascular repair of a syphilitic aortic aneurysm (Goldstein et al). 2003;38:1422-5 (Case rep.)
Modular branched stent graft for endovascular repair of aortic arch aneurysm and dissection (Chuter et al). 2003;38:859-63 (Tech. note)
Ruptured thoracoabdominal aortic aneurysm treatment in the United States: 1988 to 1998 (Cowan et al). 2003;38:319-22
Technique to decrease lower extremity and pelvic ischemia during thoracoabdominal aortic aneurysm repair (Giglia). 2003;38:401-2 (Tech. note)
Thoracoabdominal aortic aneurysm repair after prior aortic surgery (Lombardi et al). 2003;38:1185-90

Aortic coarctation
Does large oversizing of self-expandable endoprostheses compensate for aortic growth? (Marty et al). 2003;38:1368-75

Aortic diseases
Acute aortic occlusion from a cardiac embolus (Lee). 2003;38:197
Primary malignant tumors of the aorta: clinical presentation, treatment, and course of different entities (Böhner et al). 2003;38:1430-3 (Case rep.)

Aortic rupture
Aortic dissection in the setting of an infrarenal endoprosthesis: a fatal combination (Haulon et al). 2003;38:1121-4 (Case rep.)
Dissection of the abdominal aorta in blunt trauma: endovascular or conventional surgical management? (Berthet et al). 2003;38:997-1004
Endovascular abdominal aortic aneurysm repair to prevent rupture in a patient requiring lithotripsy (de Graaf et al). 2003;38:1426-9 (Case rep.)
Endovascular stent-graft placement for nonaneurysmal infrarenal aortic rupture: a case report and review of the literature (Vasquez et al). 2003;38:836-9 (Case rep.)
Existence of abdominal aortic aneurysms in patients with thoracic aortic dissections (Lee et al). 2003;38:671-5
Modular branched stent graft for endovascular repair of aortic arch aneurysm and dissection (Chuter et al). 2003;38:859-63 (Tech. note)
Stent-graft detachment from aortic wall after stent-graft repair of acute aortic dissection (Kato et al). 2003;38:1130-1 (Case rep.)
Transbrachial arterial insertion of aortic occlusion balloon catheter in patients with shock from ruptured abdominal aortic aneurysm (Matsuda et al). 2003;38:1293-6

Aortitis
Abdominal aortic aneurysm with arteritis in ankylosing spondylitis (Takagi et al). 2003;38:613-16 (Case rep.)
In situ reconstruction of septic aortic pseudoaneurysm due to *Salmonella* or *Streptococcus* microbial aortitis: long-term follow-up (Luo et al). 2003;38:975-82

Apoptosis
Inability of vascular smooth muscle cells to proceed beyond S phase of cell cycle, and increased apoptosis in symptomatic carotid artery disease (Dhume and Agrawal). 2003;38:155-61

Appointments and schedules
Ethics of operative scheduling: fiduciary patient responsibilities and more (Jones et al). 2003;38:204-5

Arginine
L-Arginine improves endothelial vasoreactivity and reduces thrombogenicity after thrombolysis in experimental deep venous thrombosis (Lin et al). 2003;38:1396-403

Arm
Upper extremity bypass grafting for limb salvage in end-stage renal failure (Chang et al). 2003;38:1313-15

Arterial occlusive diseases
Abnormal mitochondrial respiration in skeletal muscle in patients with peripheral arterial disease (Pipinos et al). 2003;38:827-32
Acute aortic occlusion from a cardiac embolus (Lee). 2003;38:197
Acute bilateral iliac artery occlusion secondary to blunt trauma: successful endovascular treatment (Sternbergh et al). 2003;38:589-92 (Case rep.)
Clinical relevance of peripheral vascular occlusive disease in patients with rheumatoid arthritis and systemic lupus erythematosus (Henke et al). 2003;38:111-15
Efficacious use of nitinol stents in the femoral and popliteal arteries (Vogel et al). 2003;38:1178-84
Emerging role of endovascular grafts in complex aortoiliac occlusive disease (Ali et al). 2003;38:486-91
Endothelial dysfunction in peripheral arterial disease is related to increase in plasma markers of inflammation and severity of peripheral circulatory impairment but not to classic risk factors and atherosclerotic burden (Brevetti et al). 2003;38:374-9
Endovascular treatment of celiac and mesenteric arteries stenoses: applications and results (Sharafuddin et al). 2003;38:692-8
External iliac artery endofibrosis: a new possible predisposing factor (Scavèe et al). 2003;38:180-2 (Case rep.)
Factors that predict prolonged length of stay after aortic surgery (Chang et al). 2003;38:335-9
Hyperhomocysteinemia and risk for peripheral arterial occlu-

sive disease in young women (van den Bosch et al). 2003; 38:772-8

Iliac artery stenting versus surgical reconstruction for TASC (TransAtlantic Inter-Society Consensus) type B and type C iliac lesions (Timaran et al). 2003;38:272-8

Managing PAD with multiple platelet inhibitors: the effect of combination therapy on bleeding time (Wilhite et al). 2003;38:710-13

Outcome of revascularization procedures for peripheral arterial occlusive disease in Ontario between 1991 and 1998: a population-based study (Al-Omran et al). 2003;38:279-86

Platelet activation is increased in peripheral arterial disease (Cassar et al). 2003;38:99-103

Regarding "External iliac artery endofibrosis: a new possible predisposing factor" (Mosimann) (Letter); (Scavée and Schoevaerdts) (Reply). 2003;38:1446

Regarding "The safety, efficacy, and pharmacoeconomics of low-dose alteplase compared with urokinase for catheter-directed thrombolysis of arterial and venous occlusions" (Manfredini et al). 2003;38:411-12 (Letter)

Remote iliac artery endarterectomy: seven-year results of a less invasive technique for iliac artery occlusive disease (Smeets et al). 2003;38:1297-304

Tissue (muscle) oxygen saturation (StO_2): a new measure of symptomatic lower-extremity arterial disease (Comerota et al). 2003;38:724-9

Treatment of limb-threatening ischemia with percutaneous intentional extraluminal recanalization: a preliminary evaluation (Treiman et al). 2003;38:29-35

Upper extremity bypass grafting for limb salvage in end-stage renal failure (Chang et al). 2003;38:1313-15

Use of interventional procedures for peripheral arterial occlusive disease in Ontario between 1991 and 1998: a population-based study (Al-Omran et al). 2003;38:289-95

Arteries

Acute arterial complications associated with total hip and knee arthroplasty (Calligaro et al). 2003;38:1170-7

Arteriovenous fistula

Autogenous arterial radial-basilic forearm looped transposition (Sunar et al). 2003;38:864-5 (Tech. note)

Durability and cumulative functional patency of transposed and nontransposed arteriovenous fistulas (Choi et al). 2003;38:1206-12

Failure of arteriovenous fistula maturation: an unintended consequence of exceeding Dialysis Outcome Quality Initiative guidelines for hemodialysis access (Patel et al). 2003;38: 439-45

Patency of autogenous and polytetrafluoroethylene upper extremity arteriovenous hemodialysis accesses: a systematic review (Huber et al). 2003;38:1005-11

Salvaging prosthetic dialysis fistulas with stents: forearm versus upper arm grafts (Kolakowski et al). 2003;38:719-23

Arteriovenous shunt, surgical

Selective shunting with eversion carotid endarterectomy (Ballotta and Da Giau). 2003;38:1045-50

Arthritis, rheumatoid

Clinical relevance of peripheral vascular occlusive disease in patients with rheumatoid arthritis and systemic lupus erythematosus (Henke et al). 2003;38:111-15

Arthroplasty, replacement

Acute arterial complications associated with total hip and knee arthroplasty (Calligaro et al). 2003;38:1170-7

Atherosclerosis

Atherosclerotic plaque rupture and intraplaque hemorrhage do not correlate with symptoms in carotid artery stenosis (Milei et al). 2003;38:1241-1247

High-sensitivity C-reactive protein in high-grade carotid stenosis; risk marker for unstable carotid plaque (Alvarez Garcia et al). 2003;38:1018-24

In vivo noninvasive identification of cell composition of intimal lesions: a combined approach with ultrasonography and immunocytochemistry (Puato et al). 2003;38:1390-5

Authorship

Has the changing nature of vascular surgery adversely affected scholarly activity? (Galt et al). 2003;38:1-6

Autoimmune diseases

Inflammatory aortic aneurysm is associated with increased incidence of autoimmune disease (Haug et al). 2003;38: 492-7

Axillary artery

Covered stents for injuries of subclavian and axillary arteries (Xenos et al). 2003;38:451-4

B

Bedside procedures; *see* Point-of-care systems

Behcet's syndrome

Inferior mesenteric artery aneurysm in Behçet syndrome (Morimoto et al). 2003;38:1434-6 (Case rep.)

Beta blockers; *see* Adrenergic beta-antagonists

Biocompatible materials

Prospective, randomized study of external jugular vein patch versus polytetrafluoroethylene patch during carotid endarterectomy: perioperative and long-term results (Greco et al). 2003;38:1232-40

Blacks

Outcome of carotid endarterectomy in African Americans: Is race a factor? (Conrad et al). 2003;38:129-37

Blood circulation

Mechanism of venous valve closure and role of the valve in circulation: a new concept (Lurie et al). 2003;38:955-61

Blood coagulation factors

P-selectin and leukocyte microparticles are associated with venous thrombogenesis (Myers et al). 2003;38:1075-89

Blood flow velocity

Deep axial reflux, an important contributor to skin changes or ulcer in chronic venous disease (Danielsson et al). 2003;38: 1336-41

Definition of venous reflux in lower-extremity veins (Labropoulos et al). 2003;38:793-8

Overexpression of endothelial nitric oxide synthase increases skeletal muscle blood flow and oxygenation in severe rat hind limb ischemia (Brevetti et al). 2003;38:820-6

Videodensitometric blood flow analysis of abdominal aortic aneurysm and intravascular coagulation (Mitsuoka et al). 2003;38:340-5

Blood gas monitoring, transcutaneous

Evaluation of toe pressure and transcutaneous oxygen measurements in management of chronic critical leg ischemia: a diagnostic randomized clinical trial (de Graaff JC et al). 2003;38:528-34

Blood pressure determination

Changes in ankle brachial index in symptomatic and asymptomatic subjects in the general population (Smith et al). 2003;38:1332-0

Influence of peripheral arterial disease on capillary pressure in the foot (de Graaff et al). 2003;38:1067-74

Blood vessel prosthesis

Aortic dissection in the setting of an infrarenal endoprosthesis: a fatal combination (Haulon et al). 2003;38:1121-4 (Case rep.)

Cardiac risk stratification in patients undergoing endoluminal graft repair of abdominal aortic aneurysm: a single-institution experience with 365 patients (Aziz et al). 2003;38: 56-60

Delayed open conversion following endovascular aortoiliac aneurysm repair: partial (or complete) endograft preservation as a useful adjunct (Lipsitz et al). 2003;38:1191-8

Does hostile neck anatomy preclude successful endovascular aortic aneurysm repair? (Dillavou et al). 2003;38:657-63

Does large oversizing of self-expandable endoprostheses compensate for aortic growth? (Marty et al). 2003;38:1368-75

Durability of femorofemoral bypass grafting after aortouniiliac endovascular aneurysm repair (Hinchliffe et al). 2003;38: 498-503

Emerging role of endovascular grafts in complex aortoiliac occlusive disease (Ali et al). 2003;38:486-91

Endovascular stent-graft placement for nonaneurysmal infrarenal aortic rupture: a case report and review of the literature (Vasquez et al). 2003;38:836-9 (Case rep.)

Endovascular suture versus cutdown for endovascular aneurysm repair: a prospective randomized pilot study (Torsello et al). 2003;38:78-82

Fabric tears as a new cause of type III endoleak with Ancure endograft (Teutelink et al). 2003;38:843-6 (Case rep.)

Five-year interim comparison of the Guidant bifurcated endograft with open repair of abdominal aortic aneurysm (Moore et al). 2003;38:46-55

In situ revascularization with silver-coated polyester grafts to treat aortic infection: early and midterm results (Batt et al). 2003;38:983-9

Is cross-femoral bypass grafting a disadvantage of aortomonoiliac endovascular aortic aneurysm repair? (Yilmaz et al). 2003;38:753-7

Open surgical and endovascular treatment of superior vena cava syndrome caused by nonmalignant disease (Kalra et al). 2003;38:215-23

Prospective, randomized study of external jugular vein patch versus polytetrafluoroethylene patch during carotid endarterectomy: perioperative and long-term results (Greco et al). 2003;38:1232-40

Prospective randomized study on bilateral above-knee femoropopliteal revascularization: polytetrafluoroethylene graft versus reversed saphenous vein (Ballotta et al). 2003;38: 1051-5

Use of abdominal aortic endovascular prostheses in France from 1999 to 2002 (Ricco et al); (Veith) (Commentary). 2003;38:1273-82

Blood volume determination

Magnetic resonance imaging measurement of blood volume flow in peripheral arteries in healthy subjects (Klein et al). 2003;38:1060-6

Blunt injuries; *see* Wounds, nonpenetrating

Book reviews

Book reviews. 2003;38:206, 631-2, 869-70, 1144-5, 1448-9

Brachial artery

Changes in ankle brachial index in symptomatic and asymptomatic subjects in the general population (Smith et al). 2003;38:1332-0

Neurologic outcome after penetrating extracranial arterial trauma (du Troit et al). 2003;38:257-62

Upper extremity bypass grafting for limb salvage in end-stage renal failure (Chang et al). 2003;38:1313-15

Bronchial arteries

Giant mediastinal bronchial artery aneurysm mimicking benign esophageal tumor: a case report and review of 26 cases from literature (Tanaka et al). 2003;38:1125-9 (Case rep.)

Buerger's disease; *see* Thromboangiitis obliterans

C

C-reactive protein

High-sensitivity C-reactive protein in high-grade carotid stenosis; risk marker for unstable carotid plaque (Alvarez Garcia et al). 2003;38:1018-24

Capillary resistance

Influence of peripheral arterial disease on capillary pressure in the foot (de Graaff et al). 2003;38:1067-74

Carotic artery injuries

Neurologic outcome after penetrating extracranial arterial trauma (du Troit et al). 2003;38:257-62

Carotid arteries

Effect of carotid artery stenting on the external carotid artery (Willfort-Ehringer et al). 2003;38:1039-44

Endovascular treatment of carotid stump syndrome (Naylor et al). 2003;38:593-5 (Case rep.). Correction 2003;38:1146

Regarding "Carotid artery stenting: analysis of data for 105 patients at high risk" (Lucertini) (Letter); (Hobson) (Reply). 2003;38:1140-1

Carotid artery diseases

Inability of vascular smooth muscle cells to proceed beyond S phase of cell cycle, and increased apoptosis in symptomatic carotid artery disease (Dhume and Agrawal). 2003;38: 155-61

A model for predicting occult carotid artery stenosis: screening is justified in a selected population (Jacobowitz et al). 2003;38:705-9

Carotid body tumor

New approach to preoperative vascular exclusion for carotid body tumor (Tripp et al). 2003;38:389-91 (Case rep.)

Carotid stenosis

Atherosclerotic plaque rupture and intraplaque hemorrhage do not correlate with symptoms in carotid artery stenosis (Milei et al). 2003;38:1241-1247

Carotid artery revascularization through a radiated field (Lesèche et al). 2003;38:244-50

Carotid bypass with polytetrafluoroethylene grafts: a study of 110 consecutive patients (Camiade et al). 2003;38:1031-8

Carotid ultrasound findings as a predictor of long-term survival after abdominal aortic aneurysm repair: a 14-year prospective study (Liapis et al). 2003;38:1220-5

Contrast material–enhanced MRA overestimates severity of carotid stenosis, compared with 3D time-of-flight MRA (Townsend et al). 2003;38:36-40

Early and late outcome after carotid artery bypass grafting with saphenous vein (Lauder et al). 2003;38:1025-30

Effect of carotid artery stenting on the external carotid artery (Willfort-Ehringer et al). 2003;38:1039-44

Endovascular treatment of carotid stump syndrome (Naylor et al). 2003;38:593-5 (Case rep.). Correction 2003;38:1146

High-sensitivity C-reactive protein in high-grade carotid ste-

nosis; risk marker for unstable carotid plaque (Alvarez Garcia et al). 2003;38:1018-24

In-stent recurrent stenosis after carotid artery stenting: life table analysis and clinical relevance (Lal et al); (Ouriel) (Commentary). 2003;38:1162-9

A model for predicting occult carotid artery stenosis: screening is justified in a selected population (Jacobowitz et al). 2003;38:705-9

Natural history of carotid artery stenosis contralateral to endarterectomy: results from two randomized prospective trials (AbuRahma et al). 2003;38:1154-61

Outcome of carotid stent-assisted angioplasty versus open surgical repair of recurrent carotid stenosis (Bowser et al). 2003;38:432-8

Timing and frequency of complications after carotid artery stenting: what is the optimal period of observation? (Tan et al). 2003;38:236-43

Case reports

Case reports. 2003;38:170-96, 380-95, 589-619, 833-54, 1121-35, 1404-39

Catheterization, cardiac; *see* Heart catheterization

Catheters, indwelling

The LifeSite Hemodialysis Access System in patients with limited access (Rayan et al). 2003;38:714-18

Celiac artery

Endovascular treatment of celiac and mesenteric arteries stenoses: applications and results (Sharafuddin et al). 2003;38:692-8

Cell cycle

Inability of vascular smooth muscle cells to proceed beyond S phase of cell cycle, and increased apoptosis in symptomatic carotid artery disease (Dhume and Agrawal). 2003;38:155-61

Cell death

Linolenic acid prevents neuronal cell death and paraplegia after transient spinal cord ischemia in rats (Lang-Lazdunski et al). 2003;38:564-75

Cell growth

Overexpression of mutated IκBα inhibits vascular smooth muscle cell proliferation and intimal hyperplasia formation (Zuckerbraun et al). 2003;38:812-19

Cell respiration

Abnormal mitochondrial respiration in skeletal muscle in patients with peripheral arterial disease (Pipinos et al). 2003;38:827-32

Cell transplantation

Smooth muscle cells improve endothelial cell retention on polytetrafluoroethylene grafts in vivo (Yu et al). 2003;38:557-63

Cerebral aneurysm; *see* Intracranial aneurysm

Cerebral angiography

Magnetic resonance angiography minimizes need for arteriography after inadequate carotid duplex ultrasound scanning (Back et al). 2003;38:422-31

Cerebral veins

Radial nerve compression by a large cephalic vein aneurysm: case report (Kassabian et al). 2003;38:617-19 (Case rep.)

Certification

Medicolegal implications of board certification (Brown). 2003;38:407-8 (Editorial)

Regarding "Medicolegal implications of board certification (Lewis and Rhodes). 2003;38:407-8 (Editorial)

Clostridium infections

Mycotic aneurysm of the infrarenal abdominal aorta infected by *Clostridium septicum*: a case report of surgical management and review of the literature (Takano et al). 2003;38:847-51 (Case rep.)

Cognition

Cognitive performance in patients after carotid endarterectomy (Pearson et al); (Lloyd and Naylor) (Commentary). 2003;38:1248-53

Computer simulation

Endovascular repair of abdominal aortic aneurysm without preoperative arteriography (Wyers et al). 2003;38:730-8

Confidentiality

Limits of confidentiality: disclosure of HIV seropositivity (Jones et al). 2003;38:1443-4

Congenital defects; *see* Abnormalities

Contrast media

Contrast material–enhanced MRA overestimates severity of carotid stenosis, compared with 3D time-of-flight MRA (Townsend et al). 2003;38:36-40

Coronary vessels

HIV Tat protein causes endothelial dysfunction in porcine coronary arteries (Paladugu et al). 2003;38:549-56

Corrections

Bedside intravascular ultrasound-guided vena cava filter placement (Wellons et al) (2003;38:455-8). 2003;38:1146

Carotid artery stenting: analysis of data for 105 patients at high risk (Hobson et al) (2003;37:1234-9). 2003;38:497

Endothelial cell seeding fails to attenuate intimal thickening in balloon-injured rabbit arteries (Conte et al) (1995;21:413-21). 2003;38:497

Endovascular treatment of carotid stump syndrome (Naylor et al) (2003;38:593-5). 2003;38:1146

Pixel distribution analysis of B-mode ultrasound scan images predicts histologic features of atherosclerotic carotid plaques (Lal et al) (2002;35:1210-7). 2003;38:497

Secondary conversion due to failed endovascular abdominal aortic aneurysm repair (Terramani et al) (2003;38:473-8). 2003;38:1146

Cost-benefit analysis

Effectiveness and cost of screening for abdominal aortic aneurysm: results of a population screening program (Wilmink et al). 2003;38:72-7

Cranial arteries; *see* Temporal arteries

Craniocerebral trauma

Neurologic outcome after penetrating extracranial arterial trauma (du Troit et al). 2003;38:257-62

Cryopreservation

Cryopreserved saphenous vein allografts in infrainguinal revascularization: analysis of 240 grafts (Farber et al). 2003;38:15-21

Regarding "Venous reflux repair with cryopreserved vein valves" (García-Rinaldi) (Letter); (Neglén and Raju) (Reply). 2003;38:1139-40

Cyanoacrylates

Initial successful management of type I endoleak after endovascular aortic aneurysm repair with n-butyl cyanoacrylate adhesive (Maldonado et al). 2003;38:664-70

D

Disseminated intravascular coagulation

Videodensitometric blood flow analysis of abdominal aortic

aneurysm and intravascular coagulation (Mitsuoka et al). 2003;38:340-5

Doxycycline

Mechanism of inhibition of matrix metalloproteinase-2 expression by doxycycline in human aortic smooth muscle cells (Liu et al). 2003;38:1376-83

Duodenal obstruction

Causes, diagnosis, and management of duodenal obstruction after aortic surgery (Tessier and Brophy). 2003;38:186-9 (Case rep.)

E

Eastern Vascular Society

Presidential address: Generations apart—bridging the generational divide in vascular surgery (Sidawy). 2003;38:1147-53

Editorials

Medicolegal implications of board certification (Brown). 2003;38:407-8

Regarding "Medicolegal implications of board certification (Lewis and Rhodes). 2003;38:407-8

Elastase; *see* Pancreatic elastase

Embolism

Acute aortic occlusion from a cardiac embolus (Lee). 2003;38:197

Endovascular management of axillofemoral bypass graft stump syndrome (Kallakuri et al). 2003;38:833-5 (Case rep.)

Embolization, therapeutic

Concomitant intraoperative renal artery embolization and resection of complex renal carcinoma (Lin et al). 2003;38:446-50

Technique and results of transfemoral superselective coil embolization of type II lumbar endoleak (Kasirajan et al). 2003;38:61-6

Endarterectomy

Remote iliac artery endarterectomy: seven-year results of a less invasive technique for iliac artery occlusive disease (Smeets et al). 2003;38:1297-304

Endarterectomy, carotid

Atherosclerotic plaque rupture and intraplaque hemorrhage do not correlate with symptoms in carotid artery stenosis (Milei et al). 2003;38:1241-1247

Cognitive performance in patients after carotid endarterectomy (Pearson et al); (Lloyd and Naylor) (Commentary). 2003;38:1248-53

Magnetic resonance angiography minimizes need for arteriography after inadequate carotid duplex ultrasound scanning (Back et al). 2003;38:422-31

Natural history of carotid artery stenosis contralateral to endarterectomy: results from two randomized prospective trials (AbuRahma et al). 2003;38:1154-61

Outcome of carotid endarterectomy in African Americans: Is race a factor? (Conrad et al). 2003;38:129-37

Outcome of carotid stent-assisted angioplasty versus open surgical repair of recurrent carotid stenosis (Bowser et al). 2003;38:432-8

Patients' thromboembolic potential after carotid endarterectomy is related to the platelets' sensitivity to adenosine diphosphate (Hayes et al). 2003;38:1226-31

Postoperative infection associated with polyester patch angioplasty after carotid endarterectomy (Rockman et al). 2003;38:251-6

Prospective, randomized study of external jugular vein patch versus polytetrafluoroethylene patch during carotid endarterectomy: perioperative and long-term results (Greco et al). 2003;38:1232-40

Regarding "Cerebral hyperperfusion syndrome after carotid endarterectomy: predictive factors and hemodynamic changes" (Semel) (Letter); (Ascher) (Reply). 2003;38:868

Regarding "Postoperative infection associated with polyester patch angioplasty after carotid endarterectomy" (Chang and Stein) (Letter); (Rockman and Riles) (Reply). 2003;38:1445

Selective shunting with eversion carotid endarterectomy (Ballotta and Da Giau). 2003;38:1045-50

Successful stent-graft exclusion of a bovine patch-related carotid artery pseudoaneurysm (Lin et al). 2003;38:396

Variation and changes in state-specific endarterectomy and 30-day mortality rates, United States, 1991-2000 (Sheikh and Bullock). 2003;38:779-84

Endarteritis

Femoral endarteritis associated with percutaneous suture closure: new technology, challenging complications (Hollis and Rehring). 2003;38:83-7

Endoleakage; *see* Postoperative complications

Endothelial growth factors

Angiogenesis and arteriogenesis in limb ischemia (Wahlberg). 2003;38:198-203

Endothelium, vascular

Endothelial dysfunction in peripheral arterial disease is related to increase in plasma markers of inflammation and severity of peripheral circulatory impairment but not to classic risk factors and atherosclerotic burden (Brevetti et al). 2003;38:374-9

HIV Tat protein causes endothelial dysfunction in porcine coronary arteries (Paladugu et al). 2003;38:549-56

Smooth muscle cells improve endothelial cell retention on polytetrafluoroethylene grafts in vivo (Yu et al). 2003;38:557-63

Esophageal neoplasms

Giant mediastinal bronchial artery aneurysm mimicking benign esophageal tumor: a case report and review of 26 cases from literature (Tanaka et al). 2003;38:1125-9 (Case rep.)

Ethics, medical

Ethics of institutional marketing: role of physicians (Jones et al). 2003;38:409-10

Ethics of operative scheduling: fiduciary patient responsibilities and more (Jones et al). 2003;38:204-5

Limits of confidentiality: disclosure of HIV seropositivity (Jones et al). 2003;38:1443-4

Management of disagreements between attending and consulting physicians (Jones et al). 2003;38:1137-8

The surgeon's obligations to the noncompliant patient (Jones et al). 2003;38:626-7

What to tell patients harmed by other physicians (Jones et al). 2003;38:866-7

Expeditions

Leadership in difficult times (Seeger). 2003;38:413-21

Expert testimony

Medicolegal implications of board certification (Brown). 2003;38:407-8 (Editorial)

Regarding "Medicolegal implications of board certification (Lewis and Rhodes). 2003;38:407-8 (Editorial)

F

Femoral artery
Early transient hydronephrosis after laparoscopic aortobifemoral bypass grafting (Thaveau et al). 2003;38:603-8 (Case rep.)
Efficacious use of nitinol stents in the femoral and popliteal arteries (Vogel et al). 2003;38:1178-84
Femoral endarteritis associated with percutaneous suture closure: new technology, challenging complications (Hollis and Rehring). 2003;38:83-7
Magnetic resonance imaging measurement of blood volume flow in peripheral arteries in healthy subjects (Klein et al). 2003;38:1060-6
Prospective randomized multicenter trial of fibrin sealant versus thrombin-soaked gelatin sponge for suture- or needle-hole bleeding from polytetrafluoroethylene femoral artery grafts (Taylor et al). 2003;38:766-71

Fibrin tissue adhesive
Prospective randomized multicenter trial of fibrin sealant versus thrombin-soaked gelatin sponge for suture- or needle-hole bleeding from polytetrafluoroethylene femoral artery grafts (Taylor et al). 2003;38:766-71

Fibroblasts
A new in vitro model of venous hypertension: the effect of pressure on dermal fibroblasts (Healey et al). 2003;38:1099-105

Financial management
Business-related knowledge base of vascular surgeons (Satiani). 2003;38:868 (Letter)

Folic acid deficiency
The prevalence of hyperhomocysteinemia, ethylene tetrahydrofolate reductase C677T mutation, and vitamin B12 and folate deficiency in patients with chronic venous insufficiency (Sam et al). 2003;38:904-8

Foot
Influence of peripheral arterial disease on capillary pressure in the foot (de Graaff et al). 2003;38:1067-74
Prospective evaluation of chronic venous insufficiency based on foot venous pressure measurements and air plethysmography findings (Fukuoka et al). 2003;38:804-11
Use of a local fasciocutaneous flap for treatment of exposed vascular grafts to the dorsalis pedis artery (McPhee et al). 2003;38:194-6 (Case rep.)

Foot injuries
Regarding "Pseudoaneurysm of the lateral plantar artery after foot laceration" (Morini) (Letter); (Endean) (Reply). 2003;38:1142-3

Forearm
Regarding response to "Vein transposition in the forearm for autogenous hemodialysis access" and "Basilic vein transposition: an underused autologous alternative to prosthetic dialysis angioaccess" (Chemla et al). 2003;38:1446 (Letter)

G

Gadolinium
Safety of gadolinium contrast angiography in patients with chronic renal insufficiency (Sam et al). 2003;38:313-18

Gene products, tat
HIV Tat protein causes endothelial dysfunction in porcine coronary arteries (Paladugu et al). 2003;38:549-56

Gene therapy
Ex vivo gene therapy with adenovirus-mediated transforming growth factor B_1 expression for endovascular treatment of aneurysm: results in a canine bilateral aneurysm model (Ribourtout et al). 2003;38:576-83

Genetics
Current concepts in the pathogenesis of abdominal aortic aneurysm (Ailawadi et al). 2003;38:584-8

Glycine
Protective effect of glycine in mesenteric ischemia and reperfusion injury in a rat model (Kallakuri et al). 2003;38:1113-20

Graft enhancement, immunologic
Graft-preserving treatment for vascular graft infected with *Staphylococcus aureus* with antibiotic-releasing porous aptite ceramic in the rabbit (Murase et al). 2003;38:368-73

Graft occlusion, vascular
Biologic degeneration of vein grafts after thrombotic occlusion: thrombectomy within 3 days results in better indices of viability (Kawai et al). 2003;38:305-12
Effect of carotid artery stenting on the external carotid artery (Willfort-Ehringer et al). 2003;38:1039-44
Endovascular management of axillofemoral bypass graft stump syndrome (Kallakuri et al). 2003;38:833-5 (Case rep.)
Hypercoagulable state and antithrombotic strategies in recurrent vascular access site thrombosis (O'Shea et al). 2003;38:541-8
Iliac artery stenting in patients with poor distal runoff: influence of concomitant infrainguinal arterial reconstruction (Timaran et al). 2003;38:479-85
In-stent recurrent stenosis after carotid artery stenting: life table analysis and clinical relevance (Lal et al); (Ouriel) (Commentary). 2003;38:1162-9
Salvaging prosthetic dialysis fistulas with stents: forearm versus upper arm grafts (Kolakowski et al). 2003;38:719-23

Graft survival
Biologic degeneration of vein grafts after thrombotic occlusion: thrombectomy within 3 days results in better indices of viability (Kawai et al). 2003;38:305-12
Cryopreserved saphenous vein allografts in infrainguinal revascularization: analysis of 240 grafts (Farber et al). 2003;38:15-21
Durability and cumulative functional patency of transposed and nontransposed arteriovenous fistulas (Choi et al). 2003;38:1206-12
Durability of femorofemoral bypass grafting after aortouniiliac endovascular aneurysm repair (Hinchliffe et al). 2003;38:498-503
Iliorenal artery bypass grafting to facilitate endovascular abdominal aortic aneurysm repair (Lin et al). 2003;38:183-5 (Case rep.)
Intra-abdominal aortic graft infection: complete or partial graft preservation in patients at very high risk (Calligaro et al). 2003;38:1199-205
The LifeSite Hemodialysis Access System in patients with limited access (Rayan et al). 2003;38:714-18
Particle hemodynamics analysis of Miller cuff arterial anastomosis (Longest et al). 2003;38:1353-62
Patency of autogenous and polytetrafluoroethylene upper extremity arteriovenous hemodialysis accesses: a systematic review (Huber et al). 2003;38:1005-11
Prospective randomized study on bilateral above-knee femoropopliteal revascularization: polytetrafluoroethylene graft versus reversed saphenous vein (Ballotta et al). 2003;38:1051-5

Regarding "Graft patency is not the only clinical predictor of success after exclusion and bypass of popliteal artery aneurysms" (Teebken et al) (Letter); (Chiou) (Reply). 2003;38:1141-2

Smooth muscle cells improve endothelial cell retention on polytetrafluoroethylene grafts in vivo (Yu et al). 2003;38:557-63

Theoretical hydraulic consequences of vein graft taper (Lee et al). 2003;38:785-92

H

Heart catheterization

Femoral endarteritis associated with percutaneous suture closure: new technology, challenging complications (Hollis and Rehring). 2003;38:83-7

Heimlich maneuver; *see* Resuscitation

Hematuria

Renal artery aneurysm presenting with microscopic hematuria (Serracino-Inglott et al). 2003;38:620

Hemodialysis

Autogenous arterial radial-basilic forearm looped transposition (Sunar et al). 2003;38:864-5 (Tech. note)

Durability and cumulative functional patency of transposed and nontransposed arteriovenous fistulas (Choi et al). 2003;38:1206-12

Failure of arteriovenous fistula maturation: an unintended consequence of exceeding Dialysis Outcome Quality Initiative guidelines for hemodialysis access (Patel et al). 2003;38:439-45

The LifeSite Hemodialysis Access System in patients with limited access (Rayan et al). 2003;38:714-18

A multicenter study of permanent hemodialysis access patency: beneficial effect of clipped vascular anastomotic technique (Shenoy et al). 2003;38:229-35

Patency of autogenous and polytetrafluoroethylene upper extremity arteriovenous hemodialysis accesses: a systematic review (Huber et al). 2003;38:1005-11

Regarding response to "Vein transposition in the forearm for autogenous hemodialysis access" and "Basilic vein transposition: an underused autologous alternative to prosthetic dialysis angioaccess" (Chemla et al). 2003;38:1446 (Letter)

Hemodynamics

Mechanism of venous valve closure and role of the valve in circulation: a new concept (Lurie et al). 2003;38:955-61

Particle hemodynamics analysis of Miller cuff arterial anastomosis (Longest et al). 2003;38:1353-62

Theoretical hydraulic consequences of vein graft taper (Lee et al). 2003;38:785-92

Hemorrhage

Inferior vena cava endograft to control surgically inaccessible hemorrhage (Erzurum). 2003;38:1437-9 (Case rep.)

Heparin

Heparin-induced thrombocytopenia: twenty-nine years later (Shuster et al). 2003;38:1316-22

Hepatic artery

Hepatic artery aneurysm: factors that predict complications (Abbas et al). 2003;38:41-5

History of medicine

Presidential address: Venous surgery—from stepchild to equal partner (Gloviczki). 2003;38:871-8

HIV seropositivity

Limits of confidentiality: disclosure of HIV seropositivity (Jones et al). 2003;38:1443-4

HIV tat protein; *see* Gene products, tat

Hydronephrosis

Early transient hydronephrosis after laparoscopic aortobifemoral bypass grafting (Thaveau et al). 2003;38:603-8 (Case rep.)

Hypercoagulability; *see* Thrombophilia

Hyperhomocysteinemia

Hyperhomocysteinemia and risk for peripheral arterial occlusive disease in young women (van den Bosch et al). 2003;38:772-8

The prevalence of hyperhomocysteinemia, ethylene tetrahydrofolate reductase C677T mutation, and vitamin B12 and folate deficiency in patients with chronic venous insufficiency (Sam et al). 2003;38:904-8

Hypertension

Effect of B-blockers on peripheral skin microcirculation in hypertension and peripheral vascular disease (Ubbink et al). 2003;38:535-40

A new in vitro model of venous hypertension: the effect of pressure on dermal fibroblasts (Healey et al). 2003;38:1099-105

I

Iliac artery

Acute bilateral iliac artery occlusion secondary to blunt trauma: successful endovascular treatment (Sternbergh et al). 2003;38:589-92 (Case rep.)

Emerging role of endovascular grafts in complex aortoiliac occlusive disease (Ali et al). 2003;38:486-91

External iliac artery endofibrosis: a new possible predisposing factor (Scavèe et al). 2003;38:180-2 (Case rep.)

Iliac artery stenting in patients with poor distal runoff: influence of concomitant infrainguinal arterial reconstruction (Timaran et al). 2003;38:479-85

Iliac artery stenting versus surgical reconstruction for TASC (TransAtlantic Inter-Society Consensus) type B and type C iliac lesions (Timaran et al). 2003;38:272-8

Regarding "External iliac artery endofibrosis: a new possible predisposing factor" (Mosimann) (Letter); (Scavée and Schoevaerdts) (Reply). 2003;38:1446

Remote iliac artery endarterectomy: seven-year results of a less invasive technique for iliac artery occlusive disease (Smeets et al). 2003;38:1297-304

Use of external iliac artery in renal revascularization surgery: long-term angiographic assessment (da Gama et al). 2003;38:123-8

Iliac vein

Venous outflow obstruction: an underestimated contributor to chronic venous disease (Neglén et al). 2003;38:879-85

Immunity

Current concepts in the pathogenesis of abdominal aortic aneurysm (Ailawadi et al). 2003;38:584-8

Immunohistochemistry

In vivo noninvasive identification of cell composition of intimal lesions: a combined approach with ultrasonography and immunocytochemistry (Puato et al). 2003;38:1390-5

Impotence

Quality of life, impotence, and activity level in a randomized trial of immediate repair versus surveillance of small abdominal aortic aneurysm (Lederle et al). 2003;38:745-52

Inflammation
Symptoms of chronic venous disease and association with systemic inflammatory markers (Howlader and Smith). 2003;38:950-4
Intermittent claudication
Changes in ankle brachial index in symptomatic and asymptomatic subjects in the general population (Smith et al). 2003;38:1332-0
Platelet activation is increased in peripheral arterial disease (Cassar et al). 2003;38:99-103
Internal fixators
Percutaneous arterial closure in peripheral vascular disease: a prospective randomized evaluation of the Perclose device (Starnes et al). 2003;38:263-71
Internship and residency
Vascular surgery training in general surgery residency programs: the Canadian experience (Sidhu et al). 2003;38:1012-17
Intestinal diseases
Ischemic intestinal involvement in a patient with Buerger disease: case report and literature review (Kobayashi et al). 2003;38:170-4 (Case rep.)
Intracranial aneurysm
Ex vivo gene therapy with adenovirus-mediated transforming growth factor B_1 expression for endovascular treatment of aneurysm: results in a canine bilateral aneurysm model (Ribourtout et al). 2003;38:576-83
Radial nerve compression by a large cephalic vein aneurysm: case report (Kassabian et al). 2003;38:617-19 (Case rep.)
Intracranial hypertension
Regarding "Cerebral hyperperfusion syndrome after carotid endarterectomy: predictive factors and hemodynamic changes" (Semel) (Letter); (Ascher) (Reply). 2003;38:868
Intraoperative complications
Acute arterial complications associated with total hip and knee arthroplasty (Calligaro et al). 2003;38:1170-7
Inferior vena cava endograft to control surgically inaccessible hemorrhage (Erzurum). 2003;38:1437-9 (Case rep.)
Ischemia
Angiogenesis and arteriogenesis in limb ischemia (Wahlberg). 2003;38:198-203
Can the Perclose suture-mediated closure system be used safely in patients undergoing diagnostic and therapeutic angiography to treat chronic lower extremity ischemia? (Mackrell et al). 2003;38:1305-8
Evaluation of toe pressure and transcutaneous oxygen measurements in management of chronic critical leg ischemia: a diagnostic randomized clinical trial (de Graaff JC et al). 2003;38:528-34
Ischemic intestinal involvement in a patient with Buerger disease: case report and literature review (Kobayashi et al). 2003;38:170-4 (Case rep.)
Technique to decrease lower extremity and pelvic ischemia during thoracoabdominal aortic aneurysm repair (Giglia). 2003;38:401-2 (Tech. note)

K

Kidney
Use of external iliac artery in renal revascularization surgery: long-term angiographic assessment (da Gama et al). 2003;38:123-8
Kidney failure, chronic
Safety of gadolinium contrast angiography in patients with chronic renal insufficiency (Sam et al). 2003;38:313-18
Upper extremity bypass grafting for limb salvage in end-stage renal failure (Chang et al). 2003;38:1313-15
Kidney neoplasms
Concomitant intraoperative renal artery embolization and resection of complex renal carcinoma (Lin et al). 2003;38:446-50

L

Laparoscopy
Current modifications to totally laparoscopic "apron technique" (Dion et al). 2003;38:403-6 (Tech. note)
Early transient hydronephrosis after laparoscopic aortobifemoral bypass grafting (Thaveau et al). 2003;38:603-8 (Case rep.)
Laser surgery
Infrequent early recanalization of greater saphenous vein after endovenous laser treatment (Proebstle et al). 2003;38:511-16
Leadership
Leadership in difficult times (Seeger). 2003;38:413-21
Leg
Angiogenesis and arteriogenesis in limb ischemia (Wahlberg). 2003;38:198-203
Comparison of procedural outcomes after lower extremity reversed vein grafting and secondary surgical revision (Landry et al). 2003;38:22-8
Definition of venous reflux in lower-extremity veins (Labropoulos et al). 2003;38:793-8
Evaluation of toe pressure and transcutaneous oxygen measurements in management of chronic critical leg ischemia: a diagnostic randomized clinical trial (de Graaff JC et al). 2003;38:528-34
Functional outcome in a contemporary series of major lower extremity amputations (Nehler et al). 2003;38:7-14
Outcome of lower-extremity revascularization in patients younger than 40 years in a predominately diabetic population (Saltzberg et al). 2003;38:1056-9
Leg ulcer
Deep axial reflux, an important contributor to skin changes or ulcer in chronic venous disease (Danielsson et al). 2003;38:1336-41
Increased but ineffectual angiogenic drive in nonhealing venous leg ulcers (Drinkwater et al). 2003;38:1106-12
Leg ulceration as a long-term complication of deep vein thrombosis (Walker et al). 2003;38:1331-5
Randomized trial and local biological effect of autologous platelets used as adjuvant therapy for chronic venous leg ulcers (Senet et al). 2003;38:1342-8
Length of stay
Factors that predict prolonged length of stay after aortic surgery (Chang et al). 2003;38:335-9
Letters to the Editor
Business-related knowledge base of vascular surgeons (Satiani). 2003;38:868
Regarding "Carotid artery stenting: analysis of data for 105 patients at high risk" (Lucertini) (Letter); (Hobson) (Reply). 2003;38:1140-1
Regarding "Cerebral hyperperfusion syndrome after carotid endarterectomy: predictive factors and hemodynamic changes" (Semel) (Letter); (Ascher) (Reply). 2003;38:868

Regarding "Cryopreserved saphenous vein allografts in infrainguinal revascularization: analysis of 240 grafts" (Dardik). 2003;38:1446
Regarding "External iliac artery endofibrosis: a new possible predisposing factor" (Mosimann) (Letter); (Scavée and Schoevaerdts) (Reply). 2003;38:1446
Regarding "Graft patency is not the only clinical predictor of success after exclusion and bypass of popliteal artery aneurysms" (Teebken et al) (Letter); (Chiou) (Reply). 2003;38:1141-2
Regarding "Intrasac flow velocities predict sealing of type II endoleaks after endovascular abdominal aortic aneurysm repair" (Escribano) (Letter); (Arko) (Reply). 2003;38:628-9
Regarding "Is there an increased risk for DVT with the VNUS closure procedure?" (Guptan). 2003;38:1140
Regarding "Is there an increased risk for DVT with the VNUS closure procedure?" (Merchant et al). 2003;38:628
Regarding "Optimal therapy for advanced chronic venous insufficiency" (Escribano) (Letter); (Tawes) (Reply). 2003;38:411
Regarding "Postoperative infection associated with polyester patch angioplasty after carotid endarterectomy" (Chang and Stein) (Letter); (Rockman and Riles) (Reply). 2003;38:1445
Regarding "Pseudoaneurysm of the lateral plantar artery after foot laceration" (Morini) (Letter); (Endean) (Reply). 2003;38:1142-3
Regarding response to "Vein transposition in the forearm for autogenous hemodialysis access" and "Basilic vein transposition: an underused autologous alternative to prosthetic dialysis angioaccess" (Chemla et al). 2003;38:1446
Regarding "Rib-cross thoracotomy for placement of the thoracoabdominal or total descending aorta" (Morishita et al). 2003;38:629-30
Regarding "The safety, efficacy, and pharmacoeconomics of low-dose alteplase compared with urokinase for catheter-directed thrombolysis of arterial and venous occlusions" (Manfredini et al). 2003;38:411-12
Regarding "Subfascial endoscopic perforator vein surgery combined with saphenous vein ablation: results and critical analysis" (Rulli) (Letter); (Ballard) (Reply). 2003;38:1139
Regarding "Venous reflux repair with cryopreserved vein valves" (García-Rinaldi) (Letter); (Neglén and Raju) (Reply). 2003;38:1139-40
Regarding "Veterans Affairs (VA) Cooperative Study #362" (Tangelder et al). 2003;38:629

Leukocytes
P-selectin and leukocyte microparticles are associated with venous thrombogenesis (Myers et al). 2003;38:1075-89

Linolenic acids
Linolenic acid prevents neuronal cell death and paraplegia after transient spinal cord ischemia in rats (Lang-Lazdunski et al). 2003;38:564-75

Lithotripsy
Endovascular abdominal aortic aneurysm repair to prevent rupture in a patient requiring lithotripsy (de Graaf et al). 2003;38:1426-9 (Case rep.)

Lower extremity; ***see*** **Leg**

Lupus erythematosus, systemic
Clinical relevance of peripheral vascular occlusive disease in patients with rheumatoid arthritis and systemic lupus erythematosus (Henke et al). 2003;38:111-15

M

Magnetic resonance angiography
Contrast material–enhanced MRA overestimates severity of carotid stenosis, compared with 3D time-of-flight MRA (Townsend et al). 2003;38:36-40
Magnetic resonance angiography minimizes need for arteriography after inadequate carotid duplex ultrasound scanning (Back et al). 2003;38:422-31
Safety of gadolinium contrast angiography in patients with chronic renal insufficiency (Sam et al). 2003;38:313-18
Use of cine magnetic resonance angiography in quantifying aneurysm pulsatility associated with endoleak (Faries et al). 2003;38:652-6

Magnetic resonance imaging
Magnetic resonance imaging measurement of blood volume flow in peripheral arteries in healthy subjects (Klein et al). 2003;38:1060-6
Three-dimensional reconstruction of autologous vein bypass graft distal anastomoses imaged with magnetic resonance: clinical and research applications (Jackson et al). 2003;38:621-5 (Tech. note)

Malpractice
What to tell patients harmed by other physicians (Jones et al). 2003;38:866-7

Marketing of health services
Ethics of institutional marketing: role of physicians (Jones et al). 2003;38:409-10

Mass screening
Effectiveness and cost of screening for abdominal aortic aneurysm: results of a population screening program (Wilmink et al). 2003;38:72-7
Evaluating chronic venous disease with a new venous severity scoring system (Ricci et al). 2003;38:909-15

Matrix metalloproteinases
Current concepts in the pathogenesis of abdominal aortic aneurysm (Ailawadi et al). 2003;38:584-8
Functional matrix metalloproteinase-9 polymorphism (C-1562T) associated with abdominal aortic aneurysm (Jones et al). 2003;38:1363-7
Mechanism of inhibition of matrix metalloproteinase-2 expression by doxycycline in human aortic smooth muscle cells (Liu et al). 2003;38:1376-83
Morphologic characteristics of varicose veins: possible role of metalloproteinases (Woodside et al). 2003;38:162-9
Thrombospondin-1 induces matrix metalloproteinase-2 activation in vascular smooth muscle cells (Lee et al). 2003;38:147-54

Mayo Clinic
Presidential address: Venous surgery—from stepchild to equal partner (Gloviczki). 2003;38:871-8

Mesenteric arteries
Endovascular treatment of celiac and mesenteric arteries stenoses: applications and results (Sharafuddin et al). 2003;38:692-8
Inferior mesenteric artery aneurysm in Behçet syndrome (Morimoto et al). 2003;38:1434-6 (Case rep.)

Mesenteric vascular occlusion
Protective effect of glycine in mesenteric ischemia and reperfusion injury in a rat model (Kallakuri et al). 2003;38:1113-20

Microcirculation
Effect of B-blockers on peripheral skin microcirculation in

hypertension and peripheral vascular disease (Ubbink et al). 2003;38:535-40

Noninvasive augmentation of microvessel number in patients with peripheral vascular disease (Clover et al). 2003;38: 1309-12

Mitochondria, muscle

Abnormal mitochondrial respiration in skeletal muscle in patients with peripheral arterial disease (Pipinos et al). 2003; 38:827-32

Monocyte chemoattractant protein-1

Transient exposure to elastase induces mouse aortic wall smooth muscle cell production of MCP-1 and RANTES during development of experimental aortic aneurysm (Colonnello et al). 2003;38:138-46

Mortality

Variation and changes in state-specific endarterectomy and 30-day mortality rates, United States, 1991-2000 (Sheikh and Bullock). 2003;38:779-84

Muscle, skeletal

Overexpression of endothelial nitric oxide synthase increases skeletal muscle blood flow and oxygenation in severe rat hind limb ischemia (Brevetti et al). 2003;38:820-6

Muscle, smooth, vascular

Disturbed vasomotion in chronic venous insufficiency (Stücker et al). 2003;38:522-7

Inability of vascular smooth muscle cells to proceed beyond S phase of cell cycle, and increased apoptosis in symptomatic carotid artery disease (Dhume and Agrawal). 2003;38: 155-61

Mechanism of inhibition of matrix metalloproteinase-2 expression by doxycycline in human aortic smooth muscle cells (Liu et al). 2003;38:1376-83

Overexpression of mutated IκBα inhibits vascular smooth muscle cell proliferation and intimal hyperplasia formation (Zuckerbraun et al). 2003;38:812-19

Prostaglandin E_2 receptors in abdominal aortic aneurysm and human aortic smooth muscle (Bayston et al) cells. 2003;38: 354-9

Smooth muscle cells improve endothelial cell retention on polytetrafluoroethylene grafts in vivo (Yu et al). 2003;38: 557-63

Thrombospondin-1 induces matrix metalloproteinase-2 activation in vascular smooth muscle cells (Lee et al). 2003;38: 147-54

Transient exposure to elastase induces mouse aortic wall smooth muscle cell production of MCP-1 and RANTES during development of experimental aortic aneurysm (Colonnello et al). 2003;38:138-46

Muscular atrophy

Atrophy of the abdominal wall muscles after extraperitoneal approach to the aorta (Yamada et al). 2003;38:346-53

Myocardial ischemia

Endovascular therapy in prevention and management of coronary–subclavian steal (Westerband et al). 2003;38:699-704

N

Neovascularization

Angiogenesis and arteriogenesis in limb ischemia (Wahlberg). 2003;38:198-203

Increased but ineffectual angiogenic drive in nonhealing venous leg ulcers (Drinkwater et al). 2003;38:1106-12

Noninvasive augmentation of microvessel number in patients with peripheral vascular disease (Clover et al). 2003;38: 1309-12

Nephrectomy

Concomitant intraoperative renal artery embolization and resection of complex renal carcinoma (Lin et al). 2003;38: 446-50

Neutropenia

Neutropenia impairs venous thrombosis resolution in the rat (Varma et al). 2003;38:1090-8

NF-kappa B

Overexpression of mutated IκBα inhibits vascular smooth muscle cell proliferation and intimal hyperplasia formation (Zuckerbraun et al). 2003;38:812-19

Nitric oxide synthase

Inducible nitric oxide synthase is present in human abdominal aortic aneurysm and promotes oxidative vascular injury (Zhang et al). 2003;38:360-7

Overexpression of endothelial nitric oxide synthase increases skeletal muscle blood flow and oxygenation in severe rat hind limb ischemia (Brevetti et al). 2003;38:820-6

O

Outcome assessment (health care)

Challenges of endovascular tube graft repair of thoracic aortic aneurysm: midterm follow-up and lessons learned (Ellozy et al). 2003;38:676-83

Endovascular aneurysm repair: gender-specific results (Ouriel et al). 2003;38:93-8

Functional outcome in a contemporary series of major lower extremity amputations (Nehler et al). 2003;38:7-14

Heparin-induced thrombocytopenia: twenty-nine years later (Shuster et al). 2003;38:1316-22

Neurologic outcome after penetrating extracranial arterial trauma (du Troit et al). 2003;38:257-62

Outcome of carotid endarterectomy in African Americans: Is race a factor? (Conrad et al). 2003;38:129-37

Outcome of lower-extremity revascularization in patients younger than 40 years in a predominately diabetic population (Saltzberg et al). 2003;38:1056-9

Outcome of revascularization procedures for peripheral arterial occlusive disease in Ontario between 1991 and 1998: a population-based study (Al-Omran et al). 2003;38:279-86

Quality of life, impotence, and activity level in a randomized trial of immediate repair versus surveillance of small abdominal aortic aneurysm (Lederle et al). 2003;38:745-52

Ruptured thoracoabdominal aortic aneurysm treatment in the United States: 1988 to 1998 (Cowan et al). 2003;38: 319-22

Surgeon specialty and provider volumes are related to outcome of intact abdominal aortic aneurysm repair in the United States (Dimick et al). 2003;38:739-44

Use of abdominal aortic endovascular prostheses in France from 1999 to 2002 (Ricco et al); (Veith) (Commentary). 2003;38:1273-82

Use of interventional procedures for peripheral arterial occlusive disease in Ontario between 1991 and 1998: a population-based study (Al-Omran et al). 2003;38:289-95

Validation of the new venous severity scoring system in varicose vein surgery (Kakkos et al). 2003;38:224-8

Oxygen

Overexpression of endothelial nitric oxide synthase increases skeletal muscle blood flow and oxygenation in severe rat hind limb ischemia (Brevetti et al). 2003;38:820-6

Tissue (muscle) oxygen saturation (StO_2): a new measure of symptomatic lower-extremity arterial disease (Comerota et al). 2003;38:724-9

P

P-selectin
P-selectin and leukocyte microparticles are associated with venous thrombogenesis (Myers et al). 2003;38:1075-89
Pancreatic elastase
Transient exposure to elastase induces mouse aortic wall smooth muscle cell production of MCP-1 and RANTES during development of experimental aortic aneurysm (Colonnello et al). 2003;38:138-46
Pancreatitis
Treatment of pancreatic pseudoaneurysm with percutaneous transabdominal thrombin injection (Manazer et al). 2003;38:600-2 (Case rep.)
Patient noncompliance; *see* Treatment refusal
Peripheral vascular disease
Abnormal mitochondrial respiration in skeletal muscle in patients with peripheral arterial disease (Pipinos et al). 2003;38:827-32
Can the Perclose suture-mediated closure system be used safely in patients undergoing diagnostic and therapeutic angiography to treat chronic lower extremity ischemia? (Mackrell et al). 2003;38:1305-8
Clinical relevance of peripheral vascular occlusive disease in patients with rheumatoid arthritis and systemic lupus erythematosus (Henke et al). 2003;38:111-15
Effect of B-blockers on peripheral skin microcirculation in hypertension and peripheral vascular disease (Ubbink et al). 2003;38:535-40
Endothelial dysfunction in peripheral arterial disease is related to increase in plasma markers of inflammation and severity of peripheral circulatory impairment but not to classic risk factors and atherosclerotic burden (Brevetti et al). 2003;38:374-9
Functional health and well-being of relatively young women with peripheral arterial disease is decreased but stable after diagnosis (Bloemenkamp et al). 2003;38:104-10
Hyperhomocysteinemia and risk for peripheral arterial occlusive disease in young women (van den Bosch et al). 2003;38:772-8
Influence of peripheral arterial disease on capillary pressure in the foot (de Graaff et al). 2003;38:1067-74
Managing PAD with multiple platelet inhibitors: the effect of combination therapy on bleeding time (Wilhite et al). 2003;38:710-13
Noninvasive augmentation of microvessel number in patients with peripheral vascular disease (Clover et al). 2003;38:1309-12
Outcome of revascularization procedures for peripheral arterial occlusive disease in Ontario between 1991 and 1998: a population-based study (Al-Omran et al). 2003;38:279-86
Percutaneous arterial closure in peripheral vascular disease: a prospective randomized evaluation of the Perclose device (Starnes et al). 2003;38:263-71
Platelet activation is increased in peripheral arterial disease (Cassar et al). 2003;38:99-103
Tissue (muscle) oxygen saturation (StO_2): a new measure of symptomatic lower-extremity arterial disease (Comerota et al). 2003;38:724-9
Use of interventional procedures for peripheral arterial occlusive disease in Ontario between 1991 and 1998: a population-based study (Al-Omran et al). 2003;38:289-95
Phlebography
Selective venography versus nonselective venography before vena cava filter placement: evidence for more, not less (Danetz et al). 2003;38:928-34
Pigmentation disorders
Microthrombectomy reduces postsclerotherapy pigmentation: multicenter randomized trial (Scultetus et al). 2003;38:896-903
Platelet activation
Platelet activation is increased in peripheral arterial disease (Cassar et al). 2003;38:99-103
Platelet aggregation inhibitors
Managing PAD with multiple platelet inhibitors: the effect of combination therapy on bleeding time (Wilhite et al). 2003;38:710-13
Platelet transfusion
Randomized trial and local biological effect of autologous platelets used as adjuvant therapy for chronic venous leg ulcers (Senet et al). 2003;38:1342-8
Plethysmography
Evaluation of toe pressure and transcutaneous oxygen measurements in management of chronic critical leg ischemia: a diagnostic randomized clinical trial (de Graaff JC et al). 2003;38:528-34
Prospective evaluation of chronic venous insufficiency based on foot venous pressure measurements and air plethysmography findings (Fukuoka et al). 2003;38:804-11
Recurrence after varicose vein surgery: a prospective long-term clinical study with duplex ultrasound scanning and air plethysmography (van Rij et al). 2003;38:935-43
Regarding "Intrasac flow velocities predict sealing of type II endoleaks after endovascular abdominal aortic aneurysm repair" (Escribano) (Letter); (Arko) (Reply). 2003;38:628-9
Treatment of superficial and perforator venous incompetence without deep venous insufficiency: is routine perforator ligation necessary? (Mendes et al). 2003;38:891-5
Pneumatic compression devices; *see* Pressure
Point-of-care systems
Bedside intravascular ultrasound-guided vena cava filter placement (Wellons et al). 2003;38:455-8. Correction 2003;38:1146
Polyesters
In situ revascularization with silver-coated polyester grafts to treat aortic infection: early and midterm results (Batt et al). 2003;38:983-9
Postoperative infection associated with polyester patch angioplasty after carotid endarterectomy (Rockman et al). 2003;38:251-6
Regarding "Postoperative infection associated with polyester patch angioplasty after carotid endarterectomy" (Chang and Stein) (Letter); (Rockman and Riles) (Reply). 2003;38:1445
Polymorphism (genetics)
Functional matrix metalloproteinase-9 polymorphism (C-1562T) associated with abdominal aortic aneurysm (Jones et al). 2003;38:1363-7
Polytetrafluoroethylene
Carotid bypass with polytetrafluoroethylene grafts: a study of 110 consecutive patients (Camiade et al). 2003;38:1031-8
Prospective randomized study on bilateral above-knee femoro-

popliteal revascularization: polytetrafluoroethylene graft versus reversed saphenous vein (Ballotta et al). 2003;38: 1051-5

Smooth muscle cells improve endothelial cell retention on polytetrafluoroethylene grafts in vivo (Yu et al). 2003;38: 557-63

Popliteal artery

Efficacious use of nitinol stents in the femoral and popliteal arteries (Vogel et al). 2003;38:1178-84

Magnetic resonance imaging measurement of blood volume flow in peripheral arteries in healthy subjects (Klein et al). 2003;38:1060-6

Regarding "Graft patency is not the only clinical predictor of success after exclusion and bypass of popliteal artery aneurysms" (Teebken et al) (Letter); (Chiou) (Reply). 2003;38: 1141-2

Postoperative complications

Aortic dissection in the setting of an infrarenal endoprosthesis: a fatal combination (Haulon et al). 2003;38:1121-4 (Case rep.)

Aortic pseudoaneurysm from aortic penetration with a bird's nest vena cava filter (Campbell and Calcagno). 2003;38: 596-9 (Case rep.)

Atrophy of the abdominal wall muscles after extraperitoneal approach to the aorta (Yamada et al). 2003;38:346-53

Autologous deep vein reconstruction of infected thoracoabdominal aortic patch graft (Tambyraja et al). 2003;38: 852-4 (Case rep.)

Causes, diagnosis, and management of duodenal obstruction after aortic surgery (Tessier and Brophy). 2003;38:186-9 (Case rep.)

Color-flow duplex ultrasound scan versus computed tomographic scan in the surveillance of endovascular aneurysm repair (Raman et al). 2003;38:645-51

Delayed aortic aneurysm enlargement due to endotension after endovascular abdominal aortic aneurysm repair (Lin et al). 2003;38:840-2 (Case rep.)

Early transient hydronephrosis after laparoscopic aortobifemoral bypass grafting (Thaveau et al). 2003;38:603-8 (Case rep.)

Explanation of an infected aortic endograft with suprarenal barb fixation (Sternbergh et al). 2003;38:1136

Fabric tears as a new cause of type III endoleak with Ancure endograft (Teutelink et al). 2003;38:843-6 (Case rep.)

In situ revascularization with silver-coated polyester grafts to treat aortic infection: early and midterm results (Batt et al). 2003;38:983-9

Initial successful management of type I endoleak after endovascular aortic aneurysm repair with n-butyl cyanoacrylate adhesive (Maldonado et al). 2003;38:664-70

Morbidity with retroperitoneal procedures during endovascular abdominal aortic aneurysm repair (Lee et al). 2003;38: 459-65

Patients' thromboembolic potential after carotid endarterectomy is related to the platelets' sensitivity to adenosine diphosphate (Hayes et al). 2003;38:1226-31

Postoperative infection associated with polyester patch angioplasty after carotid endarterectomy (Rockman et al). 2003; 38:251-6

Prospective randomized multicenter trial of fibrin sealant versus thrombin-soaked gelatin sponge for suture- or needle-hole bleeding from polytetrafluoroethylene femoral artery grafts (Taylor et al). 2003;38:766-71

Proximal aortic stent-graft displacement with type I endoleak due to Heimlich maneuver (Lin et al). 2003;38:380-2 (Case rep.)

Regarding "Intrasac flow velocities predict sealing of type II endoleaks after endovascular abdominal aortic aneurysm repair" (Escribano) (Letter); (Arko) (Reply). 2003;38:628-9

Regarding "Postoperative infection associated with polyester patch angioplasty after carotid endarterectomy" (Chang and Stein) (Letter); (Rockman and Riles) (Reply). 2003; 38:1445

Ruptured thoracoabdominal aortic aneurysm treatment in the United States: 1988 to 1998 (Cowan et al). 2003;38: 319-22

Salvage of a difficult situation: method for conversion of failed endograft (Milner et al). 2003;38:397-400 (Tech. note)

Secondary conversion due to failed endovascular abdominal aortic aneurysm repair (Terramani et al). 2003;38:473-8. Correction 2003;38:1146

Signs and symptoms of saphenous nerve injury after greater saphenous vein stripping: prevalence, severity, and relevance for modern practice (Morrison and Dalsing). 2003; 38:886-90

Spontaneous dissection of renal artery: long-term results of extracorporeal reconstruction and autotransplantation (van Rooden et al). 2003;38:116-22

Stent-graft detachment from aortic wall after stent-graft repair of acute aortic dissection (Kato et al). 2003;38:1130-1 (Case rep.)

Stent graft migration after endovascular aneurysm repair: importance of proximal fixation (Zarins et al); (May) (Commentary). 2003;38:1264-72

Successful stent-graft exclusion of a bovine patch-related carotid artery pseudoaneurysm (Lin et al). 2003;38:396

Technique and results of transfemoral superselective coil embolization of type II lumbar endoleak (Kasirajan et al). 2003;38:61-6

Timing and frequency of complications after carotid artery stenting: what is the optimal period of observation? (Tan et al). 2003;38:236-43

Use of cine magnetic resonance angiography in quantifying aneurysm pulsatility associated with endoleak (Faries et al). 2003;38:652-6

Preoperative care

Selective venography versus nonselective venography before vena cava filter placement: evidence for more, not less (Danetz et al). 2003;38:928-34

Pressure

Deep venous thrombosis prophylaxis in trauma: improved compliance with a novel miniaturized pneumatic compression device (Murakami et al). 2003;38:923-7

Professional practice

Five-year results of a merger between vascular surgeons and interventional radiologists in a university medical center (Green and Waldman). 2003;38:1213-19

Prospective studies

Natural history of carotid artery stenosis contralateral to endarterectomy: results from two randomized prospective trials (AbuRahma et al). 2003;38:1154-61

Prostaglandins E

Prostaglandin E_2 receptors in abdominal aortic aneurysm and human aortic smooth muscle (Bayston et al) cells. 2003;38: 354-9

Prosthesis-related infections
Autologous deep vein reconstruction of infected thoracoabdominal aortic patch graft (Tambyraja et al). 2003;38:852-4 (Case rep.)
Graft-preserving treatment for vascular graft infected with *Staphylococcus aureus* with antibiotic-releasing porous aptite ceramic in the rabbit (Murase et al). 2003;38:368-73
Intra-abdominal aortic graft infection: complete or partial graft preservation in patients at very high risk (Calligaro et al). 2003;38:1199-205
Postoperative infection associated with polyester patch angioplasty after carotid endarterectomy (Rockman et al). 2003;38:251-6
Regarding "Postoperative infection associated with polyester patch angioplasty after carotid endarterectomy" (Chang and Stein) (Letter); (Rockman and Riles) (Reply). 2003;38:1445
Use of fascia-peritoneum patch as a pledget for an infected aortic stump (Sarac et al). 2003;38:1404-6 (Case rep.)
Psoas muscles
External iliac artery endofibrosis: a new possible predisposing factor (Scavèe et al). 2003;38:180-2 (Case rep.)
Pulmonary embolism
The management and outcome of acute venous thromboembolism: a prospective registry including 4011 patients (Arcelus et al). 2003;38:916-22
Pulsatile flow
Theoretical hydraulic consequences of vein graft taper (Lee et al). 2003;38:785-92
Use of cine magnetic resonance angiography in quantifying aneurysm pulsatility associated with endoleak (Faries et al). 2003;38:652-6

Q

Quality of life
Functional health and well-being of relatively young women with peripheral arterial disease is decreased but stable after diagnosis (Bloemenkamp et al). 2003;38:104-10
Quality of life, impotence, and activity level in a randomized trial of immediate repair versus surveillance of small abdominal aortic aneurysm (Lederle et al). 2003;38:745-52
Questionnaires
Evaluating effects of method of administration on Walking Impairment Questionnaire (Coyne et al). 2003;38:296-304

R

Radial artery
Autogenous arterial radial-basilic forearm looped transposition (Sunar et al). 2003;38:864-5 (Tech. note)
Radial artery as conduit for distal renal artery reconstruction (Patterson and Smail). 2003;38:609-12 (Case rep.)
Radial neuropathy
Radial nerve compression by a large cephalic vein aneurysm: case report (Kassabian et al). 2003;38:617-19 (Case rep.)
Radiology, interventional
Five-year results of a merger between vascular surgeons and interventional radiologists in a university medical center (Green and Waldman). 2003;38:1213-19
Radiotherapy
Carotid artery revascularization through a radiated field (Lesèche et al). 2003;38:244-50
RANTES
Transient exposure to elastase induces mouse aortic wall smooth muscle cell production of MCP-1 and RANTES during development of experimental aortic aneurysm (Colonnello et al). 2003;38:138-46
Recurrence
Recurrence after varicose vein surgery: a prospective long-term clinical study with duplex ultrasound scanning and air plethysmography (van Rij et al). 2003;38:935-43
Referral and consultation
Management of disagreements between attending and consulting physicians (Jones et al). 2003;38:1137-8
Registries
The management and outcome of acute venous thromboembolism: a prospective registry including 4011 patients (Arcelus et al). 2003;38:916-22
Renal artery
Concomitant intraoperative renal artery embolization and resection of complex renal carcinoma (Lin et al). 2003;38:446-50
Radial artery as conduit for distal renal artery reconstruction (Patterson and Smail). 2003;38:609-12 (Case rep.)
Renal artery aneurysm presenting with microscopic hematuria (Serracino-Inglott et al). 2003;38:620
Spontaneous dissection of renal artery: long-term results of extracorporeal reconstruction and autotransplantation (van Rooden et al). 2003;38:116-22
Renal artery obstruction
Renal angioplasty and stenting with distal protection of the main renal artery in ischemic nephropathy: early experience (Holden and Hill). 2003;38:962-8
Renal failure, end-stage; *see* Kidney failure, chronic
Reoperation
Comparison of procedural outcomes after lower extremity reversed vein grafting and secondary surgical revision (Landry et al). 2003;38:22-8
Delayed open conversion following endovascular aortoiliac aneurysm repair: partial (or complete) endograft preservation as a useful adjunct (Lipsitz et al). 2003;38:1191-8
Salvage of a difficult situation: method for conversion of failed endograft (Milner et al). 2003;38:397-400 (Tech. note)
Secondary conversion due to failed endovascular abdominal aortic aneurysm repair (Terramani et al). 2003;38:473-8. Correction 2003;38:1146
Spontaneous dissection of renal artery: long-term results of extracorporeal reconstruction and autotransplantation (van Rooden et al). 2003;38:116-22
Thoracoabdominal aortic aneurysm repair after prior aortic surgery (Lombardi et al). 2003;38:1185-90
Reperfusion injury
Protective effect of glycine in mesenteric ischemia and reperfusion injury in a rat model (Kallakuri et al). 2003;38:1113-20
Research
Has the changing nature of vascular surgery adversely affected scholarly activity? (Galt et al). 2003;38:1-6
Resuscitation
Proximal aortic stent-graft displacement with type I endoleak due to Heimlich maneuver (Lin et al). 2003;38:380-2 (Case rep.)
Retrospective studies
Use of abdominal aortic endovascular prostheses in France

from 1999 to 2002 (Ricco et al); (Veith) (Commentary). 2003;38:1273-82

Revascularization

Carotid artery revascularization through a radiated field (Lesèche et al). 2003;38:244-50

Comparison of procedural outcomes after lower extremity reversed vein grafting and secondary surgical revision (Landry et al). 2003;38:22-8

Cryopreserved saphenous vein allografts in infrainguinal revascularization: analysis of 240 grafts (Farber et al). 2003;38: 15-21

Iliac artery stenting versus surgical reconstruction for TASC (TransAtlantic Inter-Society Consensus) type B and type C iliac lesions (Timaran et al). 2003;38:272-8

Iliorenal artery bypass grafting to facilitate endovascular abdominal aortic aneurysm repair (Lin et al). 2003;38:183-5 (Case rep.)

In situ revascularization with silver-coated polyester grafts to treat aortic infection: early and midterm results (Batt et al). 2003;38:983-9

Infrequent early recanalization of greater saphenous vein after endovenous laser treatment (Proebstle et al). 2003;38: 511-16

Intraoperative duplex ultrasound of visceral revascularizations: optimizing technical success and outcome (Oderich et al). 2003;38:684-91

Outcome of lower-extremity revascularization in patients younger than 40 years in a predominately diabetic population (Saltzberg et al). 2003;38:1056-9

Outcome of revascularization procedures for peripheral arterial occlusive disease in Ontario between 1991 and 1998: a population-based study (Al-Omran et al). 2003;38:279-86

Prospective randomized study on bilateral above-knee femoropopliteal revascularization: polytetrafluoroethylene graft versus reversed saphenous vein (Ballotta et al). 2003;38: 1051-5

Renal angioplasty and stenting with distal protection of the main renal artery in ischemic nephropathy: early experience (Holden and Hill). 2003;38:962-8

Three-dimensional reconstruction of autologous vein bypass graft distal anastomoses imaged with magnetic resonance: clinical and research applications (Jackson et al). 2003;38: 621-5 (Tech. note)

Use of external iliac artery in renal revascularization surgery: long-term angiographic assessment (da Gama et al). 2003; 38:123-8

Revision, surgical; *see* Reoperation

Risk factors

Atherosclerotic plaque rupture and intraplaque hemorrhage do not correlate with symptoms in carotid artery stenosis (Milei et al). 2003;38:1241-1247

Cardiac risk stratification in patients undergoing endoluminal graft repair of abdominal aortic aneurysm: a single-institution experience with 365 patients (Aziz et al). 2003;38: 56-60

Cognitive performance in patients after carotid endarterectomy (Pearson et al); (Lloyd and Naylor) (Commentary). 2003; 38:1248-53

Endovascular aneurysm repair: gender-specific results (Ouriel et al). 2003;38:93-8

Endovascular aneurysm repair with a bifurcated endovascular graft at a primary referral center: influence of experience, age, gender, and aneurysm size on suitability (Simons et al). 2003;38:758-61

Factors predictive of venous thrombotic complications in patients with isolated superficial vein thrombosis (Quenet et al). 2003;38:944-9

Factors that predict prolonged length of stay after aortic surgery (Chang et al). 2003;38:335-9

Hepatic artery aneurysm: factors that predict complications (Abbas et al). 2003;38:41-5

Leg ulceration as a long-term complication of deep vein thrombosis (Walker et al). 2003;38:1331-5

A model for predicting occult carotid artery stenosis: screening is justified in a selected population (Jacobowitz et al). 2003;38:705-9

Selective management of abdominal aortic aneurysms smaller then 5.0 cm in a prospective sizing program with gender-specific analysis (Brown et al). 2003;38:762-5

Should patients with challenging anatomy be offered endovascular aneurysm repair? (Greenberg et al). 2003;38:990-6

Smokers' relative risk for aortic aneurysm compared with other smoking-related diseases: a systematic review (Lederle et al). 2003;38:329-34

Stent graft migration after endovascular aneurysm repair: importance of proximal fixation (Zarins et al); (May) (Commentary). 2003;38:1264-72

Thoracoabdominal aortic aneurysm repair after prior aortic surgery (Lombardi et al). 2003;38:1185-90

S

Saphenous vein

Cryopreserved saphenous vein allografts in infrainguinal revascularization: analysis of 240 grafts (Farber et al). 2003;38: 15-21

Early and late outcome after carotid artery bypass grafting with saphenous vein (Lauder et al). 2003;38:1025-30

Endovascular assisted in situ bypass grafting: a simplified technique for saphenous vein side branch occlusion (O'Donnell et al). 2003;38:856-8 (Tech. note)

How often is deep venous reflux eliminated after saphenous vein ablation? (Puggioni et al). 2003;38:517-21

Infrequent early recanalization of greater saphenous vein after endovenous laser treatment (Proebstle et al). 2003;38: 511-16

Morphologic characteristics of varicose veins: possible role of metalloproteinases (Woodside et al). 2003;38:162-9

Prospective randomized study of endovenous radiofrequency obliteration (Closure procedure) versus ligation and stripping in a selected patient population (EVOLVeS study) (Lurie et al). 2003;38:207-14

Prospective randomized study on bilateral above-knee femoropopliteal revascularization: polytetrafluoroethylene graft versus reversed saphenous vein (Ballotta et al). 2003;38: 1051-5

Regarding "Cryopreserved saphenous vein allografts in infrainguinal revascularization: analysis of 240 grafts" (Dardick). 2003;38:1446 (Letter)

Regarding "Subfascial endoscopic perforator vein surgery combined with saphenous vein ablation: results and critical analysis" (Rulli) (Letter); (Ballard) (Reply). 2003;38:1139

Signs and symptoms of saphenous nerve injury after greater saphenous vein stripping: prevalence, severity, and relevance for modern practice (Morrison and Dalsing). 2003; 38:886-90

Subfascial endoscopic perforator vein surgery combined with saphenous vein ablation: results and critical analysis (Bianchi et al). 2003;38:67-71

Sclerotherapy

Microthrombectomy reduces postsclerotherapy pigmentation: multicenter randomized trial (Scultetus et al). 2003;38:896-903

Self administration

Evaluating effects of method of administration on Walking Impairment Questionnaire (Coyne et al). 2003;38:296-304

Severity of illness index

Changes in ankle brachial index in symptomatic and asymptomatic subjects in the general population (Smith et al). 2003;38:1332-0

Evaluating chronic venous disease with a new venous severity scoring system (Ricci et al). 2003;38:909-15

Validation of the new venous severity scoring system in varicose vein surgery (Kakkos et al). 2003;38:224-8

Sex factors

Endovascular aneurysm repair: gender-specific results (Ouriel et al). 2003;38:93-8

Selective management of abdominal aortic aneurysms smaller then 5.0 cm in a prospective sizing program with gender-specific analysis (Brown et al). 2003;38:762-5

Skin manifestations

Deep axial reflux, an important contributor to skin changes or ulcer in chronic venous disease (Danielsson et al). 2003;38:1336-41

Smoking

Smokers' relative risk for aortic aneurysm compared with other smoking-related diseases: a systematic review (Lederle et al). 2003;38:329-34

Society for Vascular Surgery

Presidential address: The modern vascular specialist-surgeon, clinician, and interventionist (Ascher). 2003;38:633-8

Southern Association for Vascular Surgery

Leadership in difficult times (Seeger). 2003;38:413-21

Specialties, surgical

Medicolegal implications of board certification (Brown). 2003;38:407-8 (Editorial)

Presidential address: The modern vascular specialist-surgeon, clinician, and interventionist (Ascher). 2003;38:633-8

Regarding "Medicolegal implications of board certification (Lewis and Rhodes). 2003;38:407-8 (Editorial)

Surgeon specialty and provider volumes are related to outcome of intact abdominal aortic aneurysm repair in the United States (Dimick et al). 2003;38:739-44

Vascular surgery training in general surgery residency programs: the Canadian experience (Sidhu et al). 2003;38:1012-17

Spectroscopy, near-infrared

Tissue (muscle) oxygen saturation (StO_2): a new measure of symptomatic lower-extremity arterial disease (Comerota et al). 2003;38:724-9

Spinal cord ischemia

Linolenic acid prevents neuronal cell death and paraplegia after transient spinal cord ischemia in rats (Lang-Lazdunski et al). 2003;38:564-75

Splenic artery

Clinical features and management of splenic artery pseudoaneurysm: case series and cumulative review of literature (Tessier et al). 2003;38:969-74

Spondylitis, ankylosing

Abdominal aortic aneurysm with arteritis in ankylosing spondylitis (Takagi et al). 2003;38:613-16 (Case rep.)

Staphylococcus aureus

Graft-preserving treatment for vascular graft infected with *Staphylococcus aureus* with antibiotic-releasing porous aptite ceramic in the rabbit (Murase et al). 2003;38:368-73

Stents

Aortoiliac morphologic correlations in aneurysms undergoing endovascular repair (Ouriel et al). 2003;38:323-8

Blunt traumatic aortic transection: endoluminal repair with commercially available aortic cuffs (Sam et al). 2003;38:1132-5 (Case rep.)

Branched endovascular repair of aortic arch aneurysm with modular stent-graft system (Schneider et al). 2003;38:855

Challenges of endovascular tube graft repair of thoracic aortic aneurysm: midterm follow-up and lessons learned (Ellozy et al). 2003;38:676-83

Covered stents for injuries of subclavian and axillary arteries (Xenos et al). 2003;38:451-4

Durability of femorofemoral bypass grafting after aortouniiliac endovascular aneurysm repair (Hinchliffe et al). 2003;38:498-503

Effect of carotid artery stenting on the external carotid artery (Willfort-Ehringer et al). 2003;38:1039-44

Efficacious use of nitinol stents in the femoral and popliteal arteries (Vogel et al). 2003;38:1178-84

Emerging role of endovascular grafts in complex aortoiliac occlusive disease (Ali et al). 2003;38:486-91

Endovascular abdominal aortic aneurysm repair to prevent rupture in a patient requiring lithotripsy (de Graaf et al). 2003;38:1426-9 (Case rep.)

Endovascular stent-graft repair for penetrating atherosclerotic ulcer in the infrarenal abdominal aorta (Tsuji et al). 2003;38:383-8 (Case rep.)

Endovascular treatment of carotid stump syndrome (Naylor et al). 2003;38:593-5 (Case rep.). Correction 2003;38:1146

Fabric tears as a new cause of type III endoleak with Ancure endograft (Teutelink et al). 2003;38:843-6 (Case rep.)

Iliac artery stenting in patients with poor distal runoff: influence of concomitant infrainguinal arterial reconstruction (Timaran et al). 2003;38:479-85

Iliac artery stenting versus surgical reconstruction for TASC (TransAtlantic Inter-Society Consensus) type B and type C iliac lesions (Timaran et al). 2003;38:272-8

In-stent recurrent stenosis after carotid artery stenting: life table analysis and clinical relevance (Lal et al); (Ouriel) (Commentary). 2003;38:1162-9

Modular branched stent graft for endovascular repair of aortic arch aneurysm and dissection (Chuter et al). 2003;38:859-63 (Tech. note)

New approach to preoperative vascular exclusion for carotid body tumor (Tripp et al). 2003;38:389-91 (Case rep.)

Proximal aortic stent-graft displacement with type I endoleak due to Heimlich maneuver (Lin et al). 2003;38:380-2 (Case rep.)

Regarding "Carotid artery stenting: analysis of data for 105 patients at high risk" (Lucertini) (Letter); (Hobson) (Reply). 2003;38:1140-1

Renal angioplasty and stenting with distal protection of the main renal artery in ischemic nephropathy: early experience (Holden and Hill). 2003;38:962-8

Salvaging prosthetic dialysis fistulas with stents: forearm versus upper arm grafts (Kolakowski et al). 2003;38:719-23
Secondary conversion due to failed endovascular abdominal aortic aneurysm repair (Terramani et al). 2003;38:473-8. Correction 2003;38:1146
Stent-graft detachment from aortic wall after stent-graft repair of acute aortic dissection (Kato et al). 2003;38:1132-5 (Case rep.)
Stent-graft migration after endovascular aneurysm repair: importance of proximal fixation (Zarins et al); (May) (Commentary). 2003;38:1264-72
Successful stent-graft exclusion of a bovine patch-related carotid artery pseudoaneurysm (Lin et al). 2003;38:396
Timing and frequency of complications after carotid artery stenting: what is the optimal period of observation? (Tan et al). 2003;38:236-43
Venous outflow obstruction: an underestimated contributor to chronic venous disease (Neglén et al). 2003;38:879-85

Subclavian artery
Covered stents for injuries of subclavian and axillary arteries (Xenos et al). 2003;38:451-4

Subclavian steal syndrome
Endovascular therapy in prevention and management of coronary–subclavian steal (Westerband et al). 2003;38:699-704

Superior vena cava syndrome
Open surgical and endovascular treatment of superior vena cava syndrome caused by nonmalignant disease (Kalra et al). 2003;38:215-23

Surgical Ethics Challenges
Ethics of institutional marketing: role of physicians (Jones et al). 2003;38:409-10
Ethics of operative scheduling: fiduciary patient responsibilities and more (Jones et al). 2003;38:204-5
Limits of confidentiality: disclosure of HIV seropositivity (Jones et al). 2003;38:1443-4
Management of disagreements between attending and consulting physicians (Jones et al). 2003;38:1137-8
The surgeon's obligations to the noncompliant patient (Jones et al). 2003;38:626-7
What to tell patients harmed by other physicians (Jones et al). 2003;38:866-7

Surgical flaps
Use of a local fasciocutaneous flap for treatment of exposed vascular grafts to the dorsalis pedis artery (McPhee et al). 2003;38:194-6 (Case rep.)

Survival rate
Carotid ultrasound findings as a predictor of long-term survival after abdominal aortic aneurysm repair: a 14-year prospective study (Liapis et al). 2003;38:1220-5

Suture techniques
Can the Perclose suture-mediated closure system be used safely in patients undergoing diagnostic and therapeutic angiography to treat chronic lower extremity ischemia? (Mackrell et al). 2003;38:1305-8
Femoral endarteritis associated with percutaneous suture closure: new technology, challenging complications (Hollis and Rehring). 2003;38:83-7
Percutaneous arterial closure in peripheral vascular disease: a prospective randomized evaluation of the Perclose device (Starnes et al). 2003;38:263-71

Syphilis, cardiovascular
Combined open and endovascular repair of a syphilitic aortic aneurysm (Goldstein et al). 2003;38:1422-5 (Case rep.)

T

Technical notes
Technical notes. 2003;38:397-406, 621-5, 856-65

Teicoplanin
Graft-preserving treatment for vascular graft infected with *Staphylococcus aureus* with antibiotic-releasing porous aptite ceramic in the rabbit (Murase et al). 2003;38:368-73

Temporal arteries
Neurologic outcome after penetrating extracranial arterial trauma (du Troit et al). 2003;38:257-62

Tetrahydrofolate dehydrogenase
The prevalence of hyperhomocysteinemia, ethylene tetrahydrofolate reductase C677T mutation, and vitamin B12 and folate deficiency in patients with chronic venous insufficiency (Sam et al). 2003;38:904-8

Thoracic injuries
Blunt traumatic aortic transection: endoluminal repair with commercially available aortic cuffs (Sam et al). 2003;38:1132-5 (Case rep.)

Thoracotomy
Regarding "Rib-cross thoracotomy for placement of the thoracoabdominal or total descending aorta" (Morishita et al). 2003;38:629-30 (Letter)

Thrombectomy
Biologic degeneration of vein grafts after thrombotic occlusion: thrombectomy within 3 days results in better indices of viability (Kawai et al). 2003;38:305-12
Microthrombectomy reduces postsclerotherapy pigmentation: multicenter randomized trial (Scultetus et al). 2003;38:896-903
Spontaneous arterial thrombosis in a patient with human immunodeficiency virus infection: successful treatment with pharmacomechanical thrombectomy (Bush et al). 2003;38:392-5 (Case rep.)

Thrombin
Prospective randomized multicenter trial of fibrin sealant versus thrombin-soaked gelatin sponge for suture- or needle-hole bleeding from polytetrafluoroethylene femoral artery grafts (Taylor et al). 2003;38:766-71
Treatment of pancreatic pseudoaneurysm with percutaneous transabdominal thrombin injection (Manazer et al). 2003;38:600-2 (Case rep.)

Thromboangiitis obliterans
Buerger's disease in a 19-year-old woman (Matsushita et al). 2003;38:175-9 (Case rep.)
Ischemic intestinal involvement in a patient with Buerger disease: case report and literature review (Kobayashi et al). 2003;38:170-4 (Case rep.)

Thrombocytopenia
Heparin-induced thrombocytopenia: twenty-nine years later (Shuster et al). 2003;38:1316-22

Thromboembolism
Patients' thromboembolic potential after carotid endarterectomy is related to the platelets' sensitivity to adenosine diphosphate (Hayes et al). 2003;38:1226-31

Thrombolytic therapy
L-Arginine improves endothelial vasoreactivity and reduces thrombogenicity after thrombolysis in experimental deep venous thrombosis (Lin et al). 2003;38:1396-403
Factors predictive of venous thrombotic complications in patients with isolated superficial vein thrombosis (Quenet et al). 2003;38:944-9
Hypercoagulable state and antithrombotic strategies in recur-

rent vascular access site thrombosis (O'Shea et al). 2003; 38:541-8
Regarding "The safety, efficacy, and pharmacoeconomics of low-dose alteplase compared with urokinase for catheter-directed thrombolysis of arterial and venous occlusions" (Manfredini et al). 2003;38:411-12 (Letter)
Regarding "Veterans Affairs (VA) Cooperative Study #362" (Tangelder et al). 2003;38:629 (Letter)
Treatment of portal venous thrombosis with selective superior mesenteric artery infusion of recombinant tissue plasminogen activator (Henao et al). 2003;38:1411-15 (Case rep.)

Thrombophilia
Hypercoagulable state and antithrombotic strategies in recurrent vascular access site thrombosis (O'Shea et al). 2003; 38:541-8

Thrombosis
Influence of intraluminal thrombus on structural and cellular composition of abdominal aortic aneurysm wall (Kazi et al). 2003;38:1283-92

Thrombospondins
Thrombospondin-1 induces matrix metalloproteinase-2 activation in vascular smooth muscle cells (Lee et al). 2003;38: 147-54

Tissue fixation
Does transrenal fixation of aortic endografts impair renal function? (Cayne et al). 2003;38:639-44

Tissue plasminogen activator
Regarding "The safety, efficacy, and pharmacoeconomics of low-dose alteplase compared with urokinase for catheter-directed thrombolysis of arterial and venous occlusions" (Manfredini et al). 2003;38:411-12 (Letter)
Treatment of portal venous thrombosis with selective superior mesenteric artery infusion of recombinant tissue plasminogen activator (Henao et al). 2003;38:1411-15 (Case rep.)

Toe
Evaluation of toe pressure and transcutaneous oxygen measurements in management of chronic critical leg ischemia: a diagnostic randomized clinical trial (de Graaff JC et al). 2003;38:528-34

Tomography, x-ray computed
Color-flow duplex ultrasound scan versus computed tomographic scan in the surveillance of endovascular aneurysm repair (Raman et al). 2003;38:645-51
Comparison of abdominal aortic aneurysm diameter measurements obtained with ultrasound and computed tomography: is there a difference? (Sprouse et al). 2003;38:466-72

Transcription factor NF-kB; *see* NF-kappa B

Transforming growth factor beta
Ex vivo gene therapy with adenovirus-mediated transforming growth factor B_3 expression for endovascular treatment of aneurysm: results in a canine bilateral aneurysm model (Ribourtout et al). 2003;38:576-83

Trauma; *see* Wounds and injuries

Treatment outcome
Carotid bypass with polytetrafluoroethylene grafts: a study of 110 consecutive patients (Camiade et al). 2003;38:1031-8
Comparison of procedural outcomes after lower extremity reversed vein grafting and secondary surgical revision (Landry et al). 2003;38:22-8
Does hostile neck anatomy preclude successful endovascular aortic aneurysm repair? (Dillavou et al). 2003;38:657-63
Does large oversizing of self-expandable endoprostheses compensate for aortic growth? (Marty et al). 2003;38:1368-75
Early and late outcome after carotid artery bypass grafting with saphenous vein (Lauder et al). 2003;38:1025-30
Endovascular repair of abdominal aortic aneurysm without preoperative arteriography (Wyers et al). 2003;38:730-8
Five-year interim comparison of the Guidant bifurcated endograft with open repair of abdominal aortic aneurysm (Moore et al). 2003;38:46-55
Intraoperative duplex ultrasound of visceral revascularizations: optimizing technical success and outcome (Oderich et al). 2003;38:684-91
The LifeSite Hemodialysis Access System in patients with limited access (Rayan et al). 2003;38:714-18
Outcome of carotid stent-assisted angioplasty versus open surgical repair of recurrent carotid stenosis (Bowser et al). 2003;38:432-8
Prospective, randomized study of external jugular vein patch versus polytetrafluoroethylene patch during carotid endarterectomy: perioperative and long-term results (Greco et al). 2003;38:1232-40
Selective shunting with eversion carotid endarterectomy (Ballotta and Da Giau). 2003;38:1045-50
Should patients with challenging anatomy be offered endovascular aneurysm repair? (Greenberg et al). 2003;38:990-6
Subfascial endoscopic perforator vein surgery combined with saphenous vein ablation: results and critical analysis (Bianchi et al). 2003;38:67-71
Treatment of limb-threatening ischemia with percutaneous intentional extraluminal recanalization: a preliminary evaluation (Treiman et al). 2003;38:29-35
Volume regression of abdominal aortic aneurysms and its relation to successful endoluminal exclusion (Lee et al). 2003; 38:1254-63

Treatment refusal
The surgeon's obligations to the noncompliant patient (Jones et al). 2003;38:626-7

Tunica intima
In vivo noninvasive identification of cell composition of intimal lesions: a combined approach with ultrasonography and immunocytochemistry (Puato et al). 2003;38:1390-5
Influence of intraluminal thrombus on structural and cellular composition of abdominal aortic aneurysm wall (Kazi et al). 2003;38:1283-92
Overexpression of mutated IκBα inhibits vascular smooth muscle cell proliferation and intimal hyperplasia formation (Zuckerbraun et al). 2003;38:812-19

Tyrosine
Inducible nitric oxide synthase is present in human abdominal aortic aneurysm and promotes oxidative vascular injury (Zhang et al). 2003;38:360-7

U

Ultrasonography
Comparison of abdominal aortic aneurysm diameter measurements obtained with ultrasound and computed tomography: is there a difference? (Sprouse et al). 2003;38:466-72
In vivo noninvasive identification of cell composition of intimal lesions: a combined approach with ultrasonography and immunocytochemistry (Puato et al). 2003;38:1390-5

Ultrasonography, Doppler, color
Carotid ultrasound findings as a predictor of long-term survival after abdominal aortic aneurysm repair: a 14-year prospective study (Liapis et al). 2003;38:1220-5
Color-flow duplex ultrasound scan versus computed tomo-

graphic scan in the surveillance of endovascular aneurysm repair (Raman et al). 2003;38:645-51

Ultrasonography, Doppler, duplex

Failure of arteriovenous fistula maturation: an unintended consequence of exceeding Dialysis Outcome Quality Initiative guidelines for hemodialysis access (Patel et al). 2003;38: 439-45

Intraoperative duplex ultrasound of visceral revascularizations: optimizing technical success and outcome (Oderich et al). 2003;38:684-91

Magnetic resonance angiography minimizes need for arteriography after inadequate carotid duplex ultrasound scanning (Back et al). 2003;38:422-31

Recurrence after varicose vein surgery: a prospective long-term clinical study with duplex ultrasound scanning and air plethysmography (van Rij et al). 2003;38:935-43

Ultrasonography, interventional

Bedside intravascular ultrasound-guided vena cava filter placement (Wellons et al). 2003;38:455-8. Correction 2003;38: 1146

Umbilical veins

Regarding "Cryopreserved saphenous vein allografts in infrainguinal revascularization: analysis of 240 grafts" (Dardik). 2003;38:1446 (Letter)

Ureteral obstruction

Caval and ureteral obstruction secondary to an inflammatory abdominal aortic aneurysm (Kashyap et al). 2003;38:1416-21 (Case rep.)

Urinary plasminogen activator

Regarding "The safety, efficacy, and pharmacoeconomics of low-dose alteplase compared with urokinase for catheter-directed thrombolysis of arterial and venous occlusions" (Manfredini et al). 2003;38:411-12 (Letter)

V

Varicose ulcer

Endovascular repair of a penetrating thoracic aortic ulcer by way of the carotid artery (Heidenreich et al). 2003;38: 1407-10 (Case rep.)

Endovascular stent-graft repair for penetrating atherosclerotic ulcer in the infrarenal abdominal aorta (Tsuji et al). 2003; 38:383-8 (Case rep.)

Increased but ineffectual angiogenic drive in nonhealing venous leg ulcers (Drinkwater et al). 2003;38:1106-12

Regarding "Subfascial endoscopic perforator vein surgery combined with saphenous vein ablation: results and critical analysis" (Rulli) (Letter); (Ballard) (Reply). 2003;38:1139

Subfascial endoscopic perforating vein surgery as treatment for lateral perforating vein incompetence and venous ulceration (de Rijcke et al). 2003;38:799-803

Subfascial endoscopic perforator vein surgery combined with saphenous vein ablation: results and critical analysis (Bianchi et al). 2003;38:67-71

Surgical anatomy for subfascial endoscopic perforating vein surgery of laterally located perforating veins (de Rijcke et al). 2003;38:1349-52

Varicose veins

How often is deep venous reflux eliminated after saphenous vein ablation? (Puggioni et al). 2003;38:517-21

Microthrombectomy reduces postsclerotherapy pigmentation: multicenter randomized trial (Scultetus et al). 2003;38: 896-903

Morphologic characteristics of varicose veins: possible role of metalloproteinases (Woodside et al). 2003;38:162-9

Prospective randomized study of endovenous radiofrequency obliteration (Closure procedure) versus ligation and stripping in a selected patient population (EVOLVeS study) (Lurie et al). 2003;38:207-14

Recurrence after varicose vein surgery: a prospective long-term clinical study with duplex ultrasound scanning and air plethysmography (van Rij et al). 2003;38:935-43

Signs and symptoms of saphenous nerve injury after greater saphenous vein stripping: prevalence, severity, and relevance for modern practice (Morrison and Dalsing). 2003; 38:886-90

Surgical anatomy for subfascial endoscopic perforating vein surgery of laterally located perforating veins (de Rijcke et al). 2003;38:1349-52

Symptoms of chronic venous disease and association with systemic inflammatory markers (Howlader and Smith). 2003;38:950-4

Treatment of superficial and perforator venous incompetence without deep venous insufficiency: is routine perforator ligation necessary? (Mendes et al). 2003;38:891-5

Validation of the new venous severity scoring system in varicose vein surgery (Kakkos et al). 2003;38:224-8

Vascular Images

Acute aortic occlusion from a cardiac embolus (Lee). 2003;38: 197

Branched endovascular repair of aortic arch aneurysm with modular stent-graft system (Schneider et al). 2003;38:855

Explanation of an infected aortic endograft with suprarenal barb fixation (Sternbergh et al). 2003;38:1136

Multiple arterial aneurysms (Takagi et al). 2003;38:1440

Renal artery aneurysm presenting with microscopic hematuria (Serracino-Inglott et al). 2003;38:620

Successful stent-graft exclusion of a bovine patch-related carotid artery pseudoaneurysm (Lin et al). 2003;38:396

Vascular neoplasms

Primary malignant tumors of the aorta: clinical presentation, treatment, and course of different entities (Böhner et al). 2003;38:1430-3 (Case rep.)

Vascular patency

Failure of arteriovenous fistula maturation: an unintended consequence of exceeding Dialysis Outcome Quality Initiative guidelines for hemodialysis access (Patel et al). 2003;38: 439-45

Iliac artery stenting in patients with poor distal runoff: influence of concomitant infrainguinal arterial reconstruction (Timaran et al). 2003;38:479-85

A multicenter study of permanent hemodialysis access patency: beneficial effect of clipped vascular anastomotic technique (Shenoy et al). 2003;38:229-35

Vascular surgery

Business-related knowledge base of vascular surgeons (Satiani). 2003;38:868 (Letter)

Five-year results of a merger between vascular surgeons and interventional radiologists in a university medical center (Green and Waldman). 2003;38:1213-19

Has the changing nature of vascular surgery adversely affected scholarly activity? (Galt et al). 2003;38:1-6

Presidential address: Generations apart—bridging the generational divide in vascular surgery (Sidawy). 2003;38:1147-53

Presidential address: The modern vascular specialist-surgeon, clinician, and interventionist (Ascher). 2003;38:633-8
Presidential address: Venous surgery—from stepchild to equal partner (Gloviczki). 2003;38:871-8
Vascular surgery training in general surgery residency programs: the Canadian experience (Sidhu et al). 2003;38:1012-17

Vascular surgical procedures
Challenges of endovascular tube graft repair of thoracic aortic aneurysm: midterm follow-up and lessons learned (Ellozy et al). 2003;38:676-83
Combined open and endovascular repair of a syphilitic aortic aneurysm (Goldstein et al). 2003;38:1422-5 (Case rep.)
Current modifications to totally laparoscopic "apron technique" (Dion et al). 2003;38:403-6 (Tech. note)
Does transrenal fixation of aortic endografts impair renal function? (Cayne et al). 2003;38:639-44
Endovascular aneurysm repair with a bifurcated endovascular graft at a primary referral center: influence of experience, age, gender, and aneurysm size on suitability (Simons et al). 2003;38:758-61
Endovascular assisted in situ bypass grafting: a simplified technique for saphenous vein side branch occlusion (O'Donnell et al). 2003;38:856-8 (Tech. note)
Endovascular management of axillofemoral bypass graft stump syndrome (Kallakuri et al). 2003;38:833-5 (Case rep.)
Endovascular repair of a penetrating thoracic aortic ulcer by way of the carotid artery (Heidenreich et al). 2003;38:1407-10 (Case rep.)
Endovascular suture versus cutdown for endovascular aneurysm repair: a prospective randomized pilot study (Torsello et al). 2003;38:78-82
Iliac artery stenting versus surgical reconstruction for TASC (TransAtlantic Inter-Society Consensus) type B and type C iliac lesions (Timaran et al). 2003;38:272-8
Is cross-femoral bypass grafting a disadvantage of aortomonoiliac endovascular aortic aneurysm repair? (Yilmaz et al). 2003;38:753-7
Modular branched stent graft for endovascular repair of aortic arch aneurysm and dissection (Chuter et al). 2003;38:859-63 (Tech. note)
Morbidity with retroperitoneal procedures during endovascular abdominal aortic aneurysm repair (Lee et al). 2003;38:459-65
New approach to preoperative vascular exclusion for carotid body tumor (Tripp et al). 2003;38:389-91 (Case rep.)
Open aneurysm repair at an endovascular center: value of a modified retroperitoneal approach in patients at high risk with difficult aneurysms (Shaw et al). 2003;38:504-10
Prospective randomized study of endovenous radiofrequency obliteration (Closure procedure) versus ligation and stripping in a selected patient population (EVOLVeS study) (Lurie et al). 2003;38:207-14
Radial artery as conduit for distal renal artery reconstruction (Patterson and Smail). 2003;38:609-12 (Case rep.)
Regarding "Is there an increased risk for DVT with the VNUS closure procedure?" (Guptan). 2003;38:1140
Regarding "Is there an increased risk for DVT with the VNUS closure procedure?" (Merchant et al). 2003;38:628 (Letter)
Regarding response to "Vein transposition in the forearm for autogenous hemodialysis access" and "Basilic vein transposition: an underused autologous alternative to prosthetic dialysis angioaccess" (Chemla et al). 2003;38:1446 (Letter)
Regarding "Rib-cross thoracotomy for placement of the thoracoabdominal or total descending aorta" (Morishita et al). 2003;38:629-30 (Letter)
Salvage of a difficult situation: method for conversion of failed endograft (Milner et al). 2003;38:397-400 (Tech. note)
Subfascial endoscopic perforating vein surgery as treatment for lateral perforating vein incompetence and venous ulceration (de Rijcke et al). 2003;38:799-803
Subfascial endoscopic perforator vein surgery combined with saphenous vein ablation: results and critical analysis (Bianchi et al). 2003;38:67-71
Technique to decrease lower extremity and pelvic ischemia during thoracoabdominal aortic aneurysm repair (Giglia). 2003;38:401-2 (Tech. note)
Three-dimensional reconstruction of autologous vein bypass graft distal anastomoses imaged with magnetic resonance: clinical and research applications (Jackson et al). 2003;38:621-5 (Tech. note)
Transbrachial arterial insertion of aortic occlusion balloon catheter in patients with shock from ruptured abdominal aortic aneurysm (Matsuda et al). 2003;38:1293-6
Use of a local fasciocutaneous flap for treatment of exposed vascular grafts to the dorsalis pedis artery (McPhee et al). 2003;38:194-6 (Case rep.)
Use of fascia-peritoneum patch as a pledget for an infected aortic stump (Sarac et al). 2003;38:1404-6 (Case rep.)

Vasodilation
L-Arginine improves endothelial vasoreactivity and reduces thrombogenicity after thrombolysis in experimental deep venous thrombosis (Lin et al). 2003;38:1396-403

Vasomotor system
Disturbed vasomotion in chronic venous insufficiency (Stücker et al). 2003;38:522-7

Veins
Mechanism of venous valve closure and role of the valve in circulation: a new concept (Lurie et al). 2003;38:955-61

Vena cava, inferior
Caval and ureteral obstruction secondary to an inflammatory abdominal aortic aneurysm (Kashyap et al). 2003;38:1416-21 (Case rep.)
Inferior vena cava endograft to control surgically inaccessible hemorrhage (Erzurum). 2003;38:1437-9 (Case rep.)

Vena cava filters
Aortic pseudoaneurysm from aortic penetration with a bird's nest vena cava filter (Campbell and Calcagno). 2003;38:596-9 (Case rep.)
Bedside intravascular ultrasound-guided vena cava filter placement (Wellons et al). 2003;38:455-8. Correction 2003;38:1146
Selective venography versus nonselective venography before vena cava filter placement: evidence for more, not less (Danetz et al). 2003;38:928-34

Venous insufficiency
Deep axial reflux, an important contributor to skin changes or ulcer in chronic venous disease (Danielsson et al). 2003;38:1336-41
Definition of venous reflux in lower-extremity veins (Labropoulos et al). 2003;38:793-8
Disturbed vasomotion in chronic venous insufficiency (Stücker et al). 2003;38:522-7
Endovascular assisted in situ bypass grafting: a simplified tech-

nique for saphenous vein side branch occlusion (O'Donnell et al). 2003;38:856-8 (Tech. note)
Evaluating chronic venous disease with a new venous severity scoring system (Ricci et al). 2003;38:909-15
How often is deep venous reflux eliminated after saphenous vein ablation? (Puggioni et al). 2003;38:517-21
Infrequent early recanalization of greater saphenous vein after endovenous laser treatment (Proebstle et al). 2003;38: 511-16
A new in vitro model of venous hypertension: the effect of pressure on dermal fibroblasts (Healey et al). 2003;38: 1099-105
The prevalence of hyperhomocysteinemia, ethylene tetrahydrofolate reductase C677T mutation, and vitamin B12 and folate deficiency in patients with chronic venous insufficiency (Sam et al). 2003;38:904-8
Prospective evaluation of chronic venous insufficiency based on foot venous pressure measurements and air plethysmography findings (Fukuoka et al). 2003;38:804-11
Regarding "Optimal therapy for advanced chronic venous insufficiency" (Escribano) (Letter); (Tawes) (Reply). 2003; 38:411
Regarding "Venous reflux repair with cryopreserved vein valves" (García-Rinaldi) (Letter); (Neglén and Raju) (Reply). 2003;38:1139-40
Subfascial endoscopic perforating vein surgery as treatment for lateral perforating vein incompetence and venous ulceration (de Rijcke et al). 2003;38:799-803
Symptoms of chronic venous disease and association with systemic inflammatory markers (Howlader and Smith). 2003;38:950-4
Treatment of superficial and perforator venous incompetence without deep venous insufficiency: is routine perforator ligation necessary? (Mendes et al). 2003;38:891-5
Venous outflow obstruction: an underestimated contributor to chronic venous disease (Neglén et al). 2003;38:879-85

Venous pressure

A new in vitro model of venous hypertension: the effect of pressure on dermal fibroblasts (Healey et al). 2003;38: 1099-105

Venous thrombosis

L-Arginine improves endothelial vasoreactivity and reduces thrombogenicity after thrombolysis in experimental deep venous thrombosis (Lin et al). 2003;38:1396-403
Deep venous thrombosis prophylaxis in trauma: improved compliance with a novel miniaturized pneumatic compression device (Murakami et al). 2003;38:923-7
Factors predictive of venous thrombotic complications in patients with isolated superficial vein thrombosis (Quenet et al). 2003;38:944-9
How often is deep venous reflux eliminated after saphenous vein ablation? (Puggioni et al). 2003;38:517-21
Leg ulceration as a long-term complication of deep vein thrombosis (Walker et al). 2003;38:1331-5
The management and outcome of acute venous thromboembolism: a prospective registry including 4011 patients (Arcelus et al). 2003;38:916-22
Neutropenia impairs venous thrombosis resolution in the rat (Varma et al). 2003;38:1090-8
P-selectin and leukocyte microparticles are associated with venous thrombogenesis (Myers et al). 2003;38:1075-89
Regarding "Is there an increased risk for DVT with the VNUS closure procedure?" (Guptan). 2003;38:1140
Regarding "Is there an increased risk for DVT with the VNUS closure procedure?" (Merchant et al). 2003;38:628 (Letter)
Regarding "The safety, efficacy, and pharmacoeconomics of low-dose alteplase compared with urokinase for catheter-directed thrombolysis of arterial and venous occlusions" (Manfredini et al). 2003;38:411-12 (Letter)
Spontaneous arterial thrombosis in a patient with human immunodeficiency virus infection: successful treatment with pharmacomechanical thrombectomy (Bush et al). 2003;38: 392-5 (Case rep.)
Treatment of portal venous thrombosis with selective superior mesenteric artery infusion of recombinant tissue plasminogen activator (Henao et al). 2003;38:1411-15 (Case rep.)

Vitamin B12 deficiency

The prevalence of hyperhomocysteinemia, ethylene tetrahydrofolate reductase C677T mutation, and vitamin B12 and folate deficiency in patients with chronic venous insufficiency (Sam et al). 2003;38:904-8

W

Walking

Evaluating effects of method of administration on Walking Impairment Questionnaire (Coyne et al). 2003;38:296-304

Women's health

Buerger's disease in a 19-year-old woman (Matsushita et al). 2003;38:175-9 (Case rep.)
Functional health and well-being of relatively young women with peripheral arterial disease is decreased but stable after diagnosis (Bloemenkamp et al). 2003;38:104-10
Hyperhomocysteinemia and risk for peripheral arterial occlusive disease in young women (van den Bosch et al). 2003; 38:772-8

Wounds, nonpenetrating

Blunt traumatic aortic transection: endoluminal repair with commercially available aortic cuffs (Sam et al). 2003;38: 1132-5 (Case rep.)
Dissection of the abdominal aorta in blunt trauma: endovascular or conventional surgical management? (Berthet et al). 2003;38:997-1004

Wounds, penetrating

Covered stents for injuries of subclavian and axillary arteries (Xenos et al). 2003;38:451-4

Wounds and injuries

Deep venous thrombosis prophylaxis in trauma: improved compliance with a novel miniaturized pneumatic compression device (Murakami et al). 2003;38:923-7